







LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-





1-2170287-0 shown
SCALE 4:1



1-2170287-0
ONE SIDED CONFIGURATION
SCALE 5:2




1-2170287-1 SHOWN
SCALE 4:1




1-2170287-1
ONE SIDED CONFIGURATION
SCALE 5:2


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN CHK DENNY ZHU APVD ALEX CAI	29FEB2012 29FEB2012 29FEB2012	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.35 1 PLC ±0.25 2 PLC ±.25 3 PLC ±.25 4 PLC ±.25 ANGLES ±.25 FINISH		108-2286 APPLICATION SPEC	
MATERIAL		WEIGHT		SIZE CAGE CODE DRAWING NO	
-		-		A100779C=2170287	
CUSTOMER DRAWING		SCALE		SHEET 2 OF 8	
		1:1		REV A	

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN 29FEB2012	 TE Connectivity	
DIMENSIONS:		CHK DENNY ZHU 29FEB2012		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD ALEX CAI 29FEB2012	NAME 1X4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS, QSFP	
	0 PLC	±0.35	PRODUCT SPEC	SIZE
	1 PLC	±0.25	108-2286	CAGE CODE
	2 PLC	±0.25	APPLICATION SPEC	DRAWING NO
	3 PLC	±0.25	114-13217	RESTRICTED TO
MATERIAL	FINISH	WEIGHT	A100779C=2170287	-
CUSTOMER DRAWING		SCALE	1:1	SHEET 3 OF 8
		REV	A	

LOC		DIST		REVISONS			
GP		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-





ONE SIDED CONFIGURATION
SCALE 5:2




BELLY TO BELLY CONFIGURATION
SIMILAR TO ONE SIDED
EXCEPT WHERE NOTED
SCALE 5:2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN 29FEB2012	TE Connectivity	
DIMENSIONS:		CHK DENNY ZHU 29FEB2012		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD ALEX CAI 29FEB2012	NAME 1X4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS, QSFP	
	0 PLC ±	PRODUCT SPEC	SIZE A100779C=2170287	
	1 PLC ±0.35	APPLICATION SPEC	RESTRICTED TO	
MATERIAL	2 PLC ±0.25	WEIGHT	SCALE 1:1	
	3 PLC ±	CUSTOMER DRAWING	SHEET 4 OF 8	
	4 PLC ±		REV A	
	ANGLES			
	FINISH			




DETAIL J
3 PLACES
SCALE 8:1

4805 (3/11)




DETAIL M
SCALE 10:1




DETAIL J
3 PLACES
SCALE 8:1

THIS PRODUCT HAS NOT COMPLETED VALIDATION/QUALIFICATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.						DWN KINSEN SUN	29FEB2012			TE Connectivity											
								CHK DENNY ZHU	29FEB2012												
DIMENSIONS:								APVD ALEX CAI	29FEB2012	NAME	IX4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS,										
(mm)								PRODUCT SPEC		QSPF											
								APPLICATION SPEC													
MATERIAL	-							WEIGHT		A1	CAGE CODE	DRAWING NO		RESTRICTED TO							
FINISH	-									100779	C=	2170287		-							
CUSTOMER DRAWING										SCALE		1 : 1		SHEET	6 OF 8		REV	Δ			



DETAIL M
SCALE 10:1




DETAIL J
3 PLACES
SCALE 8:1

RECOMMENDED PC BOARD LAYOUT
SINGLE SIDE MOUNT CONFIGURATION FOR I-2170287-1
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN	29FEB2012	 TE Connectivity								
		CHK DENNY ZHU	29FEB2012									
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPRV ALEX CAI	NAME	IX4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS, QSPF						
mm				PRODUCT SPEC								
		0 P L C	± .	108-2286	APPLICATION SPEC	SIZE CAGE CODE DRAWING NO RESTRICTED TO						
		1 P L C	±0.35									
		2 P L C	±0.25									
		3 P L C	±									
		4 P L C	±	114-13217								
MATERIAL		FINISH		WEIGHT	A100779C=2170287							
-		-		-	CUSTOMER DRAWING							
					SCALE	1 : 1	SHEET	7	OF	8	REV	Δ

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
GP	00	-	-	SEE SHEET 1	-	-



THIS PRODUCT HAS NOT COMPLETED VALIDATION/QUALIFICATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN CHK DENNY ZHU APVD ALEX CAI	29FEB2012 29FEB2012 29FEB2012	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm	0 PLC ±0.35 1 PLC ±0.35 2 PLC ±0.25 3 PLC ± 4 PLC ±	PRODUCT SPEC 108-2286		APPLICATION SPEC 114-13217	
MATERIAL	FINISH	WEIGHT	CUSTOMER DRAWING	SIZE A100779	CAGE CODE C=2170287
SCALE 1:1				SHEET 8 OF 8	REV A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.