




	13	12	11	10	9	8	7	6	5	4	3	2	1						
J	ENG. NO.	PIN NO.	DIM. L	DIM. X	DIM. Z	DIM. Y	DIM. W	DIM. R	DIM. G	DIM. T				J					
	A-7832-NA197	42663-0662	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	N/A	OVERALL									
	A-7832-NB197	42663-0742	.780 (19.81)	.305 (7.75)	.140 (3.56)	.120 (3.05)	90°	.046 (1.17)	N/A	OVERALL									
I	A-7832-NA241	42663-0666	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	.180 (4.57)	.135 (3.43)				I					
	A-7832-NA228	42663-0664	.740 (18.80)	.264 (6.71)	.141 (3.58)	.120 (3.05)	90°	.046 (1.17)	.180 (4.57)	.135 (3.43)									
H														H					
G														G					
F														F					
E														E					
D														D					
C														C					
B							SEE SHEET 1 EC NO: UCP2014-4150 2014/04/07 DRAWN:MKIPPER 2014/04/07 CHKD:ANGUYEN 2014/08/06 APPR:FSMITH	QUALITY SYMBOLS ▽=0 ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED) mm INCH 4 PLACES ± --- ± --- 3 PLACES ± --- ±.010 2 PLACES ±0.25 ±.015 1 PLACE ±0.36 ± --- 0 PLACE ± --- ± ---		DIMENSION STYLE IN/MM DRAWN BY DATE MKIPPER 2014/04/07 CHECKED BY DATE SAMIEC 98/10/09 APPROVED BY DATE FSMITH 2014/08/06		SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION		B		
A							U2		ANGULAR ±1/2° DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO. SEE CHART		DOCUMENT NO. SDA-7832		SHEET NO. 2 OF 3		A		
	tb_frame_C_P_AM_T Rev. G 2012/01/11						12	11	10	9	8	7	6	5	4	3	2	1	

	13	12	11	10	9	8	7	6	5	4	3	2	1																																																										
J	A-7832-NA197-*			A-7832-NB197-*			A-7832-NA241-*			A-7832-NA228-*																																																													
	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.	PART NO.	ENG. NO(SUFFIX ONLY)	VOID CKT.																																																											
	22-05-8059	A-7832-5A197-2	2	22-05-8109	A-7832-10B197-6	6	22-19-2070	A-7832-7A241-6	6	22-19-2098	A-7832-9A228-3	3																																																											
	22-05-8199	A-7832-19A197-14	14	22-05-8078	A-7832-7B197-4	4	22-19-2060	A-7832-6A241-3	3	22-19-2099	A-7832-9A228-4	4																																																											
	22-05-8069	A-7832-6A197-2	2				22-19-2090	A-7832-9A241-6	6	22-19-2048	A-7832-4A228-3	3																																																											
	22-05-8076	A-7832-7A197-4	4																																																																				
	22-05-8077	A-7832-7A197-5	5																																																																				
	22-05-8068	A-7832-6A197-5	5																																																																				
I	22-05-8047	A-7832-4A197-2	2																																																																				
	22-05-8079	A-7832-7A197-3	3																																																																				
	22-05-8116	A-7832-11A197-6	6																																																																				
		A-7832-5A197-4	4																																																																				
	22-05-8253	A-7832-25A197-1	1																																																																				
	22-05-8129	A-7832-12A197-10	10																																																																				
	22-05-8159	A-7832-15A197-14	14																																																																				
	22-05-8128	A-7832-12A197-4	4																																																																				
H	22-05-8049	A-7832-4A197-3	3																																																																				
	22-05-8086	A-7832-8A197-4	4																																																																				
	22-05-8113	A-7832-11A197-51	1,5,9																																																																				
	22-05-8162	A-7832-16A197-51	1,8																																																																				
G	22-05-8087	A-7832-8A197-2	2																																																																				
	22-05-8088	A-7832-8A197-6	6																																																																				
	22-05-8089	A-7832-8A197-7	7																																																																				
	22-05-8104	A-7832-10A197-2	2																																																																				
	22-05-8105	A-7832-10A197-9	9																																																																				
	22-05-8084	A-7832-8A197-3	3																																																																				
	22-05-3277	A-7832-27A197-51	3,7,9,11,14 16,21,23																																																																				
	22-05-8143	A-7832-14A197-51	2,3,5,6																																																																				
F	46999-0581	A-7832-17A197-51	3,6,12,15																																																																				
	46999-0651	A-7832-3A197-2	2																																																																				
E																																																																							
D																																																																							
C																																																																							
<table><tr><td>COLUMN NO. 1</td><td>CON'T. IN COLUMN NO.</td><td>SHEET NO.</td><td>COLUMN NO. 2</td><td>CON'T. IN COLUMN NO.</td><td>SHEET NO.</td><td>COLUMN NO. 3</td><td>CON'T. IN COLUMN NO.</td><td>SHEET NO.</td><td>COLUMN NO. 4</td><td>CON'T. IN COLUMN NO.</td><td>SHEET NO.</td><td colspan="2"></td></tr></table>														COLUMN NO. 1	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 2	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 3	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 4	CON'T. IN COLUMN NO.	SHEET NO.																																														
COLUMN NO. 1	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 2	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 3	CON'T. IN COLUMN NO.	SHEET NO.	COLUMN NO. 4	CON'T. IN COLUMN NO.	SHEET NO.																																																												
B	<table><tr><td rowspan="5">SEE SHEET 1 EC NO: UCP2014-4150 DRWN:MKIPPER 2014/04/07 CHKD:NGUYEN 2014/04/07 APPR:FSMITH 2014/08/06 U2</td><td rowspan="5">DESCRIPTION REV</td><td>QUALITY SYMBOLS ▽⇒0 ▽⇒0 ▽⇒0</td><td>GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .010</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .015</td></tr><tr><td>1 PLACE</td><td>± 0.36</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>± ---</td><td>± ---</td></tr></table></td><td>DIMENSION STYLE IN/MM <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>MKIPPER</td><td>2014/04/07</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>SAMIEC</td><td>98/10/09</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>FSMITH</td><td>2014/08/06</td></tr></table></td><td>SCALE ---</td><td>DESIGN UNITS INCH</td><td>THIRD ANGLE PROJECTION </td><td>TITLE FRICITION LOCK HEADER ASY .100 CL. BENT SQ. PINS 7832 SERIES DWG. W/VOIDS molex</td></tr><tr><td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td><td>MATERIAL NO.</td><td>DOCUMENT NO.</td><td colspan="2">SHEET NO. 3 OF 3</td></tr><tr><td colspan="2">SIZE C</td><td colspan="11">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION</td></tr></table>													SEE SHEET 1 EC NO: UCP2014-4150 DRWN:MKIPPER 2014/04/07 CHKD:NGUYEN 2014/04/07 APPR:FSMITH 2014/08/06 U2	DESCRIPTION REV	QUALITY SYMBOLS ▽⇒0 ▽⇒0 ▽⇒0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .010</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .015</td></tr><tr><td>1 PLACE</td><td>± 0.36</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>± ---</td><td>± ---</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± .010	2 PLACES	± 0.25	± .015	1 PLACE	± 0.36	± ---	0 PLACE	± ---	± ---	DIMENSION STYLE IN/MM <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>MKIPPER</td><td>2014/04/07</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>SAMIEC</td><td>98/10/09</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>FSMITH</td><td>2014/08/06</td></tr></table>	DRAWN BY	DATE	MKIPPER	2014/04/07	CHECKED BY	DATE	SAMIEC	98/10/09	APPROVED BY	DATE	FSMITH	2014/08/06	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION 	TITLE FRICITION LOCK HEADER ASY .100 CL. BENT SQ. PINS 7832 SERIES DWG. W/VOIDS molex	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SHEET NO. 3 OF 3		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION										
	SEE SHEET 1 EC NO: UCP2014-4150 DRWN:MKIPPER 2014/04/07 CHKD:NGUYEN 2014/04/07 APPR:FSMITH 2014/08/06 U2	DESCRIPTION REV	QUALITY SYMBOLS ▽⇒0 ▽⇒0 ▽⇒0	GENERAL TOLERANCES (UNLESS SPECIFIED) <table><tr><td></td><td>mm</td><td>INCH</td></tr><tr><td>4 PLACES</td><td>± ---</td><td>± ---</td></tr><tr><td>3 PLACES</td><td>± ---</td><td>± .010</td></tr><tr><td>2 PLACES</td><td>± 0.25</td><td>± .015</td></tr><tr><td>1 PLACE</td><td>± 0.36</td><td>± ---</td></tr><tr><td>0 PLACE</td><td>± ---</td><td>± ---</td></tr></table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± .010			2 PLACES	± 0.25	± .015	1 PLACE	± 0.36	± ---	0 PLACE	± ---	± ---	DIMENSION STYLE IN/MM <table><tr><td>DRAWN BY</td><td>DATE</td></tr><tr><td>MKIPPER</td><td>2014/04/07</td></tr><tr><td>CHECKED BY</td><td>DATE</td></tr><tr><td>SAMIEC</td><td>98/10/09</td></tr><tr><td>APPROVED BY</td><td>DATE</td></tr><tr><td>FSMITH</td><td>2014/08/06</td></tr></table>	DRAWN BY	DATE	MKIPPER	2014/04/07	CHECKED BY	DATE	SAMIEC	98/10/09	APPROVED BY	DATE	FSMITH	2014/08/06	SCALE ---	DESIGN UNITS INCH	THIRD ANGLE PROJECTION 	TITLE FRICITION LOCK HEADER ASY .100 CL. BENT SQ. PINS 7832 SERIES DWG. W/VOIDS molex																														
				mm	INCH																																																																		
			4 PLACES	± ---	± ---																																																																		
3 PLACES			± ---	± .010																																																																			
2 PLACES			± 0.25	± .015																																																																			
1 PLACE	± 0.36	± ---																																																																					
0 PLACE	± ---	± ---																																																																					
DRAWN BY	DATE																																																																						
MKIPPER	2014/04/07																																																																						
CHECKED BY	DATE																																																																						
SAMIEC	98/10/09																																																																						
APPROVED BY	DATE																																																																						
FSMITH	2014/08/06																																																																						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		MATERIAL NO.	DOCUMENT NO.	SHEET NO. 3 OF 3																																																																			
SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																					
A	<table><tr><td>12</td><td>11</td><td>10</td><td>9</td><td>8</td><td>7</td><td>6</td><td>5</td><td>4</td><td>3</td><td>2</td><td>1</td></tr></table>													12	11	10	9	8	7	6	5	4	3	2	1																																														
	12	11	10	9	8	7	6	5	4	3	2	1																																																											
lb_frame_C_P_AM.T Rev. G 2012/01/11																																																																							



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.