





Copyright FCI.

PRODUCT NO.  
SEE SHT. 2




| SIZE   | DIM H      | DIM L       | DIM W       |
|--------|------------|-------------|-------------|
| 1 X 4  | .300/7.62  | 1.291/32.79 |             |
| 1 X 6  | .300/7.62  | 1.291/32.79 |             |
| 1 X 8  | .300/7.62  | 1.291/32.79 |             |
| 1 X 10 | .300/7.62  | 1.291/32.79 |             |
| 2 X 3  | .705/17.91 | 1.267/32.18 | .560/14.22  |
| 2 X 4  | .705/17.91 | 1.267/32.18 | .660/16.76  |
| 2 X 6  | .735/18.67 | 1.365/34.67 | .860/21.84  |
| 2 X 8  | .735/18.67 | 1.365/34.67 | 1.060/26.92 |
| 2 X 10 | .735/18.67 | 1.365/34.67 | 1.260/32.00 |



DOUBLE ROW PLUG ASSEMBLY



SINGLE ROW PLUG ASSEMBLY



| rev | ecn no   | dr  | date     |
|-----|----------|-----|----------|
| S   | N10-0425 | KW  | 12/14/10 |
| M   | V03-0798 | HTB | 7/16/03  |
| N   | M05-0062 | ERE | 4/01/05  |
| P   | M06-0151 | MHT | 4/10/06  |
| R   | M06-0365 | AGS | 9/21/06  |

|                                                                                       |          |         |                                    |  |                                   |  |                                                                                                     |              |                                                                                                  |           |  |
|---------------------------------------------------------------------------------------|----------|---------|------------------------------------|--|-----------------------------------|--|-----------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------|-----------|--|
| www.fciconnect.com                                                                    |          |         | surface<br>ISO 1302                |  | tolerance std<br>ISO 406/ISO 1101 |  | projection<br> |              | INCH/MM<br> |           |  |
|                                                                                       |          |         | TOLERANCES UNLESS                  |  | OTHERWISE SPECIFIED               |  |                                                                                                     |              |                                                                                                  |           |  |
| Dr                                                                                    | D.INGRAM | 5/13/96 | ANGULAR<br><br>LINEAR              |  | 0.XX/0.X                          |  | ±0.01/0.3                                                                                           |              | size                                                                                             | Scale     |  |
| Eng                                                                                   | M.SMYK   | 5/13/96 |                                    |  | 0.XXX/0.XX                        |  | ±0.005/0.13                                                                                         |              | A4                                                                                               | 1:1       |  |
| Chr                                                                                   | M.SMYK   | 5/13/96 | 0° ±2°                             |  | 0.XXXX/0.XXX                      |  | ±0.0020/0.051                                                                                       |              | ECN                                                                                              | N10-0425  |  |
| Appr                                                                                  | M.SMYK   | 5/13/96 | Product family LATCH-N-LOK         |  |                                   |  |                                                                                                     | Spec ref     |                                                                                                  |           |  |
|  |          |         | title LATCH-N-LOK<br>CONNECTOR KIT |  |                                   |  |                                                                                                     | dwg 91481    |                                                                                                  | Rev.<br>S |  |
|                                                                                       |          |         |                                    |  |                                   |  |                                                                                                     |              |                                                                                                  |           |  |
| catalog no                                                                            |          |         |                                    |  | CUSTOMER COPY                     |  |                                                                                                     | sheet 1 of 5 |                                                                                                  |           |  |



Copyright FCI.

PRODUCT NUMBER  
SEE TABLE

914VW-XYZLF

LEAD FREE OPTION ⑨ ⑩

| Y   | COLOR<br>PLUG AND CAP |          |
|-----|-----------------------|----------|
| -1- | LIGHT GRAY            | OBSOLETE |
| 2   | OFF-WHITE             |          |
| -3- | DARK GRAY             | OBSOLETE |
| 4   | BLACK                 |          |
| -5- | SLATE GRAY            | OBSOLETE |
| 7   | SILVER GRAY           |          |
| -8- | PEARL WHITE           | OBSOLETE |
| 9   | PEBBLE GRAY           |          |

NOTE 6

| Z | CABLE EXIT<br>STYLE |
|---|---------------------|
| 0 | NO EXIT             |
| 1 | REAR EXIT           |
| 2 | RIGHT EXIT          |
| 3 | LEFT EXIT           |

NOTE 5

| X | SIZES<br>2X3 & 2X4<br>CABLE O.D. | SIZES<br>2X6, 2X8 & 2X10<br>CABLE O.D. | SIZES<br>1X4, 1X6, 1X8 & 1X10<br>CABLE O.D. |
|---|----------------------------------|----------------------------------------|---------------------------------------------|
| 0 | .040/1.02 TO .065/1.65           | .145/3.86 TO .165/4.19                 | .045/1.14 TO .075/1.91                      |
| 1 | .070/1.78 TO .095/2.41           | .170/4.32 TO .195/4.95                 | .080/2.03 TO .095/2.41                      |
| 2 | .100/2.54 TO .125/3.18           | .200/5.08 TO .225/5.72                 | .100/2.54 TO .115/2.92                      |
| 3 | .130/3.30 TO .155/3.94           | .230/5.84 TO .255/6.48                 | .120/3.05 TO .135/3.43                      |
| 4 | .160/4.06 TO .185/4.70           | .260/6.60 TO .285/7.24                 | .140/3.56 TO .155/3.94                      |
| 5 | .190/4.83 TO .215/5.46           | .290/7.34 TO .315/8.00                 | .160/4.06 TO .175/4.45                      |
| 6 | .220/5.59 TO .245/6.22           | NA                                     | .180/4.57 TO .195/4.95                      |
| 7 | .250/6.35 TO .275/6.99           | NA                                     | NA                                          |
| 8 | NO EXIT HOLE                     | NO EXIT HOLE                           | NO EXIT HOLE                                |

| W | SIZE<br>CONFIGURATION |
|---|-----------------------|
| 1 | 1 X 4                 |
| 2 | 1 X 6                 |
| 3 | 1 X 8                 |
| 4 | 1 X 10                |
| 5 | 2 X 3                 |
| 6 | 2 X 4                 |
| 7 | 2 X 6                 |
| 8 | 2 X 8                 |
| 9 | 2 X 10                |

| V | WIRE SIZE                       |        |
|---|---------------------------------|--------|
| 6 | LATCH GUARD (PV'S NOT INCLUDED) | NOTE 7 |
| 7 |                                 |        |
| 8 | PV'S NOT INCLUDED               |        |

## EXAMPLE


91486-541 - IS A 2 X 4 REAR EXIT PLUG IN  
BLACK WITH A CABLE EXIT HOLE SIZE  
OF .220/5.59 DIA. (<Ø.190/4.83 TO  
Ø.215/5.46 CABLE RANGE).

|                                                                                       |          |         |                                       |     |              |                                   |               |                                                                                                     |              |                                                                                                  |        |  |
|---------------------------------------------------------------------------------------|----------|---------|---------------------------------------|-----|--------------|-----------------------------------|---------------|-----------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------|--------|--|
| www.fciconnect.com                                                                    |          |         | surface<br>ISO 1302                   |     | ✓            | tolerance std<br>ISO 406/ISO 1101 |               | projection<br> |              | INCH/MM<br> |        |  |
|                                                                                       |          |         | TOLERANCES UNLESS OTHERWISE SPECIFIED |     |              |                                   |               |                                                                                                     |              |                                                                                                  |        |  |
| Dr                                                                                    | D.INGRAM | 5/13/96 | ANGULAR                               |     | LINEAR       | 0.XX/0.X                          |               | ±0.01/0.3                                                                                           |              | size                                                                                             | Scale  |  |
| Eng                                                                                   | M.SMYK   | 5/13/96 |                                       |     |              | 0.XXX/0.XX                        |               | ±0.005/0.13                                                                                         |              | A4                                                                                               | 1:1    |  |
| Chr                                                                                   | M.SMYK   | 5/13/96 | 0°                                    | ±2° | 0.XXXX/0.XXX |                                   | ±0.0020/0.051 |                                                                                                     | ECN N10-0425 |                                                                                                  |        |  |
| Appr                                                                                  | M.SMYK   | 5/13/96 | Product family LATCH-N-LOK            |     |              |                                   |               |                                                                                                     | Spec ref     |                                                                                                  |        |  |
|  |          |         | title LATCH-N-LOK<br>CONNECTOR KIT    |     |              |                                   |               |                                                                                                     | dwg no 91481 |                                                                                                  | Rev. S |  |
| catalog no                                                                            |          |         |                                       |     |              | CUSTOMER COPY                     |               |                                                                                                     |              | sheet 2 of 5                                                                                     |        |  |

## NOTES:

1. EACH KIT CONTAINS ONE EACH OF THE FOLLOWING COMPONENTS:  
 PLUG FRONT NOTE 8  
 CAP  
 MINI-LATCH HOUSING  
 SHIELD CAN  
 CRIMP RING
2. COMPONENTS ARE BULK PACKAGE WITH 100 PC OF A COMPONENT PER BAG. PV'S MUST BE ORDERED SEPARATELY.
3. MATERIALS USED: PLUGS AND CAPS ARE MOLDED IN POLYCARBONATE. THE MINI-LATCH HOUSING IS MOLDED IN NYLON, COLOR IS BLACK. THE CRIMP RING IS 304 STAINLESS STEEL, 1/2 HARD. THE SHIELD CAN IS 1/2 HARD BRASS, PLATED WITH 100-150 $\mu$ " / 2.54-4.06 $\mu$  OF TIN.
4. PLUGS, CAPS, MINI-LATCH HOUSING AND SHIELD CANS ARE ALL U.L. RECOGNIZED AND CSA APPROVED COMPONENTS.
- ⑤ SINGLE ROW CONNECTORS WITH REAR CABLE EXITS ARE CONSIDERED STANDARD PRODUCTS. SINGLE ROW CONNECTORS WITH SIDE CABLE EXITS ARE "CUSTOMER SPECIALS" AND INCLUDE A NYLON TIE WRAP REPLACING THE CRIMP RING (NORMAL CORD RETENTION WILL BE REDUCED AS A RESULT).
- ⑥ PLUG AND CAP COLORS LISTED ARE LOW GLOSS FINISH.
- ⑦ LATCH GUARD TOOLED IN 2 X 4 SIZE ONLY. THESE KITS DO NOT INCLUDE PV TERMINALS.
- ⑧ PLUG TOOLING WITH NO EXIT HOLE AVAILABLE IN 2 X 3, 2 X 4, AND 2 X 6 SIZES ONLY.
- ⑨ ADD LF SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION.
- ⑩ THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS-22-008.

THE DIAGRAM FOR 91481



THE DIAGRAM FOR 91482

|                    |          |         |                                       |                                   |                  |               |              |
|--------------------|----------|---------|---------------------------------------|-----------------------------------|------------------|---------------|--------------|
| www.fciconnect.com |          |         | surface<br>ISO 1302                   | tolerance std<br>ISO 406/ISO 1101 | projection<br>A4 | INCH/MM       |              |
|                    |          |         | TOLERANCES UNLESS OTHERWISE SPECIFIED |                                   | size             | Scale         |              |
| Dr                 | D.INGRAM | 5/13/96 | ANGULAR                               | LINEAR                            | 0.XX/0.X         | ±0.01/0.3     | 1:1          |
| Eng                | M.SMYK   | 5/13/96 |                                       |                                   | 0.XXX/0.XX       | ±0.005/0.13   |              |
| Chr                | M.SMYK   | 5/13/96 | 0°                                    | ±2°                               | 0.XXXX/0.XXX     | ±0.0020/0.051 | ECN N10-0425 |
| Appr               | M.SMYK   | 5/13/96 | Product family LATCH-N-LOK            |                                   |                  | Spec ref      |              |
| FCI                |          |         | title LATCH-N-LOK                     |                                   |                  | dwg no 91481  | Rev. S       |
|                    |          |         | catalog no                            |                                   |                  | CUSTOMER COPY | sheet 3 of 5 |

1

2

3

4

A

B

C


D

A


B

C


D




THE DIAGRAM FOR 91483



THE DIAGRAM FOR 91484



THE DIAGRAM FOR 91485



THE DIAGRAM FOR 91486

|                                                                                       |          |         |                                       |     |                                   |  |                                                                                                     |          |                                                                                                  |              |      |      |          |     |  |
|---------------------------------------------------------------------------------------|----------|---------|---------------------------------------|-----|-----------------------------------|--|-----------------------------------------------------------------------------------------------------|----------|--------------------------------------------------------------------------------------------------|--------------|------|------|----------|-----|--|
| www.fciconnect.com                                                                    |          |         | surface<br>ISO 1302                   |     | tolerance std<br>ISO 406/ISO 1101 |  | projection<br> |          | INCH/MM<br> |              |      |      |          |     |  |
|                                                                                       |          |         | TOLERANCES UNLESS OTHERWISE SPECIFIED |     |                                   |  |                                                                                                     |          |                                                                                                  |              |      |      |          |     |  |
| Dr                                                                                    | D.INGRAM | 5/13/96 | ANGULAR                               |     | LINEAR                            |  | 0.XX/0.X                                                                                            |          | ±0.01/0.3                                                                                        |              | size | A4   | Scale    | 1:1 |  |
| Eng                                                                                   | M.SMYK   | 5/13/96 |                                       |     |                                   |  | 0.XXX/0.XX                                                                                          |          | ±0.005/0.13                                                                                      |              |      |      |          |     |  |
| Chr                                                                                   | M.SMYK   | 5/13/96 | 0"                                    | ±2" |                                   |  | 0.XXXX/0.XXX                                                                                        |          | ±0.0020/0.051                                                                                    |              | ECN  |      | N10-0425 |     |  |
| Appr                                                                                  | M.SMYK   | 5/13/96 | Product family LATCH-N-LOK            |     |                                   |  |                                                                                                     | Spec ref |                                                                                                  |              |      |      |          |     |  |
|  |          |         | title LATCH-N-LOK<br>CONNECTOR KIT    |     |                                   |  |                                                                                                     | dwg no   |                                                                                                  | 91481        |      | Rev. |          | S   |  |
| catalog no                                                                            |          |         |                                       |     | CUSTOMER COPY                     |  |                                                                                                     |          |                                                                                                  | sheet 4 of 5 |      |      |          |     |  |

1


2

3


4




Copyright FCI.



THE DIAGRAM FOR 91487



THE DIAGRAM FOR 91489



THE DIAGRAM FOR 91488

|                                                                                       |          |         |                                       |     |                                   |                 |                                                                                                     |              |                                                                                                  |  |
|---------------------------------------------------------------------------------------|----------|---------|---------------------------------------|-----|-----------------------------------|-----------------|-----------------------------------------------------------------------------------------------------|--------------|--------------------------------------------------------------------------------------------------|--|
| www.fciconnect.com                                                                    |          |         | surface<br>ISO 1302                   |     | tolerance std<br>ISO 406/ISO 1101 |                 | projection<br> |              | INCH/MM<br> |  |
|                                                                                       |          |         | TOLERANCES UNLESS OTHERWISE SPECIFIED |     |                                   |                 |                                                                                                     |              |                                                                                                  |  |
| Dr                                                                                    | D.INGRAM | 5/13/96 | ANGULAR                               |     | LINEAR                            | 0.XX/0.X        | ±0.01/0.3                                                                                           | size<br>A4   | Scale<br>1:1                                                                                     |  |
| Eng                                                                                   | M.SMYK   | 5/13/96 |                                       |     |                                   | 0.XXX/0.XX      | ±0.005/0.13                                                                                         |              |                                                                                                  |  |
| Chr                                                                                   | M.SMYK   | 5/13/96 | 0°                                    | ±2° |                                   | 0.XXXX/0.XXX    | ±0.0020/0.051                                                                                       | ECN N10-0425 |                                                                                                  |  |
| Appr                                                                                  | M.SMYK   | 5/13/96 | Product family LATCH-N-LOK            |     |                                   |                 |                                                                                                     | Spec ref     |                                                                                                  |  |
|  |          |         | title<br>LATCH-N-LOK<br>CONNECTOR KIT |     |                                   | dwg no<br>91481 |                                                                                                     | Rev.<br>S    |                                                                                                  |  |
|                                                                                       |          |         |                                       |     |                                   |                 |                                                                                                     |              |                                                                                                  |  |
|                                                                                       |          |         | catalog no                            |     |                                   | CUSTOMER COPY   |                                                                                                     |              | sheet 5 of 5                                                                                     |  |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.