

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 20 X 20 X 6 | AD2005DX-K70 | HYPRO | 5 | 0.06 | 0.30 | 7000 | 0.4 | 0.022 | 12.0 | 4 | 0 | CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2005LX-K70 | HYPRO | 5 | 0.10 | 0.50 | 10500 | 0.6 | 0.066 | 19.5 | 4 | 0 | TUV,CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2005MX-K70 | HYPRO | 5 | 0.15 | 0.75 | 14000 | 0.7 | 0.103 | 26.9 | 4 | 0 | CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2005MX-K73 | HYPRO | 5 | 0.12 | 0.60 | 14000 | 0.7 | 0.130 | 26.0 | 4 | 3 | CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2005DB-K70(S) | 1B,1S | 5 | 0.04 | 0.20 | 7000 | 0.4 | 0.022 | 12.0 | 4 | 0 | CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2005LB-K70(S) | 1B,1S | 5 | 0.05 | 0.25 | 10500 | 0.6 | 0.066 | 19.5 | 4 | 0 | TUV,CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2005MB-K70(S) | 1B,1S | 5 | 0.13 | 0.65 | 14000 | 0.7 | 0.103 | 26.9 | 4 | 0 | CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2012LX-K70 | HYPRO | 12 | 0.06 | 0.72 | 10500 | 0.6 | 0.066 | 19.5 | 4 | 0 | CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2012MX-K70 | HYPRO | 12 | 0.07 | 0.84 | 14000 | 0.7 | 0.103 | 26.9 | 4 | 0 | CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2012LB-K70(S) | 1B,1S | 12 | 0.06 | 0.72 | 10500 | 0.6 | 0.066 | 19.5 | 4 | 0 | CE | 600 | 12.28 |
| 20 X 20 X 6 | AD2012MB-K70(S) | 1B,1S | 12 | 0.07 | 0.84 | 14000 | 0.7 | 0.103 | 26.9 | 4 | 0 | CE | 600 | 12.28 |
| 20 X 20 X 10 | AD2005MX-G70 | HYPRO | 5 | 0.14 | 0.70 | 11500 | 0.8 | 0.072 | 26.0 | 6 | 0 | UL,CUL,CE | 900 | 17.60 |
| 20 X 20 X 10 | AD2005MX-G73 | HYPRO | 5 | 0.11 | 0.55 | 10000 | 0.8 | 0.072 | 26.0 | 6 | 3 | CE | 900 | 17.60 |
| 20 X 20 X 10 | AD2005LB-G70 | Bor1B1S | 5 | 0.06 | 0.30 | 9000 | 0.6 | 0.055 | 26.0 | 6 | 0 | UL,CUL,CE | 900 | 17.60 |
| 20 X 20 X 10 | AD2005LB-G73 | BALL | 5 | 0.08 | 0.40 | 8000 | 0.4 | 0.039 | 11.0 | 6 | 3 | CE | 900 | 17.60 |
| 20 X 20 X 10 | AD2005MB-G70 | Bor1B1S | 5 | 0.07 | 0.35 | 11500 | 0.8 | 0.072 | 20.0 | 6 | 0 | UL,CUL,TUV,CE | 900 | 17.60 |
| 20 X 20 X 10 | AD2005MB-G73 | Bor1B1S | 5 | 0.08 | 0.40 | 10000 | 0.8 | 0.072 | 26.0 | 6 | 3 | CE | 900 | 17.60 |
| 20 X 20 X 10 | AD2012LX-G70 | HYPRO | 12 | 0.06 | 0.72 | 9000 | 0.6 | 0.055 | 20.0 | 6 | 0 | UL,CUL,CE | 900 | 17.60 |
| 20 X 20 X 10 | AD2012LB-G70 | BALL | 12 | 0.07 | 0.84 | 9000 | 0.6 | 0.055 | 20.0 | 6 | 0 | CE | 900 | 17.60 |
| 20 X 20 X 10 | AD2012LM-G70 | BALL | 12 | 0.06 | 0.72 | 11500 | 0.8 | 0.072 | 26.0 | 6 | 0 | CE | 900 | 17.60 |
| 25 X 25 X 6 | AD0205LX-K50 | HYPRO | 5 | 0.08 | 0.40 | 9000 | 1.8 | 0.100 | 20.5 | 5 | 0 | TUV,CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0205LX-K53 | HYPRO | 5 | 0.06 | 0.30 | 9000 | 1.8 | 0.100 | 20.5 | 5 | 3 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0205MX-K50 | HYPRO | 5 | 0.13 | 0.65 | 12000 | 2.4 | 0.185 | 26.0 | 5 | 0 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0205MX-K53 | HYPRO | 5 | 0.12 | 0.60 | 12000 | 2.4 | 0.185 | 26.0 | 5 | 3 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0205LB-K50(S) | 1B,1S | 5 | 0.05 | 0.25 | 9000 | 1.8 | 0.100 | 20.5 | 5 | 0 | TUV,CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0205LB-K53(S) | 1B,1S | 5 | 0.05 | 0.25 | 9000 | 1.8 | 0.100 | 20.5 | 5 | 3 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0205MB-K50(S) | 1B,1S | 5 | 0.09 | 0.45 | 12000 | 2.4 | 0.185 | 26.0 | 5 | 0 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0205MB-K53(S) | 1B,1S | 5 | 0.07 | 0.35 | 12000 | 2.4 | 0.185 | 26.0 | 5 | 3 | UL,CUL,TUV,CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0205HB-K50(S) | 1B,1S | 5 | 0.09 | 0.45 | 12000 | 2.4 | 0.185 | 26.0 | 5 | 0 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0212LX-K50 | HYPRO | 12 | 0.06 | 0.72 | 9000 | 1.8 | 0.100 | 20.5 | 5 | 0 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0212MX-K50 | HYPRO | 12 | 0.09 | 1.08 | 12000 | 2.4 | 0.185 | 26.0 | 5 | 0 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0212LB-K50(S) | BALL | 12 | 0.06 | 0.72 | 9000 | 1.8 | 0.100 | 20.5 | 5 | 0 | CE | 600 | 13.60 |
| 25 X 25 X 6 | AD0212MB-K50(S) | BALL | 12 | 0.07 | 0.84 | 12000 | 2.4 | 0.185 | 26.0 | 5 | 0 | CE | 600 | 13.60 |
| 25 X 25 X 10 | AD0205LX-G50 | HYPRO | 5 | 0.10 | 0.50 | 8000 | 1.8 | 0.116 | 15.6 | 8 | 0 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0205LX-G50(D) | HYPRO | 5 | 0.08 | 0.40 | 4500 | 1.0 | 0.034 | 2.4 | 8 | 0 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0205LX-G53GL | HYPRO | 5 | 0.08 | 0.40 | 8000 | 1.8 | 0.116 | 15.6 | 8 | 3 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0205MX-G50GL | HYPRO | 5 | 0.12 | 0.60 | 10000 | 2.3 | 0.173 | 23.1 | 8 | 0 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0205MX-G53GL | HYPRO | 5 | 0.12 | 0.60 | 10000 | 2.3 | 0.173 | 23.1 | 8 | 3 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0205HX-G50 | HYPRO | 5 | 0.18 | 0.90 | 12000 | 2.8 | 0.236 | 28.0 | 8 | 0 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0205LB-G50GL | BALL | 5 | 0.10 | 0.50 | 8000 | 1.8 | 0.116 | 15.6 | 8 | 0 | UL,CUL,CE | 600 | |
| 25 X 25 X 10 | AD0205LB-G50(D) | BALL | 5 | 0.07 | 0.35 | 6500 | 1.4 | 0.064 | 12.0 | 8 | 0 | UL,CUL,CE | 600 | |
| 25 X 25 X 10 | AD0205LB-G53GL | BALL | 5 | 0.06 | 0.30 | 8000 | 1.8 | 0.116 | 15.6 | 8 | 3 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0205MB-G50GL | BALL | 5 | 0.12 | 0.60 | 10000 | 2.3 | 0.173 | 23.1 | 8 | 0 | UL,CUL,CE | 600 | |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 25 X 25 X 10 | AD0205MB-G53 | BALL | 5 | 0.07 | 0.35 | 10000 | 2.3 | 0.173 | 23.1 | 8 | 3 | TUV,CE | 600 | |
| 25 X 25 X 10 | AD0205HB-G50GL | BALL | 5 | 0.14 | 0.70 | 12000 | 2.8 | 0.236 | 28.0 | 8 | 0 | UL,CUL,CE | 600 | |
| 25 X 25 X 10 | AD0205HB-G53 | BALL | 5 | 0.12 | 0.60 | 12000 | 2.8 | 0.236 | 28.0 | 8 | 3 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0212LX-G50 | HYPRO | 12 | 0.07 | 0.84 | 8000 | 1.8 | 0.116 | 15.6 | 8 | 0 | UL,CUL,CE | 600 | |
| 25 X 25 X 10 | AD0212MX-G50GL | HYPRO | 12 | 0.08 | 0.96 | 10000 | 2.3 | 0.173 | 23.1 | 8 | 0 | UL,CUL,CE | 600 | |
| 25 X 25 X 10 | AD0212HX-G50GL | HYPRO | 12 | 0.09 | 1.08 | 12000 | 2.8 | 0.236 | 28.0 | 8 | 0 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0212LB-G50 | BALL | 12 | 0.07 | 0.84 | 8000 | 1.8 | 0.116 | 15.6 | 8 | 0 | UL,CUL,CE | 600 | |
| 25 X 25 X 10 | AD0212MB-G50 | BALL | 12 | 0.08 | 0.96 | 10000 | 2.3 | 0.173 | 23.1 | 8 | 0 | UL,CUL,TUV,CE | 600 | |
| 25 X 25 X 10 | AD0212HB-G50 | BALL | 12 | 0.09 | 1.08 | 12000 | 2.8 | 0.236 | 28.0 | 8 | 0 | UL,CUL,CE | 600 | |
| 25 X 25 X 15 | AD0205LX-D50 | HYPRO | 5 | 0.08 | 0.40 | 5000 | 1.2 | 0.040 | 7.2 | 8 | 0 | CE | | |
| 25 X 25 X 15 | AD0205LB-D50 | BALL | 5 | 0.06 | 0.30 | 5000 | 1.2 | 0.040 | 7.2 | 8 | 0 | CE | | |
| 25 X 25 X 15 | AD0205MB-D50 | BALL | 5 | 0.09 | 0.45 | 6000 | 1.4 | 0.054 | 10.0 | 8 | 0 | CE | | |
| 25 X 25 X 15 | AD0205HB-D50 | BALL | 5 | 0.13 | 0.65 | 8000 | 1.9 | 0.114 | 19.2 | 8 | 0 | CE | | |
| 25 X 25 X 15 | AD0205HB-D53 | BALL | 5 | 0.13 | 0.65 | 8000 | 1.9 | 0.114 | 19.2 | 8 | 3 | UL,CUL,TUV,CE | | |
| 25 X 25 X 15 | AD0205HB-D53(A) | BALL | 5 | 0.13 | 0.65 | 7500 | 1.8 | 0.091 | 16.7 | 8 | 3 | UL,CUL,TUV,CE | | |
| 30 X 30 X 6 | AD0305LX-K70 | HYPRO | 5 | 0.09 | 0.45 | 7500 | 2.5 | 0.082 | 20.0 | 6 | 0 | UL,CUL,TUV,CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305LX-K73 | HYPRO | 5 | 0.07 | 0.35 | 7500 | 2.5 | 0.082 | 20.0 | 6 | 3 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305MX-K70 | HYPRO | 5 | 0.12 | 0.60 | 9000 | 3.3 | 0.138 | 27.9 | 6 | 0 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305MX-K73 | HYPRO | 5 | 0.10 | 0.50 | 8000 | 8.3 | 0.196 | 34.7 | 11 | 3 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305HX-K70 | HYPRO | 5 | 0.18 | 0.90 | 10500 | 3.6 | 0.164 | 32.1 | 6 | 0 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305HX-K73 | HYPRO | 5 | 0.11 | 0.55 | 10500 | 3.6 | 0.164 | 32.1 | 6 | 3 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305LB-K70(S) | 1B,1S | 5 | 0.06 | 0.30 | 7500 | 2.5 | 0.082 | 20.0 | 6 | 0 | UL,CUL,TUV,CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305LB-K73(S) | 1B,1S | 5 | 0.05 | 0.25 | 7500 | 2.5 | 0.082 | 20.0 | 6 | 3 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305MB-K70(S) | BALL | 5 | 0.08 | 0.40 | 9000 | 3.3 | 0.138 | 27.9 | 6 | 0 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305MB-K73(S) | 1B,1S | 5 | 0.06 | 0.30 | 9000 | 3.3 | 0.138 | 27.9 | 6 | 3 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305MB-K73(Y) | 1B,1S | 5 | 0.08 | 0.40 | 9000 | 7.2 | 0.120 | 34.0 | 6 | 3 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0305HB-K73(S) | 1B,1S | 5 | 0.07 | 0.35 | 10500 | 3.6 | 0.164 | 32.1 | 6 | 3 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0312LX-K70 | HYPRO | 12 | 0.06 | 0.72 | 7500 | 2.5 | 0.082 | 20.0 | 6 | 0 | UL,CUL,TUV,CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0312MX-K70 | HYPRO | 12 | 0.10 | 1.20 | 9000 | 3.3 | 0.138 | 27.9 | 6 | 0 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0312HX-K70 | HYPRO | 12 | 0.08 | 0.96 | 10500 | 3.6 | 0.164 | 32.1 | 6 | 0 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0312LB-K70(S) | BALL | 12 | 0.06 | 0.72 | 7500 | 2.5 | 0.082 | 20.0 | 6 | 0 | CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0312MB-K70(S) | BALL | 12 | 0.06 | 0.72 | 9000 | 3.3 | 0.138 | 27.9 | 6 | 0 | UL,CUL,TUV,CE | 400 | 12.30 |
| 30 X 30 X 6 | AD0312HB-K70(S) | BALL | 12 | 0.09 | 1.08 | 10500 | 3.6 | 0.164 | 32.1 | 6 | 0 | CE | 400 | 12.30 |
| 30 X 30 X 10 | AD0305DX-G50 | HYPRO | 5 | 0.09 | 0.45 | 5500 | 1.8 | 0.080 | 17.0 | 8 | 0 | UL,CUL,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305LX-G50 | HYPRO | 5 | 0.12 | 0.60 | 8000 | 3.0 | 0.115 | 20.2 | 8 | 0 | UL,CUL,TUV,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305LX-G53 | HYPRO | 5 | 0.09 | 0.45 | 8000 | 3.0 | 0.115 | 20.2 | 8 | 3 | UL,CUL,TUV,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305MX-G53 | HYPRO | 5 | 0.11 | 0.55 | 9000 | 4.1 | 0.148 | 27.9 | 8 | 3 | UL,CUL,TUV,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305HX-G50 | HYPRO | 5 | 0.17 | 0.85 | 10500 | 4.2 | 0.210 | 30.7 | 8 | 0 | CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305DB-G50 | BALL | 5 | 0.06 | 0.30 | 5500 | 1.8 | 0.080 | 17.0 | 8 | 0 | UL,CUL,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305LB-G50 | BALL | 5 | 0.12 | 0.60 | 8000 | 3.0 | 0.115 | 20.2 | 8 | 0 | UL,CUL,TUV,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305LB-G53 | BALL | 5 | 0.08 | 0.40 | 8000 | 3.0 | 0.115 | 20.2 | 8 | 3 | UL,CUL,TUV,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305MB-G50 | Bor1B1S | 5 | 0.13 | 0.65 | 9000 | 4.1 | 0.148 | 27.9 | 8 | 0 | UL,CUL,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0305MB-G53 | Bor1B1S | 5 | 0.11 | 0.55 | 9000 | 4.1 | 0.148 | 27.9 | 8 | 3 | UL,CUL,TUV,CE | 400 | 14.00 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 30 X 30 X 10 | AD0305DX-G50 | HYPRO | 5 | 0.06 | 0.72 | 6000 | 2.5 | 0.068 | 16.0 | 8 | 0 | CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0312LX-G50 | HYPRO | 12 | 0.07 | 0.84 | 8000 | 3.0 | 0.115 | 20.2 | 8 | 0 | UL,CUL,TUV,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0312MX-G50 | HYPRO | 12 | 0.12 | 1.44 | 9000 | 4.1 | 0.148 | 27.9 | 8 | 0 | UL,CUL,TUV,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0312DB-G50 | Bor1B1S | 12 | 0.05 | 0.60 | 6000 | 2.5 | 0.068 | 16.0 | 8 | 0 | UL,CUL,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0312LB-G50 | BALL | 12 | 0.06 | 0.72 | 8000 | 3.0 | 0.115 | 20.2 | 8 | 0 | UL,CUL,TUV,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0312MB-G50 | Bor1B1S | 12 | 0.12 | 1.44 | 9000 | 4.1 | 0.148 | 27.9 | 8 | 0 | UL,CUL,CE | 400 | 14.00 |
| 30 X 30 X 10 | AD0312HB-G50 | Bor1B1S | 12 | 0.11 | 1.32 | 10500 | 4.2 | 0.210 | 30.7 | 8 | 0 | CE | 400 | 14.00 |
| 30 X 30 X 15 | AD0305LB-D50 | BALL | 5 | 0.07 | 0.35 | 4500 | 2.2 | 0.045 | 10.0 | 10 | 0 | CE | | |
| 30 X 30 X 15 | AD0305MB-D50 | BALL | 5 | 0.08 | 0.40 | 5500 | 2.6 | 0.074 | 16.0 | 10 | 0 | CE | | |
| 30 X 30 X 15 | AD0305MB-D50(S) | 1B,1S | 5 | 0.10 | 0.50 | 5500 | 2.6 | 0.074 | 16.0 | 10 | 0 | CE | | |
| 30 X 30 X 15 | AD0305MB-D53 | BALL | 5 | 0.06 | 0.30 | 5500 | 2.6 | 0.074 | 16.0 | 10 | 3 | UL,CUL,TUV,CE | | |
| 30 X 30 X 15 | AD0305HB-D50 | Bor1B1S | 5 | 0.13 | 0.65 | 7000 | 3.7 | 0.110 | 22.5 | 10 | 0 | CE | | |
| 30 X 30 X 15 | AD0305HB-D53 | BALL | 5 | 0.10 | 0.50 | 7000 | 3.7 | 0.110 | 22.5 | 10 | 3 | UL,CUL,TUV,CE | | |
| 35 X 35 X 6 | AD3505LX-K70 | HYPRO | 5 | 0.10 | 0.50 | 6500 | 3.5 | 0.063 | 19.0 | 7 | 0 | TUV,CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3505LX-K73 | HYPRO | 5 | 0.08 | 0.40 | 6500 | 3.5 | 0.063 | 19.0 | 7 | 3 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3505MX-K70 | HYPRO | 5 | 0.14 | 0.70 | 8000 | 4.7 | 0.111 | 28.0 | 7 | 0 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3505MX-KBO | HYPRO | 5 | 0.14 | 0.70 | 7000 | 3.6 | 0.097 | 29.0 | 4 | 0 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3505LB-K70(S) | 1B,1S | 5 | 0.06 | 0.30 | 6500 | 3.5 | 0.063 | 19.0 | 7 | 0 | TUV,CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3505MB-K70(S) | 1B,1S | 5 | 0.10 | 0.50 | 8000 | 4.7 | 0.111 | 28.0 | 7 | 0 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3505MB-K73(S) | 1B,1S | 5 | 0.08 | 0.40 | 8000 | 4.7 | 0.111 | 28.0 | 7 | 3 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3505HB-K70(S) | 1B,1S | 5 | 0.13 | 0.65 | 9500 | 4.9 | 0.150 | 35.0 | 7 | 0 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3505HB-K73(S) | 1B,1S | 5 | 0.09 | 0.45 | 9500 | 4.9 | 0.150 | 35.0 | 7 | 3 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3512LX-K70 | HYPRO | 12 | 0.06 | 0.72 | 6500 | 3.5 | 0.063 | 19.0 | 7 | 0 | TUV,CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3512MX-K70 | HYPRO | 12 | 0.08 | 0.96 | 8000 | 4.7 | 0.111 | 28.0 | 7 | 0 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3512HX-K70 | HYPRO | 12 | 0.10 | 1.20 | 9500 | 4.9 | 0.150 | 35.0 | 7 | 0 | CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3512LB-K70(S) | BALL | 12 | 0.05 | 0.60 | 6500 | 3.5 | 0.063 | 19.0 | 7 | 0 | TUV,CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3512MB-K70(S) | BALL | 12 | 0.06 | 0.72 | 8000 | 4.7 | 0.111 | 28.0 | 7 | 0 | TUV,CE | 400 | 13.00 |
| 35 X 35 X 6 | AD3512HB-K70 | BALL | 12 | 0.08 | 0.96 | 9500 | 4.9 | 0.150 | 35.0 | 7 | 0 | CE | 400 | 13.00 |
| 35 X 35 X 10 | AD3505LX-G53 | HYPRO | 5 | 0.09 | 0.45 | 7000 | 5.1 | 0.100 | 27.5 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3505MX-G50 | HYPRO | 5 | 0.17 | 0.85 | 8000 | 6.0 | 0.131 | 30.0 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3505MX-G53 | HYPRO | 5 | 0.13 | 0.65 | 8000 | 6.0 | 0.138 | 30.0 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3505HX-G53 | HYPRO | 5 | 0.17 | 0.85 | 9500 | 7.1 | 0.174 | 37.6 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3505LB-G50 | BALL | 5 | 0.12 | 0.60 | 7000 | 5.1 | 0.100 | 27.5 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3505MB-G50 | BALL | 5 | 0.13 | 0.65 | 8000 | 6.0 | 0.131 | 30.0 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3505MB-G53 | BALL | 5 | 0.13 | 0.65 | 8000 | 6.2 | 0.160 | 27.0 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3505MB-G53(S) | 1B,1S | 5 | 0.13 | 0.65 | 8000 | 6.0 | 0.138 | 30.0 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3512LX-G50 | HYPRO | 12 | 0.08 | 0.96 | 7000 | 5.1 | 0.100 | 27.5 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3512MX-G50 | HYPRO | 12 | 0.09 | 1.08 | 8000 | 6.0 | 0.138 | 30.0 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3512HX-G50 | HYPRO | 12 | 0.11 | 1.32 | 9500 | 7.1 | 0.174 | 37.6 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3512LB-G50 | BALL | 12 | 0.08 | 0.96 | 7000 | 5.1 | 0.100 | 27.5 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3512MB-G50 | BALL | 12 | 0.09 | 1.08 | 8000 | 6.0 | 0.138 | 30.0 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 35 X 35 X 10 | AD3512HB-G50 | BALL | 12 | 0.11 | 1.32 | 9500 | 7.1 | 0.174 | 37.6 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405LX-K90 | HYPRO | 5 | 0.05 | 0.25 | 4500 | 4.2 | 0.044 | 19.5 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 40 X 40 X 6 | AD0405LX-KC0 | HYPRO | 5 | 0.11 | 0.55 | 4500 | 3.6 | 0.061 | 22.4 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405LX-KC3 | HYPRO | 5 | 0.08 | 0.40 | 4500 | 4.6 | 0.068 | 27.1 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405MX-K90 | HYPRO | 5 | 0.09 | 0.45 | 5500 | 5.2 | 0.064 | 23.8 | 9 | 0,6 | UL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405MX-KC0 | HYPRO | 5 | 0.20 | 1.00 | 5500 | 4.6 | 0.093 | 28.6 | 9 | 0,3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405MX-KC3(Y) | HYPRO | 5 | 0.11 | 0.55 | 5500 | 4.6 | 0.093 | 28.6 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405HX-K90 | HYPRO | 5 | 0.12 | 0.60 | 6300 | 6.0 | 0.079 | 27.0 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405HX-KC0 | HYPRO | 5 | 0.23 | 1.15 | 6000 | 5.0 | 0.110 | 31.2 | 9 | 0 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405HX-KC3 | HYPRO | 5 | 0.13 | 0.65 | 6000 | 5.0 | 0.110 | 31.2 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405LB-K90(S) | 1B,1S | 5 | 0.05 | 0.25 | 4800 | 4.5 | 0.051 | 19.9 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405MB-K90(S) | 1B,1S | 5 | 0.09 | 0.45 | 5800 | 5.5 | 0.067 | 25.0 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405MB-KC3 | BALL | 5 | 0.11 | 0.55 | 5800 | 4.9 | 0.102 | 30.0 | 9 | 3 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405HB-K90(S) | 1B,1S | 5 | 0.12 | 0.60 | 6600 | 6.0 | 0.090 | 30.0 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0405MS-K90 | S | 5 | 0.09 | 0.45 | 5500 | 5.2 | 0.064 | 23.8 | 9 | 0 | CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0412LX-K90 | HYPRO | 12 | 0.06 | 0.72 | 4500 | 4.4 | 0.049 | 20.9 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0412MX-K90 | HYPRO | 12 | 0.06 | 0.72 | 5500 | 5.2 | 0.064 | 23.8 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0412HX-K90 | HYPRO | 12 | 0.08 | 0.96 | 6300 | 5.9 | 0.079 | 27.0 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0412LB-K90(S) | 1B,1S | 12 | 0.06 | 0.72 | 4800 | 4.7 | 0.049 | 21.6 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0412MB-K90(S) | 1B,1S | 12 | 0.06 | 0.72 | 5800 | 5.5 | 0.067 | 25.0 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 6 | AD0412HB-K90(S) | 1B,1S | 12 | 0.08 | 0.96 | 6600 | 6.0 | 0.090 | 30.0 | 9 | 0,6 | UL,CUL,TUV,CE | 400 | 13.20 |
| 40 X 40 X 8 | AD0405LX-J90 | HYPRO | 5 | 0.12 | 0.60 | 4100 | 5.1 | 0.058 | 20.0 | 5 | 0 | CE | | |
| 40 X 40 X 8 | AD0405MX-J90 | HYPRO | 5 | 0.16 | 0.80 | 5500 | 6.3 | 0.094 | 28.7 | 5 | 0 | CE | | |
| 40 X 40 X 8 | AD0405MX-J93 | HYPRO | 5 | 0.15 | 0.75 | 5500 | 6.8 | 0.098 | 29.0 | 5 | 3 | CE | | |
| 40 X 40 X 8 | AD0405HX-J91 | HYPRO | 5 | 0.23 | 1.15 | 6000 | 7.5 | 0.110 | 31.0 | 5 | 1,3 | CE | | |
| 40 X 40 X 8 | AD0405MB-J90 | BALL | 5 | 0.20 | 1.00 | 5000 | 6.1 | 0.089 | 26.0 | 5 | 0 | CE | | |
| 40 X 40 X 8 | AD0412MX-J90 | HYPRO | 12 | 0.13 | 1.56 | 5000 | 6.1 | 0.089 | 26.0 | 5 | 0 | CE | | |
| 40 X 40 X 9 | AD0405HX-RA3 | HYPRO | 5 | 0.25 | 1.25 | 6000 | 3.1 | 0.334 | 40.3 | 5 | 3 | CE | | |
| 40 X 40 X 10 | AD0405DX-G70 | HYPRO | 5 | 0.07 | 0.35 | 3300 | 3.8 | 0.044 | 14.5 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0405LX-G70 | HYPRO | 5 | 0.08 | 0.40 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 0 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405LX-G76 | HYPRO | 5 | 0.08 | 0.40 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 6 | UL,CUL,CE | 700 | |
| 40 X 40 X 10 | AD0405MX-G70 | HYPRO | 5 | 0.11 | 0.55 | 4800 | 5.7 | 0.780 | 19.0 | 24 | 0 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405MX-G7 | HYPRO | 5 | 0.11 | 0.55 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 6 | UL,CUL,CE | 700 | |
| 40 X 40 X 10 | AD0405HX-G70 | HYPRO | 5 | 0.19 | 0.95 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405DB-G70 | BALL | 5 | 0.07 | 0.35 | 3300 | 3.8 | 0.044 | 14.5 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0405LB-G70 | BALL | 5 | 0.08 | 0.40 | 4600 | 5.0 | 0.060 | 14.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405MB-G70 | BALL | 5 | 0.11 | 0.55 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 0 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405MB-G72 | BALL | 5 | 0.15 | 0.75 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 2 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405MB-G73 | BALL | 5 | 0.15 | 0.75 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 3 | CE | 700 | |
| 40 X 40 X 10 | AD0405MB-G76 | BALL | 5 | 0.11 | 0.55 | 5000 | 6.0 | 0.080 | 20.0 | 24 | 6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405HB-G70 | BALL | 5 | 0.19 | 0.95 | 6000 | 6.8 | 0.100 | 25.0 | 24 | 0 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405HB-G72 | BALL | 5 | 0.25 | 1.25 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 2 | CE | 700 | |
| 40 X 40 X 10 | AD0405HB-G76 | BALL | 5 | 0.19 | 0.95 | 6000 | 6.8 | 0.100 | 25.0 | 24 | 6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405LS-G70 | S | 5 | 0.08 | 0.40 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405MS-G70 | S | 5 | 0.11 | 0.55 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 0,2,6 | UL,CUL,TUV,CE | 700 | |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 40 X 40 X 10 | AD0405HS-G70 | S | 5 | 0.19 | 0.95 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0405HS-G7B | S | 5 | 0.15 | 0.75 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0409HS-G70 | S | 9 | 0.13 | 1.17 | 6000 | 6.8 | 0.100 | 25.0 | 24 | 0 | UL,CE | 700 | |
| 40 X 40 X 10 | AD0409LS-G70 | S | 9 | 0.08 | 0.72 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0409MS-G70 | S | 9 | 0.10 | 0.90 | 4800 | 5.6 | 0.080 | 19.0 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0409US-G70 | S | 9 | 0.15 | 1.35 | 7000 | 7.7 | 0.068 | 29.7 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0412DX-G70 | HYPRO | 12 | 0.07 | 0.84 | 3300 | 3.8 | 0.044 | 14.5 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0412LX-G70 | HYPRO | 12 | 0.07 | 0.84 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412MX-G70 | HYPRO | 12 | 0.08 | 0.96 | 4800 | 5.7 | 0.078 | 19.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412HX-G70 | HYPRO | 12 | 0.10 | 1.20 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412HX-G71 | HYPRO | 12 | 0.10 | 1.20 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 1 | CE | 700 | |
| 40 X 40 X 10 | AD0412DB-G70 | BALL | 12 | 0.07 | 0.84 | 3300 | 3.8 | 0.044 | 14.5 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0412LB-G70 | BALL | 12 | 0.07 | 0.84 | 4600 | 5.0 | 0.060 | 14.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412MB-G70 | BALL | 12 | 0.08 | 0.96 | 5000 | 5.9 | 0.080 | 20.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412MB-G72 | BALL | 12 | 0.09 | 1.08 | 5000 | 6.0 | 0.080 | 20.0 | 24 | 2 | CE | 700 | |
| 40 X 40 X 10 | AD0412MB-G73 | BALL | 12 | 0.09 | 1.08 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 3 | CE | 700 | |
| 40 X 40 X 10 | AD0412HB-G70 | BALL | 12 | 0.10 | 1.20 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412HB-G70(U) | BALL | 12 | 0.10 | 1.20 | 6800 | 7.9 | 0.129 | 28.0 | 24 | 0 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412HB-G72 | BALL | 12 | 0.10 | 1.20 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 2,3 | CE | 700 | |
| 40 X 40 X 10 | AD0412UB-G70 | BALL | 12 | 0.10 | 1.20 | 6800 | 7.9 | 0.129 | 28.0 | 24 | 0,6 | CE | 700 | |
| 40 X 40 X 10 | AD0412DS-G70 | S | 12 | 0.07 | 0.84 | 3300 | 3.8 | 0.044 | 14.5 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0412LS-G70 | S | 12 | 0.07 | 0.84 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412MS-G70 | S | 12 | 0.08 | 0.96 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0412HS-G70 | S | 12 | 0.10 | 1.20 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424LX-G70(T) | HYPRO | 24 | 0.07 | 1.68 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424MX-G70 | HYPRO | 24 | 0.05 | 1.20 | 4200 | 4.7 | 0.068 | 17.2 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0424MX-G70(T) | HYPRO | 24 | 0.08 | 1.92 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424HX-G70 | HYPRO | 24 | 0.09 | 2.16 | 6000 | 6.8 | 0.100 | 25.0 | 24 | 0 | UL,CUL,CSA,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424HX-G76(T) | HYPRO | 24 | 0.09 | 2.16 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424LB-G70 | BALL | 24 | 0.07 | 1.68 | 4600 | 5.0 | 0.060 | 14.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424MB-G70 | BALL | 24 | 0.08 | 1.92 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 0 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424MB-G76 | BALL | 24 | 0.08 | 1.92 | 5000 | 5.9 | 0.080 | 20.0 | 24 | 6 | CE | 700 | |
| 40 X 40 X 10 | AD0424HB-G70 | BALL | 24 | 0.09 | 2.16 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0 | UL,CUL,CSA,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424HB-G76 | BALL | 24 | 0.09 | 2.16 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424LS-G70 | S | 24 | 0.07 | 1.68 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 0 | CE | 700 | |
| 40 X 40 X 10 | AD0424LS-G76 | S | 24 | 0.07 | 1.68 | 4200 | 4.7 | 0.060 | 14.0 | 24 | 6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424MS-G70 | S | 24 | 0.08 | 1.92 | 4800 | 5.7 | 0.078 | 20.0 | 24 | 0,6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424HS-G70 | S | 24 | 0.09 | 2.16 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 0 | UL,CUL,CSA,TUV,CE | 700 | |
| 40 X 40 X 10 | AD0424HS-G76 | S | 24 | 0.09 | 2.16 | 6000 | 6.7 | 0.100 | 25.0 | 24 | 6 | UL,CUL,TUV,CE | 700 | |
| 40 X 40 X 15 | AD0412LX-D50 | HYPRO | 12 | 0.08 | 0.96 | 6000 | 6.8 | 0.161 | 30.3 | 27 | 0 | CE | 700 | 44.00 |
| 40 X 40 X 15 | AD0412LX-D52 | HYPRO | 12 | 0.10 | 1.20 | 6000 | 6.8 | 0.161 | 30.3 | 27 | 2 | UL,CUL,TUV,CE | 700 | 44.00 |
| 40 X 40 X 15 | AD0412LX-D56 | HYPRO | 12 | 0.08 | 0.96 | 6000 | 6.8 | 0.161 | 30.3 | 27 | 6 | UL,CUL,CE | 700 | 44.00 |
| 40 X 40 X 15 | AD0412MX-D50 | HYPRO | 12 | 0.10 | 1.20 | 7000 | 8.1 | 0.210 | 31.8 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 40 X 40 X 15 | AD0412MX-D52 | HYPRO | 12 | 0.12 | 1.44 | 7000 | 8.1 | 0.210 | 31.8 | 27 | 2 | UL,CUL,TUV,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412HX-D50 | HYPRO | 12 | 0.12 | 1.44 | 8000 | 9.2 | 0.287 | 39.3 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412LB-D50 | BALL | 12 | 0.08 | 0.96 | 6000 | 6.8 | 0.161 | 30.3 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412LB-D50(S) | 1B & 1S | 12 | 0.08 | 0.96 | 6500 | 7.3 | 0.183 | 30.6 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412LB-D52 | BALL | 12 | 0.10 | 1.20 | 6000 | 6.8 | 0.161 | 30.3 | 27 | 2 | UL,CUL,TUV,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412MB-D50 | BALL | 12 | 0.10 | 1.20 | 7000 | 8.1 | 0.210 | 31.8 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412MB-D50(S) | 1B & 1S | 12 | 0.10 | 1.20 | 7500 | 8.5 | 0.231 | 33.5 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412MB-D52 | BALL | 12 | 0.12 | 1.44 | 7000 | 8.1 | 0.210 | 31.8 | 27 | 2 | UL,CUL,TUV,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412HB-D50 | BALL | 12 | 0.12 | 1.44 | 8000 | 9.2 | 0.287 | 39.3 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412HB-D50(S) | 1B & 1S | 12 | 0.12 | 1.44 | 8500 | 10.2 | 0.298 | 39.8 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412HB-D52 | BALL | 12 | 0.15 | 1.80 | 8000 | 9.2 | 0.287 | 39.3 | 27 | 2 | UL,CUL,TUV,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412HB-D56 | BALL | 12 | 0.12 | 1.44 | 8000 | 9.2 | 0.287 | 39.3 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412LS-D50 | S | 12 | 0.08 | 0.96 | 6000 | 6.8 | 0.161 | 30.3 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412MS-D50 | S | 12 | 0.10 | 1.20 | 7000 | 8.1 | 0.210 | 31.8 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 15 | AD0412HS-D50 | S | 12 | 0.12 | 1.44 | 8000 | 9.2 | 0.287 | 39.3 | 27 | 0,6 | UL,CUL,CE | 500 | 44.00 |
| 40 X 40 X 20 | AD0405LX-C50 | HYPRO | 5 | 0.14 | 0.70 | 5700 | 7.2 | 0.142 | 22.4 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405MX-C50 | HYPRO | 5 | 0.16 | 0.80 | 6300 | 7.8 | 0.171 | 26.3 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405HX-C50 | HYPRO | 5 | 0.29 | 1.45 | 7500 | 9.2 | 0.250 | 31.0 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405HX-C52 | HYPRO | 5 | 0.40 | 2.00 | 7500 | 9.2 | 0.250 | 31.0 | 28 | 2 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405DB-C50 | BALL | 5 | 0.12 | 0.60 | 4200 | 4.9 | 0.080 | 16.5 | 28 | 0,6 | CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405LB-C50 | BALL | 5 | 0.14 | 0.70 | 6000 | 7.2 | 0.142 | 22.4 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405MB-C50 | BALL | 5 | 0.16 | 0.80 | 6500 | 8.1 | 0.171 | 27.0 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405HB-C50 | BALL | 5 | 0.29 | 1.45 | 7800 | 9.9 | 0.256 | 31.9 | 28 | 0 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405HB-C52 | BALL | 5 | 0.40 | 2.00 | 7800 | 9.9 | 0.256 | 31.9 | 28 | 2 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405HB-C56 | BALL | 5 | 0.29 | 1.45 | 7800 | 9.9 | 0.256 | 31.9 | 28 | 6 | CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405DS-C50 | S | 5 | 0.12 | 0.60 | 3700 | 4.7 | 0.064 | 10.0 | 28 | 0 | CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405LS-C50 | S | 5 | 0.14 | 0.70 | 5700 | 7.2 | 0.142 | 22.4 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405MS-C50 | S | 5 | 0.16 | 0.80 | 6300 | 7.8 | 0.171 | 26.3 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405HS-C50 | S | 5 | 0.29 | 1.45 | 7500 | 9.2 | 0.250 | 31.0 | 28 | 0 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0405HS-C56 | S | 5 | 0.29 | 1.45 | 7500 | 9.2 | 0.250 | 31.0 | 28 | 6 | CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412DX-C50 | HYPRO | 12 | 0.05 | 0.60 | 3700 | 4.7 | 0.064 | 10.0 | 27 | 0,6 | UL,CUL,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412LX-C50 | HYPRO | 12 | 0.07 | 0.84 | 6000 | 7.5 | 0.154 | 23.9 | 27 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412MX-C50 | HYPRO | 12 | 0.08 | 0.96 | 6700 | 8.3 | 0.180 | 27.5 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412MX-C53 | HYPRO | 12 | 0.13 | 1.56 | 6700 | 8.3 | 0.180 | 27.5 | 28 | 3 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412HX-C50 | HYPRO | 12 | 0.11 | 1.32 | 7500 | 9.6 | 0.240 | 31.0 | 27 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412DB-C50 | BALL | 12 | 0.05 | 0.60 | 4200 | 4.9 | 0.080 | 16.5 | 27 | 0 | UL,CUL,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412LB-C50 | BALL | 12 | 0.07 | 0.84 | 6200 | 7.7 | 0.165 | 25.0 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412LB-C51 | BALL | 12 | 0.11 | 1.32 | 6200 | 7.7 | 0.165 | 25.0 | 28 | 1,2 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412MB-C50 | BALL | 12 | 0.08 | 0.96 | 6900 | 8.5 | 0.190 | 28.5 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412MB-C52 | BALL | 12 | 0.13 | 1.56 | 6900 | 8.5 | 0.190 | 28.5 | 28 | 2,3 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412HB-C50 | BALL | 12 | 0.10 | 1.20 | 7800 | 10.1 | 0.263 | 31.9 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412HB-C52 | BALL | 12 | 0.15 | 1.80 | 7800 | 10.1 | 0.263 | 31.9 | 28 | 2 | CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412HB-C53 | BALL | 12 | 0.15 | 1.80 | 7800 | 10.1 | 0.263 | 31.9 | 28 | 3 | UL,CUL,TUV,CE | 500 | 36.96 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 40 X 40 X 20 | AD0412UB-C50 | BALL | 12 | 0.14 | 1.68 | 8500 | 10.6 | 0.325 | 36.1 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412DS-C56 | S | 12 | 0.05 | 0.60 | 3700 | 4.7 | 0.064 | 10.0 | 27 | 6 | UL,CUL,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412LS-C50 | S | 12 | 0.07 | 0.84 | 6000 | 7.5 | 0.154 | 23.9 | 27 | 0 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412LS-C56 | S | 12 | 0.07 | 0.84 | 6000 | 7.5 | 0.154 | 23.9 | 27 | 6 | CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412MS-C50 | S | 12 | 0.08 | 0.96 | 6700 | 8.3 | 0.180 | 27.5 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412HS-C50 | S | 12 | 0.11 | 1.32 | 7500 | 9.6 | 0.240 | 31.0 | 27 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412HS-C52 | S | 12 | 0.15 | 1.80 | 7500 | 9.6 | 0.240 | 31.0 | 28 | 2 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0412US-C50 | S | 12 | 0.14 | 1.68 | 8200 | 10.3 | 0.305 | 35.0 | 28 | 0 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424LX-C50 | B or S | 24 | 0.06 | 1.44 | 6000 | 7.5 | 0.154 | 23.9 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424MX-C50 | B or S | 24 | 0.07 | 1.68 | 6700 | 8.3 | 0.180 | 27.5 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424HX-C50 | B or S | 24 | 0.09 | 2.16 | 7500 | 9.6 | 0.240 | 31.0 | 27 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424LB-C50 | BALL | 24 | 0.06 | 1.44 | 6200 | 7.7 | 0.165 | 25.0 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424MB-C50 | BALL | 24 | 0.07 | 1.68 | 6900 | 8.5 | 0.190 | 28.5 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424HB-C50 | BALL | 24 | 0.09 | 2.16 | 7800 | 10.1 | 0.263 | 31.9 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424LS-C50 | S | 24 | 0.06 | 1.44 | 6000 | 7.5 | 0.154 | 23.9 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424MS-C50 | S | 24 | 0.07 | 1.68 | 6700 | 8.3 | 0.180 | 27.5 | 28 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 40 X 40 X 20 | AD0424HS-C50 | S | 24 | 0.09 | 2.16 | 7500 | 9.6 | 0.240 | 31.0 | 27 | 0,6 | UL,CUL,TUV,CE | 500 | 36.96 |
| 45 X 45 X 6 | AD4505LX-K90 | HYPRO | 5 | 0.10 | 0.50 | 4300 | 6.2 | 0.056 | 23.0 | 24 | 0 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4505MX-K90 | HYPRO | 5 | 0.12 | 0.60 | 5000 | 7.1 | 0.074 | 25.5 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4505HX-K90 | HYPRO | 5 | 0.14 | 0.70 | 6000 | 9.2 | 0.103 | 32.6 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4505LB-K90(S) | 1B & 1S | 5 | 0.10 | 0.50 | 4500 | 6.5 | 0.059 | 23.3 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4505MB-K90(S) | 1B & 1S | 5 | 0.12 | 0.60 | 5500 | 7.2 | 0.085 | 26.5 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4505HB-K90(S) | 1B & 1S | 5 | 0.14 | 0.70 | 6200 | 9.5 | 0.111 | 33.0 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4512LX-K90 | HYPRO | 12 | 0.08 | 0.96 | 4300 | 6.2 | 0.056 | 23.0 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4512MX-K90 | HYPRO | 12 | 0.09 | 1.08 | 5000 | 7.1 | 0.074 | 25.5 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4512HX-K90 | HYPRO | 12 | 0.10 | 1.20 | 6000 | 9.2 | 0.103 | 32.6 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4512LB-K90(S) | 1B & 1S | 12 | 0.08 | 0.96 | 4500 | 6.5 | 0.059 | 23.3 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4512MB-K90(S) | 1B & 1S | 12 | 0.09 | 1.08 | 5500 | 7.2 | 0.085 | 26.5 | 24 | 0 | CE | 560 | 19.30 |
| 45 X 45 X 6 | AD4512HB-K90(S) | 1B & 1S | 12 | 0.10 | 1.20 | 6200 | 9.5 | 0.111 | 33.0 | 24 | 0,6 | CE | 560 | 19.30 |
| 45 X 45 X 7 | AD4505MX-QA0 | HYPRO | 5 | 0.09 | 0.45 | 5000 | 1.6 | 0.224 | 25.5 | 23 | 0 | CE | 480 | |
| 45 X 45 X 7 | AD4505HX-QA0 | HYPRO | 5 | 0.14 | 0.70 | 5700 | 1.8 | 0.332 | 28.5 | 23 | 0,6 | CE | 480 | |
| 45 X 45 X 7 | AD4505HX-QA3 | HYPRO | 5 | 0.12 | 0.60 | 6200 | 2.1 | 0.397 | 31.2 | 23 | 3 | CE | 480 | |
| 45 X 45 X 7 | AD4505HB-QA3 | BALL | 5 | 0.12 | 0.60 | 6200 | 2.1 | 0.397 | 31.2 | 23 | 3 | CE | 480 | |
| 45 X 45 X 9 | AD4505HX-RB3 | HYPRO | 5 | 0.22 | 1.10 | 4500 | 3.1 | 0.213 | 31.8 | 26 | 3 | CE | 500 | |
| 45 X 45 X 10 | AD4505LX-G70(T) | HYPRO | 5 | 0.16 | 0.80 | 3800 | 6.8 | 0.062 | 17.5 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MX-G70 | HYPRO | 5 | 0.10 | 0.50 | 4200 | 6.9 | 0.069 | 21.6 | 24 | 0,6 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MX-G70(T) | HYPRO | 5 | 0.18 | 0.90 | 4500 | 7.5 | 0.078 | 22.0 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MX-GD0 | HYPRO | 5 | 0.25 | 1.25 | 4200 | 2.0 | 0.290 | 22.0 | 26 | 0,6 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MX-GD1 | HYPRO | 5 | 0.15 | 0.75 | 5000 | 2.3 | 0.342 | 31.1 | 26 | 1 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HX-G70 | HYPRO | 5 | 0.20 | 1.00 | 5500 | 9.1 | 0.107 | 27.4 | 24 | 0 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HX-G76 | HYPRO | 5 | 0.20 | 1.00 | 5500 | 9.1 | 0.109 | 28.6 | 24 | 6 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HX-GD0 | HYPRO | 5 | 0.22 | 1.10 | 5200 | 2.7 | 0.434 | 27.4 | 26 | 0,3 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HX-GD1 | HYPRO | 5 | 0.17 | 0.85 | 4800 | 7.0 | 0.050 | 28.9 | 26 | 1 | CE | 500 | 24.64 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 45 X 45 X 10 | AD4505LB--G70 | BALL | 5 | 0.16 | 0.80 | 4200 | 7.0 | 0.066 | 20.4 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MB-G70 | BALL | 5 | 0.16 | 0.80 | 4200 | 6.9 | 0.069 | 21.6 | 24 | 0 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MB-G76 | BALL | 5 | 0.18 | 0.90 | 4500 | 7.5 | 0.078 | 22.0 | 24 | 6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MB-GD0 | BALL | 5 | 0.25 | 1.25 | 4200 | 2.0 | 0.290 | 22.0 | 26 | 0,6 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HB-G70 | BALL | 5 | 0.20 | 1.00 | 5000 | 8.2 | 0.101 | 26.2 | 24 | 0 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HB-G70(S) | 1B & 1S | 5 | 0.20 | 1.00 | 5500 | 9.8 | 0.116 | 27.5 | 24 | 0 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HB-G70(T) | BALL | 5 | 0.20 | 1.00 | 5500 | 9.1 | 0.107 | 27.4 | 24 | 0,6 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HB-GD0 | BALL | 5 | 0.22 | 1.10 | 5200 | 2.7 | 0.434 | 35.3 | 26 | 0,6 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505LS-G70(T) | S | 5 | 0.16 | 0.80 | 3800 | 6.8 | 0.062 | 17.5 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MS-G70 | S | 5 | 0.16 | 0.80 | 4200 | 6.9 | 0.069 | 21.6 | 24 | 0 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505MS-G76 | S | 5 | 0.18 | 0.90 | 4500 | 7.5 | 0.078 | 22.0 | 24 | 6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HS-G70 | S | 5 | 0.20 | 1.00 | 5500 | 9.1 | 0.107 | 27.4 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4505HS-GD0(Y) | S | 5 | 0.22 | 1.10 | 5200 | 2.7 | 0.434 | 35.3 | 26 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512LX-G70(T) | HYPRO | 12 | 0.06 | 0.72 | 3800 | 6.8 | 0.062 | 17.5 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512MX-G70 | HYPRO | 12 | 0.07 | 0.84 | 4200 | 6.9 | 0.069 | 21.6 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512MX-G70(T) | HYPRO | 12 | 0.07 | 0.84 | 4500 | 7.5 | 0.078 | 22.0 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512HX-G70 | HYPRO | 12 | 0.09 | 1.08 | 6500 | 10.4 | 0.145 | 31.6 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512HX-G70(T) | HYPRO | 12 | 0.09 | 1.08 | 5500 | 9.1 | 0.107 | 27.4 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512LB-G70 | BALL | 12 | 0.06 | 0.72 | 4200 | 7.0 | 0.066 | 20.4 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512MB-G70 | Bor1B1S | 12 | 0.07 | 0.84 | 4200 | 6.9 | 0.069 | 21.6 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512MB-G70(T) | BALL | 12 | 0.07 | 0.84 | 4500 | 7.5 | 0.078 | 22.0 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512MB-G72(S) | 1B & 1S | 12 | 0.08 | 0.96 | 4800 | 7.9 | 0.081 | 23.7 | 24 | 2 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512HB-G70 | Bor1B1S | 12 | 0.09 | 1.08 | 5000 | 8.3 | 0.097 | 26.1 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512HB-G70(T) | BALL | 12 | 0.09 | 1.08 | 5500 | 9.1 | 0.107 | 27.4 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512LS-G70(T) | S | 12 | 0.06 | 0.72 | 3800 | 6.8 | 0.062 | 17.5 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512MS-G70 | S | 12 | 0.07 | 0.84 | 4200 | 6.9 | 0.069 | 21.6 | 24 | 0 | CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512MS-G76 | S | 12 | 0.07 | 0.84 | 4200 | 6.9 | 0.069 | 21.6 | 24 | 6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512MS-G70(T) | S | 12 | 0.07 | 0.84 | 4500 | 7.5 | 0.078 | 22.0 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512HS-G70 | S | 12 | 0.09 | 1.08 | 5000 | 8.3 | 0.097 | 26.1 | 24 | 0 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4512HS-G70(T) | S | 12 | 0.09 | 1.08 | 5500 | 9.1 | 0.109 | 28.6 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524LX-G70(T) | HYPRO | 24 | 0.06 | 1.44 | 3800 | 6.8 | 0.062 | 17.5 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524MX-G70(T) | HYPRO | 24 | 0.07 | 1.68 | 4800 | 7.5 | 0.078 | 22.0 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524HX-G70(T) | HYPRO | 24 | 0.08 | 1.92 | 5500 | 9.1 | 0.109 | 28.6 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524LB-G70(T) | BALL | 24 | 0.06 | 1.44 | 3800 | 6.8 | 0.062 | 17.5 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524LB-G70(S) | BALL | 24 | 0.06 | 1.44 | 4200 | 7.0 | 0.066 | 20.4 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524MB-G70(T) | BALL | 24 | 0.09 | 2.16 | 4500 | 7.5 | 0.078 | 22.0 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524MB-G70(S) | BALL | 24 | 0.07 | 1.68 | 4800 | 7.9 | 0.081 | 23.7 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524HB-G70(T) | BALL | 24 | 0.08 | 1.92 | 5500 | 9.1 | 0.109 | 28.6 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524LS-G70(T) | BALL | 24 | 0.06 | 1.44 | 3800 | 6.8 | 0.062 | 17.5 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524MS-G70(T) | BALL | 24 | 0.07 | 1.68 | 4800 | 7.5 | 0.078 | 22.0 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524HS-G70(T) | BALL | 24 | 0.08 | 1.92 | 5500 | 9.1 | 0.109 | 28.6 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 45 X 45 X 10 | AD4524HB-G70(S) | BALL | 24 | 0.08 | 1.92 | 5700 | 9.8 | 0.107 | 27.4 | 24 | 0,6 | UL,CUL,TUV,CE | 500 | 24.64 |
| 50 X 50 X 15 | AD5005MS-D70 | S | 5 | 0.24 | 1.20 | 4300 | 12.6 | 0.113 | 29.0 | 55 | 0 | CE | | |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 50 X 50 X 15 | AD5012LX-D70 | HYPRO | 12 | 0.08 | 0.96 | 3600 | 10.8 | 0.084 | 23.6 | 55 | 0 | CE | | |
| 50 X 50 X 15 | AD5012MX-D70 | HYPRO | 12 | 0.10 | 1.20 | 4300 | 12.6 | 0.113 | 29.0 | 55 | 0 | CE | | |
| 50 X 50 X 15 | AD5012HX-D70 | HYPRO | 12 | 0.14 | 1.68 | 4800 | 14.4 | 0.141 | 30.7 | 55 | 0,6 | CE | | |
| 50 X 50 X 15 | AD5012UX-D76 | HYPRO | 12 | 0.20 | 2.40 | 5500 | 16.5 | 0.181 | 33.8 | 55 | 6 | CE | | |
| 50 X 50 X 15 | AD5012LB-D70 | BALL | 12 | 0.08 | 0.96 | 3600 | 10.8 | 0.084 | 23.6 | 55 | 0,6 | CE | | |
| 50 X 50 X 15 | AD5012MB-D70 | BALL | 12 | 0.10 | 1.20 | 4300 | 12.6 | 0.113 | 29.0 | 55 | 0,6 | CE | | |
| 50 X 50 X 15 | AD5012MB-D76(S) | 1B & 1S | 12 | 0.10 | 1.20 | 4500 | 28.5 | 0.126 | 13.4 | 55 | 6 | CE | | |
| 50 X 50 X 15 | AD5012HB-D70 | BALL | 12 | 0.14 | 1.68 | 4800 | 14.4 | 0.141 | 30.7 | 55 | 0,6 | CE | | |
| 50 X 50 X 15 | AD5012HB-D70(S) | 1B & 1S | 12 | 0.14 | 1.68 | 500 | 15.0 | 0.152 | 31.4 | 55 | 0,6 | CE | | |
| 50 X 50 X 15 | AD5012UB-D70 | BALL | 12 | 0.20 | 2.40 | 5500 | 16.5 | 0.181 | 33.8 | 55 | 0,6 | CE | | |
| 50 X 50 X 15 | AD5012UB-D70(S) | 1B & 1S | 12 | 0.20 | 2.40 | 5700 | 17.1 | 0.194 | 34.5 | 55 | 0,6 | CE | | |
| 50 X 50 X 15 | AD5012LS-D70 | S | 12 | 0.08 | 0.96 | 3600 | 10.8 | 0.084 | 23.6 | 55 | 0 | CE | | |
| 50 X 50 X 15 | AD5012MS-D70 | S | 12 | 0.10 | 1.20 | 4300 | 12.6 | 0.113 | 29.0 | 55 | 0,6 | CE | | |
| 50 X 50 X 15 | AD5012HS-D76 | S | 12 | 0.14 | 1.68 | 4800 | 14.4 | 0.141 | 30.7 | 55 | 6 | CE | | |
| 50 X 50 X 15 | AD5012US-D76 | S | 12 | 0.20 | 2.40 | 5500 | 16.5 | 0.181 | 33.8 | 55 | 6 | CE | | |
| 52 X 52 X 9 | AD0505MX-RB1 | HYPRO | 5 | 0.17 | 0.85 | 4800 | 3.0 | 0.320 | 34.0 | 28 | 0,3 | CE | | |
| 52 X 52 X 9 | AD0505HX-RB0 | HYPRO | 5 | 0.22 | 1.10 | 5000 | 3.2 | 0.320 | 34.0 | 28 | 0,3 | CE | | |
| 52 X 52 X 9 | AD0505HX-RB1 | HYPRO | 5 | 0.22 | 1.10 | 5000 | 9.5 | 0.100 | 31.7 | 28 | 1 | CE | | |
| 52 X 52 X 9 | AD0505MB-RB1 | BALL | 5 | 0.17 | 0.85 | 4800 | 3.0 | 0.320 | 34.0 | 28 | 1 | CE | | |
| 52 X 52 X 9 | AD0512MX-RB0 | HYPRO | 12 | 0.10 | 1.20 | 4800 | 3.0 | 0.320 | 34.0 | 28 | 0 | CE | | |
| 52 X 52 X 10 | AD0505LX-G70(T) | HYPRO | 5 | 0.12 | 0.60 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505MX-G70 | HYPRO | 5 | 0.18 | 0.90 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505MX-G90 | HYPRO | 5 | 0.12 | 0.60 | 3300 | 8.5 | 0.068 | 24.9 | 24 | 0 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0505HX-G70(T) | HYPRO | 5 | 0.23 | 1.15 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505HX-G90 | HYPRO | 5 | 0.15 | 0.75 | 3800 | 9.8 | 0.082 | 28.6 | 50 | 0 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0505LB-G70(T) | BALL | 5 | 0.12 | 0.60 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505LB-G70(TS) | 1B & 1S | 5 | 0.12 | 0.60 | 3900 | 9.4 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505MB-G70 | BALL | 5 | 0.14 | 0.70 | 4600 | 10.5 | 0.100 | 24.0 | 18 | 0 | CE | | |
| 52 X 52 X 10 | AD0505MB-G70(T) | BALL | 5 | 0.18 | 0.90 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505MB-G70(TS) | 1B & 1S | 5 | 0.18 | 0.90 | 4500 | 10.8 | 0.100 | 25.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505HB-G70(T) | BALL | 5 | 0.23 | 1.15 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505HB-G90 | BALL | 5 | 0.15 | 0.75 | 3800 | 9.8 | 0.082 | 28.6 | 24 | 0 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0505HB-G96 | BALL | 5 | 0.15 | 0.75 | 3800 | 9.8 | 0.082 | 28.6 | 24 | 6 | CE | | |
| 52 X 52 X 10 | AD0505LS-G70 | S | 5 | 0.12 | 0.60 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0 | TUV,CE | | |
| 52 X 52 X 10 | AD0505LS-G76 | S | 5 | 0.12 | 0.60 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505MS-G70(T) | S | 5 | 0.18 | 0.90 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505MS-G90 | S | 5 | 0.12 | 0.60 | 3300 | 8.5 | 0.068 | 24.9 | 24 | 0 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0505HS-G70 | S | 5 | 0.18 | 0.90 | 5200 | 11.9 | 0.130 | 28.0 | 18 | 0 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0505HS-G70(T) | S | 5 | 0.23 | 1.15 | 500 | 11.2 | 0.130 | 26.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512LX-G70(T) | HYPRO | 12 | 0.10 | 0.72 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512MX-G70(T) | HYPRO | 12 | 0.07 | 0.84 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512MX-G72 | HYPRO | 12 | 0.10 | 1.20 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 2 | CE | | |
| 52 X 52 X 10 | AD0512MX-G90 | HYPRO | 12 | 0.07 | 0.84 | 3300 | 8.5 | 0.068 | 24.9 | 50 | 0 | UL,CUL,CE | | |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 52 X 52 X 10 | AD0512HX-G70 | HYPRO | 12 | 0.09 | 1.08 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512HX-G76(UT | HYPRO | 12 | 0.09 | 1.08 | 5600 | 12.4 | 0.112 | 26.4 | 18 | 6 | CE | | |
| 52 X 52 X 10 | AD0512HX-G90 | HYPRO | 12 | 0.08 | 0.96 | 3800 | 9.8 | 0.082 | 28.6 | 24 | 0 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0512LB-G70 | BALL | 12 | 0.06 | 0.72 | 3900 | 9.4 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512LB-G72 | BALL | 12 | 0.09 | 1.08 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 2 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512LB-G73 | BALL | 12 | 0.06 | 0.72 | 3900 | 9.4 | 0.067 | 20.0 | 18 | 3 | CE | | |
| 52 X 52 X 10 | AD0512MB-G70(S) | Bor1B1S | 12 | 0.07 | 0.84 | 4600 | 10.5 | 0.100 | 24.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512MB-G73 | BALL | 12 | 0.10 | 1.20 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 3 | CE | | |
| 52 X 52 X 10 | AD0512MB-G90(S) | Bor1B1S | 12 | 0.07 | 0.84 | 3300 | 8.5 | 0.068 | 24.9 | 24 | 0 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0512MB-G96(S) | 1B & 1S | 12 | 0.07 | 0.84 | 3300 | 8.5 | 0.068 | 24.9 | 24 | 6 | CE | | |
| 52 X 52 X 10 | AD0512HB-G70(S) | Bor1B1S | 12 | 0.09 | 1.08 | 5200 | 11.9 | 0.130 | 28.0 | 18 | 0 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512HB-G72 | BALL | 12 | 0.11 | 1.32 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 2 | CE | | |
| 52 X 52 X 10 | AD0512HB-G73(S) | 1B & 1S | 12 | 0.09 | 1.08 | 5200 | 11.9 | 0.130 | 28.0 | 18 | 3 | CE | | |
| 52 X 52 X 10 | AD0512HB-G76 | BALL | 12 | 0.09 | 1.08 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512HB-G90(S) | Bor1B1S | 12 | 0.08 | 0.96 | 3800 | 9.8 | 0.082 | 28.6 | 24 | 0 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0512LS-G70 | S | 12 | 0.06 | 0.72 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512MS-G70 | S | 12 | 0.07 | 0.84 | 4600 | 10.5 | 0.100 | 24.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512MS-G90 | S | 12 | 0.08 | 0.96 | 3300 | 8.5 | 0.068 | 24.9 | 24 | 0,6 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0512HS-G70 | S | 12 | 0.09 | 1.08 | 5200 | 11.9 | 0.130 | 28.0 | 18 | 0 | CE | | |
| 52 X 52 X 10 | AD0512HS-G70(T) | S | 12 | 0.09 | 1.08 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512HS-G70(U) | S | 12 | 0.09 | 1.08 | 5600 | 12.4 | 0.112 | 26.4 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0512HS-G90 | S | 12 | 0.08 | 0.96 | 3800 | 9.8 | 0.082 | 28.6 | 24 | 0 | UL,CUL,CE | | |
| 52 X 52 X 10 | AD0512HS-G96 | S | 12 | 0.08 | 0.96 | 3800 | 9.8 | 0.082 | 28.6 | 24 | 6 | CE | | |
| 52 X 52 X 10 | AD0524LX-G70 | HYPRO | 24 | 0.07 | 1.68 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0524MX-G70 | HYPRO | 24 | 0.08 | 1.92 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0524HX-G70 | HYPRO | 24 | 0.09 | 2.16 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0524LB-G70 | BALL | 24 | 0.07 | 1.68 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0524LB-G70(S) | 1B & 1S | 24 | 0.07 | 1.68 | 3900 | 9.4 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0524MB-G70(S) | Bor1B1S | 24 | 0.10 | 2.40 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0524MB-G90 | BALL | 24 | 0.06 | 1.44 | 3300 | 8.3 | 1.650 | 27.5 | 50 | 0 | CE | | |
| 52 X 52 X 10 | AD0524HB-G70 | BALL | 24 | 0.11 | 2.64 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 0,6 | CE | | |
| 52 X 52 X 10 | AD0524HB-G70(S) | 1B & 1S | 24 | 0.09 | 2.16 | 5200 | 11.8 | 0.130 | 27.0 | 18 | 0,6 | CE | | |
| 52 X 52 X 10 | AD0524HB-G90 | BALL | 24 | 0.09 | 2.16 | 3800 | 9.8 | 0.082 | 28.6 | 50 | 0 | CE | | |
| 52 X 52 X 10 | AD0524LS-G70 | S | 24 | 0.07 | 1.68 | 3700 | 9.0 | 0.060 | 20.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0524MS-G70 | S | 24 | 0.08 | 1.92 | 4300 | 10.5 | 0.100 | 24.0 | 18 | 0 | UL,CUL,TUV,CE | | |
| 52 X 52 X 10 | AD0524HS-G70 | S | 24 | 0.09 | 2.16 | 5000 | 11.2 | 0.130 | 26.0 | 18 | 0,6 | UL,CUL,TUV,CE | | |
| 52 X 52 X 15 | AD0505HX-D71 | HYPRO | 5 | 0.26 | 1.30 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 1 | UL,CUL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0505MB-D71 | BALL | 5 | 0.16 | 0.80 | 3700 | 9.7 | 0.106 | 22.6 | 55 | 1 | CUL,UL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0505HB-D70 | BALL | 5 | 0.20 | 1.00 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 0 | CUL,UL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0505HB-D71 | BALL | 5 | 0.26 | 1.30 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 1 | CUL,UL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0505MS-D71 | S | 5 | 0.16 | 0.80 | 3700 | 9.7 | 0.106 | 22.6 | 36 | 1 | CUL,UL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0505HS-D70 | S | 5 | 0.20 | 1.00 | 4600 | 12.0 | 0.166 | 28.7 | 55 | 0 | CUL,UL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0505HS-D71 | S | 5 | 0.26 | 1.30 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 1 | CUL,UL,TUV,CE | 480 | 46.20 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 52 X 52 X 15 | AD0512MX-D70 | HYPRO | 12 | 0.09 | 1.08 | 3700 | 9.7 | 0.106 | 22.6 | 55 | 0 | UL,CUL,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512MX-D71 | HYPRO | 12 | 0.09 | 1.08 | 3700 | 9.7 | 0.106 | 22.6 | 36 | 1 | UL,CUL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512MX-D72 | HYPRO | 12 | 0.09 | 1.08 | 3700 | 9.7 | 0.106 | 22.6 | 36 | 2 | CE+ | 480 | 46.20 |
| 52 X 52 X 15 | AD0512HX-D71 | HYPRO | 12 | 0.10 | 1.20 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 1 | UL,CUL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512HX-D76 | HYPRO | 12 | 0.10 | 1.20 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 6 | CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512LB-D70 | BALL | 12 | 0.06 | 0.72 | 2800 | 6.3 | 0.059 | 14.4 | 55 | 0 | CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512MB-D70 | BALL | 12 | 0.09 | 1.08 | 3700 | 9.7 | 0.106 | 22.6 | 55 | 0,6 | UL,CUL,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512MB-D71(S) | Bor1B1S | 12 | 0.09 | 1.08 | 3700 | 9.7 | 0.106 | 22.6 | 36 | 1 | UL,CUL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512MB-D72 | BALL | 12 | 0.09 | 1.08 | 3700 | 9.7 | 0.106 | 22.6 | 36 | 2,3 | CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512HB-D70 | BALL | 12 | 0.10 | 1.20 | 4600 | 12.0 | 0.166 | 28.7 | 55 | 0 | UL,CUL,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512HB-D71 | Bor1B1S | 12 | 0.10 | 1.20 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 1 | UL,CUL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512HB-D73 | Bor1B1S | 12 | 0.10 | 1.20 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 3,6 | CE | 480 | 46.20 |
| 53 X 52 X 15 | AD0512UB-D71 | BALL | 12 | 0.11 | 1.32 | 5300 | 13.0 | 0.200 | 35.0 | 36 | 1 | CE | 480 | 46.20 |
| 54 X 52 X 15 | AD0512UB-D72 | BALL | 12 | 0.11 | 1.32 | 5300 | 12.5 | 0.200 | 33.3 | 36 | 2 | CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512MS-D70 | S | 12 | 0.09 | 1.08 | 3700 | 9.7 | 0.106 | 22.6 | 55 | 0 | UL,CUL,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512MS-D71 | S | 12 | 0.09 | 1.08 | 3700 | 9.7 | 0.106 | 22.6 | 36 | 1 | UL,CUL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512HS-D70 | S | 12 | 0.10 | 1.20 | 4600 | 12.0 | 0.166 | 28.7 | 55 | 0 | UL,CUL,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512HS-D71 | S | 12 | 0.10 | 1.20 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 1 | UL,CUL,TUV,CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0512HS-D76 | S | 12 | 0.10 | 1.20 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 6 | CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0524HX-D71 | HYPRO | 24 | 0.08 | 1.92 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 1 | CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0524HB-D71 | BALL | 24 | 0.08 | 1.92 | 4600 | 12.0 | 0.166 | 28.7 | 55 | 1 | CE | 480 | 46.20 |
| 52 X 52 X 15 | AD0524HS-D71 | S | 24 | 0.08 | 1.92 | 4600 | 12.0 | 0.166 | 28.7 | 36 | 1 | CE | 480 | 46.20 |
| 60 X 60 X 10 | AD0605LX-G90 | HYPRO | 5 | 0.15 | 0.75 | 3000 | 11.9 | 0.060 | 23.1 | 30 | 0 | UL,CUL,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605LX-G70 | HYPRO | 5 | 0.13 | 0.65 | 3500 | 10.0 | 0.060 | 23.0 | 30 | 0 | CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605MX-G70 | HYPRO | 5 | 0.15 | 0.75 | 4200 | 12.0 | 0.090 | 28.0 | 23 | 0 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605LB-G70 | BALL | 5 | 0.13 | 0.65 | 3500 | 10.0 | 0.060 | 23.0 | 30 | 0 | CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605MB-G70 | BALL | 5 | 0.15 | 0.75 | 4200 | 12.0 | 0.090 | 28.0 | 23 | 0 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605HB-G90 | BALL | 5 | 0.27 | 1.35 | 4200 | 16.6 | 0.115 | 32.8 | 30 | 0 | UL,CUL,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605LS-G70 | S | 5 | 0.13 | 0.65 | 3500 | 10.0 | 0.060 | 23.0 | 23 | 0 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605LS-G90 | S | 5 | 0.14 | 0.70 | 3000 | 11.9 | 0.060 | 23.1 | 30 | 0 | UL,CUL,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605MS-G70 | S | 5 | 0.15 | 0.75 | 4200 | 12.0 | 0.090 | 28.0 | 23 | 0 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0605HS-G90 | S | 5 | 0.27 | 1.35 | 4200 | 16.6 | 0.115 | 32.8 | 30 | 0 | UL,CUL,TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612LX-G70 | HYPRO | 12 | 0.11 | 1.32 | 3500 | 11.7 | 0.050 | 23.0 | 30 | 0 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612LX-G76 | HYPRO | 12 | 0.11 | 1.32 | 3500 | 11.7 | 0.050 | 23.0 | 30 | 6 | CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612MX-G70 | HYPRO | 12 | 0.13 | 1.56 | 4200 | 12.0 | 0.090 | 28.0 | 23 | 0,6 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612MX-G90 | HYPRO | 12 | 0.12 | 1.44 | 3600 | 14.1 | 0.086 | 28.5 | 30 | 0,6 | UL,CUL,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612MX-G96 | HYPRO | 12 | 0.12 | 1.44 | 3600 | 14.1 | 0.086 | 28.5 | 30 | 6 | CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HX-G70 | HYPRO | 12 | 0.15 | 1.80 | 4900 | 14.5 | 0.108 | 32.0 | 23 | 0,6 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HX-G90 | HYPRO | 12 | 0.14 | 1.68 | 4200 | 16.6 | 0.115 | 32.8 | 30 | 0 | UL,CUL,TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612LB-G70(S) | Bor1B1S | 12 | 0.11 | 1.32 | 3500 | 11.7 | 0.050 | 23.0 | 30 | 0,6 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612LB-G90 | BALL | 12 | 0.11 | 1.32 | 3000 | 11.9 | 0.060 | 23.1 | 30 | 0 | UL,CUL,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612LB-G96 | BALL | 12 | 0.11 | 1.32 | 3000 | 11.9 | 0.060 | 23.1 | 30 | 6 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612MB-G70(S) | Bor1B1S | 12 | 0.13 | 1.56 | 4200 | 12.0 | 0.090 | 28.0 | 23 | 0,6 | TUV,CE | 480 | 35.50 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 60 X 60 X 10 | AD0612MB-G90(S) | Bor1B1S | 12 | 0.12 | 1.44 | 3600 | 14.1 | 0.086 | 28.5 | 30 | 0,6 | UL,CUL,TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612MB-GA6 | BALL | 12 | 0.19 | 2.28 | 4000 | 17.3 | 0.127 | 31.7 | 30 | 6 | UL,CUL,TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HB-G70(S) | Bor1B1S | 12 | 0.15 | 1.80 | 4900 | 14.5 | 0.108 | 32.0 | 23 | 0,6 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HB-G90(S) | Bor1B1S | 12 | 0.14 | 1.68 | 4200 | 16.6 | 0.115 | 32.8 | 30 | 0 | UL,CUL,TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HB-G96(S) | 1B & 1S | 12 | 0.14 | 1.68 | 4200 | 16.6 | 0.115 | 32.8 | 30 | 6 | CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HB-GA6(S) | 1B & 1S | 12 | 0.25 | 3.00 | 4600 | 21.0 | 0.165 | 35.8 | 30 | 6 | UL,CUL,TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612LS-G70 | S | 12 | 0.11 | 1.32 | 3500 | 11.7 | 0.050 | 23.0 | 23 | 0 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612LS-G90 | S | 12 | 0.11 | 1.32 | 300 | 11.9 | 0.060 | 23.1 | 30 | 0 | UL,CUL,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612LS-G96 | S | 12 | 0.11 | 1.32 | 300 | 11.9 | 0.060 | 23.1 | 30 | 6 | UL,CUL,TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612MS-G70 | S | 12 | 0.13 | 1.56 | 4200 | 12.0 | 0.090 | 28.0 | 23 | 0,6 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HS-G90 | S | 12 | 0.15 | 1.80 | 4900 | 14.5 | 0.108 | 32.0 | 23 | 0 | TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HS-G96 | S | 12 | 0.15 | 1.80 | 4900 | 14.5 | 0.108 | 32.0 | 23 | 6 | UL,CUL,TUV,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HS-G90 | S | 12 | 0.14 | 1.68 | 4200 | 16.6 | 0.115 | 32.8 | 30 | 0 | UL,CUL,CE | 480 | 35.50 |
| 60 X 60 X 10 | AD0612HS-G96 | S | 12 | 0.14 | 1.68 | 4200 | 16.6 | 0.115 | 32.8 | 30 | 6 | CE | 480 | 35.50 |
| 60 X 60 X 15 | AD0605LB-D70GL | BALL | 5 | 0.20 | 1.00 | 3500 | 12.0 | 0.010 | 27.2 | 38 | 0,1 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0605MB-D71GL | BALL | 5 | 0.25 | 1.25 | 3900 | 14.2 | 0.118 | 28.8 | 38 | 1,2,3 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0605HB-D70GL | BALL | 5 | 0.25 | 1.25 | 4500 | 15.7 | 0.163 | 33.2 | 38 | 0 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0605HB-D71GL | BALL | 5 | 0.37 | 1.85 | 4500 | 16.6 | 0.152 | 32.4 | 38 | 1,2 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0605HB-D73GL | BALL | 5 | 0.37 | 1.85 | 4500 | 16.6 | 0.152 | 32.4 | 38 | 3 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0605MS-D71GL | S | 5 | 0.25 | 1.25 | 3900 | 14.2 | 0.118 | 28.8 | 38 | 1 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0605HS-D70GL | S | 5 | 0.25 | 1.25 | 4500 | 15.7 | 0.163 | 33.2 | 38 | 0 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0605HS-D71GL | S | 5 | 0.37 | 1.85 | 4500 | 16.6 | 0.152 | 32.4 | 38 | 1 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612DX-D70GL | HYPRO | 12 | 0.07 | 0.84 | 3100 | 12.2 | 0.086 | 24.9 | 38 | 0,6 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612LX-D70GL | HYPRO | 12 | 0.09 | 1.08 | 3500 | 12.0 | 0.010 | 27.2 | 38 | 0 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612LX-D76GL | HYPRO | 12 | 0.09 | 1.08 | 3500 | 12.0 | 0.010 | 27.2 | 38 | 6 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612MX-D70GL | HYPRO | 12 | 0.11 | 1.32 | 3900 | 14.2 | 0.118 | 28.8 | 38 | 0,1,2,3 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612MX-D76GL | B,S,or X | 12 | 0.11 | 1.32 | 3900 | 14.2 | 0.118 | 28.8 | 38 | 6 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612HX-D70GL | HYPRO | 12 | 0.13 | 1.56 | 4500 | 16.6 | 0.152 | 32.4 | 38 | 0,1,6 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612HX-D72GL | HYPRO | 12 | 0.13 | 1.56 | 4500 | 16.6 | 0.152 | 32.4 | 38 | 2,3 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612DB-D70GL | BALL | 12 | 0.07 | 0.84 | 3100 | 12.2 | 0.086 | 24.9 | 38 | 0,2 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612DB-D70(T) | BALL | 12 | 0.07 | 0.84 | 3100 | 10.7 | 0.086 | 23.8 | 38 | 0,6 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612LB-D70GL | BALL | 12 | 0.09 | 1.08 | 3500 | 12.0 | 0.010 | 27.2 | 38 | 0,1 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612LB-D76GL | BALL | 12 | 0.09 | 1.08 | 3500 | 12.0 | 0.010 | 27.2 | 38 | 6 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612MB-D70GL | BALL | 12 | 0.11 | 1.32 | 3900 | 14.2 | 0.118 | 28.8 | 38 | 0,1,3 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612MB-D76GL | BALL | 12 | 0.11 | 1.32 | 3900 | 14.2 | 0.118 | 28.8 | 38 | 6 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612HB-D70GL | BALL | 12 | 0.13 | 1.56 | 4500 | 16.6 | 0.152 | 32.4 | 38 | 0,1,2,3,6 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612UB-D71GL | BALL | 12 | 0.16 | 1.92 | 5100 | 18.0 | 0.176 | 39.3 | 38 | 1,2,6 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612UB-D73GL | BALL | 12 | 0.16 | 1.92 | 5100 | 18.0 | 0.176 | 39.3 | 38 | 3 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612UB-D96 | BALL | 12 | 0.31 | 3.72 | 6000 | 28.5 | 0.231 | 40.4 | 38 | 6 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612LS-D70GL | S | 12 | 0.09 | 1.08 | 3500 | 12.0 | 0.010 | 27.2 | 38 | 0,1 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612MS-D70GL | S | 12 | 0.11 | 1.32 | 3900 | 14.2 | 0.118 | 28.8 | 38 | 0,1,6 | UL,CUL,TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612MS-D72GL | S | 12 | 0.11 | 1.32 | 3900 | 14.2 | 0.118 | 28.8 | 38 | 2 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0612HS-D70GL | S | 12 | 0.13 | 1.56 | 4500 | 16.6 | 0.152 | 32.4 | 38 | 0,1,6 | UL,CUL,TUV,CE | 300 | 25.70 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 60 X 60 X 15 | AD0612HS-D73GL | S | 12 | 0.13 | 1.56 | 4500 | 16.6 | 0.152 | 32.4 | 38 | 3 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624LX-D70GL | HYPRO | 24 | 0.05 | 1.20 | 3500 | 12.0 | 0.010 | 27.2 | 38 | 0 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624MX-D71GL | HYPRO | 24 | 0.07 | 1.68 | 3900 | 15.0 | 0.138 | 30.7 | 38 | 1 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624HX-D71GL | HYPRO | 24 | 0.09 | 2.16 | 4500 | 17.0 | 0.173 | 33.3 | 38 | 1 | TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624MB-D70GL | BALL | 24 | 0.07 | 1.68 | 3900 | 15.0 | 0.138 | 30.7 | 38 | 0 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624MB-D71GL | BALL | 24 | 0.07 | 1.68 | 3900 | 15.0 | 0.138 | 30.7 | 38 | 1 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624MB-D72GL | BALL | 24 | 0.07 | 1.68 | 3900 | 15.0 | 0.138 | 30.7 | 38 | 2 | TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624HB-D70GL | BALL | 24 | 0.09 | 2.16 | 4500 | 17.0 | 0.173 | 33.3 | 38 | 0,6 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624HB-D71GL | BALL | 24 | 0.09 | 2.16 | 4500 | 17.0 | 0.173 | 33.3 | 38 | 1,2 | TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624HB-D73GL | BALL | 24 | 0.09 | 2.16 | 4500 | 17.0 | 0.173 | 33.3 | 38 | 3 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624LS-D70GL | S | 24 | 0.05 | 1.20 | 3500 | 13.0 | 0.110 | 27.2 | 38 | 0 | CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624MS-D70GL | S | 24 | 0.07 | 1.68 | 3900 | 15.0 | 0.138 | 30.7 | 38 | 0 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624MS-D71GL | S | 24 | 0.07 | 1.68 | 3900 | 15.0 | 0.138 | 30.7 | 38 | 1 | TUV,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624HS-D70GL | S | 24 | 0.09 | 2.16 | 4500 | 17.0 | 0.173 | 33.3 | 38 | 0 | UL,CUL,CE | 300 | 25.70 |
| 60 X 60 X 15 | AD0624HS-D71GL | S | 24 | 0.09 | 2.16 | 4500 | 17.0 | 0.173 | 33.3 | 38 | 1 | TUV,CE | 300 | 25.70 |
| 60 X 60 X 20 | AD0605HX-C70GL | HYPRO | 5 | 0.25 | 1.25 | 4500 | 16.3 | 0.156 | 29.8 | 49 | 0 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0605MB-C70GL | BALL | 5 | 0.24 | 1.20 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 0 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0605HB-C70GL | BALL | 5 | 0.30 | 1.50 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 0 | TUV,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0605HB-C72GL | BALL | 5 | 0.30 | 1.50 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 2 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0605HS-C70GL | HYPRO | 5 | 0.30 | 1.50 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 0 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612DX-C76GL | HYPRO | 12 | 0.07 | 0.84 | 3000 | 10.7 | 0.054 | 18.4 | 49 | 6 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612LX-C70GL | HYPRO | 12 | 0.08 | 0.96 | 3500 | 13.3 | 0.096 | 21.6 | 49 | 0,6 | UL,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612MX-C70GL | HYPRO | 12 | 0.13 | 1.56 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 0 | UL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612MX-C72GL | HYPRO | 12 | 0.13 | 1.56 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 2,3,6 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612HX-C70GL | HYPRO | 12 | 0.16 | 1.92 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 0 | UL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612HX-C72GL | HYPRO | 12 | 0.16 | 1.92 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 2 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612HX-C73GL | HYPRO | 12 | 0.16 | 1.92 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 3,6 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612DB-C76GL | BALL | 12 | 0.07 | 0.84 | 3000 | 10.7 | 0.054 | 18.4 | 49 | 6 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612LB-C70GL | BALL | 12 | 0.08 | 0.96 | 3500 | 13.3 | 0.096 | 21.6 | 49 | 0,1 | UL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612LB-C73GL | BALL | 12 | 0.08 | 0.96 | 3500 | 13.3 | 0.096 | 21.6 | 49 | 3 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612LB-C76GL | BALL | 12 | 0.08 | 0.96 | 3500 | 13.3 | 0.096 | 21.6 | 49 | 6 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612MB-C70GL | BALL | 12 | 0.13 | 1.56 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 0,3 | UL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612MB-C72GL | BALL | 12 | 0.13 | 1.56 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 2,6 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612HB-C70GL | BALL | 12 | 0.16 | 1.92 | 4600 | 16.4 | 0.139 | 29.7 | 49 | 0,1,6 | UL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612HB-C72GL | BALL | 12 | 0.16 | 1.92 | 4600 | 16.4 | 0.139 | 29.7 | 49 | 2,3 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612UB-C71GL | BALL | 12 | 0.17 | 2.04 | 5100 | 18.7 | 0.160 | 34.6 | 49 | 1 | CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612LS-C70GL | S | 12 | 0.08 | 0.96 | 3500 | 13.3 | 0.096 | 21.6 | 49 | 0 | UL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612LS-C71GL | S | 12 | 0.08 | 0.96 | 3500 | 13.3 | 0.096 | 21.6 | 49 | 1 | UL,CUL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612LS-C76GL | S | 12 | 0.08 | 0.96 | 3500 | 13.3 | 0.096 | 21.6 | 49 | 6 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612MS-C70GL | S | 12 | 0.13 | 1.56 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 0,1,6 | UL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612MS-C72GL | S | 12 | 0.13 | 1.56 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 2,3 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612HS-C70GL | BALL | 12 | 0.16 | 1.92 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 0,1,6 | UL,TUV,CSA,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0612HS-C72GL | BALL | 12 | 0.16 | 1.92 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 2,3 | UL,CUL,CE | 300 | 40.00 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 60 X 60 X 20 | AD0624MX-C70GL | HYPRO | 24 | 0.08 | 1.92 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 0 | UL,CUL,TUV,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0624HX-C70GL | HYPRO | 24 | 0.09 | 2.16 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 0 | UL,CUL,TUV,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0624MB-C70GL | BALL | 24 | 0.08 | 1.92 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 0 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0624HB-C70GL | BALL | 24 | 0.09 | 2.16 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 0,1 | UL,CUL,TUV,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0624HB-C70(T) | BALL | 24 | 0.09 | 2.16 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 0,6 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0624MS-C70GL | S | 24 | 0.08 | 1.92 | 3900 | 14.5 | 0.111 | 25.7 | 49 | 0 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 20 | AD0624HS-C70GL | S | 24 | 0.09 | 2.16 | 4500 | 16.4 | 0.139 | 29.7 | 49 | 0 | UL,CUL,TUV,CE | 300 | 40.00 |
| 60 X 60 X 25 | AD0605MX-A70GL | HYPRO | 5 | 0.32 | 1.60 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 0 | UL,CUL,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0605MB-A70GL | BALL | 5 | 0.32 | 1.60 | 3500 | 18.0 | 0.188 | 24.0 | 68 | 0 | UL,TUV,CE | 300 | 40.00 |
| 60 X 60 X 25 | AD0605HB-A70GL | BALL | 5 | 0.45 | 2.25 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 0,2 | TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0605HB-A73GL | BALL | 5 | 0.45 | 2.25 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 3 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0605MS-A70GL | S | 5 | 0.32 | 1.60 | 3500 | 18.0 | 0.188 | 24.0 | 68 | 0 | UL,CUL,CE | 300 | 40.00 |
| 60 X 60 X 25 | AD0605HS-A71GL | S | 5 | 0.60 | 3.00 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 1 | CE | 300 | 40.00 |
| 60 X 60 X 25 | AD0612LX-A70GL | HYPRO | 12 | 0.08 | 0.96 | 2500 | 13.2 | 0.063 | 16.1 | 68 | 0 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612LX-A72GL | HYPRO | 12 | 0.08 | 0.96 | 2500 | 13.2 | 0.063 | 16.1 | 68 | 2,3 | UL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612MX-A70GL | HYPRO | 12 | 0.14 | 1.68 | 3500 | 18.0 | 0.188 | 24.0 | 68 | 0,6 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612MX-A73GL | HYPRO | 12 | 0.14 | 1.68 | 3500 | 18.0 | 0.188 | 24.0 | 68 | 3 | UL,CUL,TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612HX-A70GL | HYPRO | 12 | 0.23 | 2.76 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 0,1,2 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612HX-A73GL | HYPRO | 12 | 0.23 | 2.76 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 3,6 | UL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612UX-A70GL | HYPRO | 12 | 0.25 | 3.00 | 5000 | 28.3 | 0.250 | 37.0 | 68 | 0 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612UX-A71GL | HYPRO | 12 | 0.27 | 3.24 | 5300 | 28.3 | 0.250 | 37.0 | 68 | 1 | UL,CUL,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612UX-A72GL | HYPRO | 12 | 0.27 | 3.24 | 5300 | 28.3 | 0.250 | 37.0 | 68 | 2,3 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612LB-A70GL | BALL | 12 | 0.08 | 0.96 | 2500 | 13.2 | 0.063 | 16.1 | 68 | 0,1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612LB-A70(T) | BALL | 12 | 0.08 | 0.96 | 2300 | 10.7 | 0.041 | 14.5 | 68 | 0,6 | UL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612MB-A70GL | BALL | 12 | 0.14 | 1.68 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 0 | UL,CUL,TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612MB-A71GL | BALL | 12 | 0.14 | 1.68 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612MB-A72GL | BALL | 12 | 0.14 | 1.68 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 2,3 | UL,CUL,TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612MB-A76GL | BALL | 12 | 0.14 | 1.68 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 6 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612HB-A70GL | BALL | 12 | 0.23 | 2.76 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 0,1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612HB-A72GL | BALL | 12 | 0.23 | 2.76 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 2,3,6 | UL,CUL,TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612UB-A70GL | BALL | 12 | 0.25 | 3.00 | 5000 | 28.3 | 0.250 | 37.0 | 68 | 0 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612UB-A71GL | BALL | 12 | 0.25 | 3.00 | 5000 | 28.3 | 0.250 | 37.0 | 68 | 1 | UL,CUL,TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612UB-A72GL | BALL | 12 | 0.25 | 3.00 | 5000 | 28.3 | 0.250 | 37.0 | 68 | 2,3 | UL,CUL,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612UB-A76GL | BALL | 12 | 0.25 | 3.00 | 5000 | 28.3 | 0.250 | 37.0 | 68 | 6 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612XB-A71GL | BALL | 12 | 0.38 | 4.56 | 6100 | 31.4 | 0.320 | 42.9 | 68 | 1,2,3 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612XB-A72/UP | BALL | 12 | 0.65 | 7.80 | 7400 | 38.1 | 0.500 | 47.8 | 68 | 2 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612LS-A70GL | S | 12 | 0.08 | 0.96 | 2500 | 13.2 | 0.063 | 16.1 | 68 | 0,1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612LS-A73GL | S | 12 | 0.08 | 0.96 | 2500 | 13.2 | 0.063 | 16.1 | 68 | 3 | UL,CUL,TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612LS-A76GL | S | 12 | 0.08 | 0.96 | 2500 | 13.2 | 0.063 | 16.1 | 68 | 6 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612MS-A70GL | S | 12 | 0.14 | 1.68 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 0 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612MS-A76GL | S | 12 | 0.14 | 1.68 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 6 | TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612HS-A70GL | S | 12 | 0.23 | 2.76 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 0,1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612HS-A72GL | S | 12 | 0.23 | 2.76 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 2,6 | CE | 300 | 44.00 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 60 X 60 X 25 | AD0612HS-A73GL | S | 12 | 0.23 | 2.76 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 3 | UL,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612US-A70GL | S | 12 | 0.25 | 3.00 | 5000 | 28.3 | 0.250 | 37.0 | 68 | 0,6 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612US-A71GL | S | 12 | 0.27 | 3.24 | 5300 | 28.3 | 0.250 | 37.0 | 68 | 1 | TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0612US-A73GL | S | 12 | 0.27 | 3.24 | 5300 | 28.3 | 0.250 | 37.0 | 68 | 3 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624MX-A70GL | HYPRO | 24 | 0.08 | 1.92 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 0 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624MX-A76GL | HYPRO | 24 | 0.08 | 1.92 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 6 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HX-A70GL | HYPRO | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 0,1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HX-A72GL | HYPRO | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 2 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624UX-A71GL | HYPRO | 24 | 0.16 | 3.84 | 5000 | 28.3 | 0.250 | 37.0 | 68 | 1,2 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624LB-A70GL | BALL | 24 | 0.05 | 1.20 | 2500 | 16.0 | 0.079 | 16.1 | 68 | 0 | UL,CUL,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624MB-A70GL | BALL | 24 | 0.08 | 1.92 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 0,1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HB-A70GL | BALL | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 0 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HB-A71GL | BALL | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 1 | UL,CSA,TUV,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HB-A72GL | BALL | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 2,3 | UL,CUL,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HB-A76GL | BALL | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 6 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624UB-A70GL | BALL | 24 | 0.16 | 3.84 | 5000 | 26.5 | 0.204 | 38.1 | 68 | 0,1,2,3 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624LS-A70GL | S | 24 | 0.05 | 1.20 | 2500 | 16.0 | 0.079 | 16.1 | 68 | 0 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624MS-A70GL | S | 24 | 0.08 | 1.92 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 0,1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624MS-A72GL | S | 24 | 0.08 | 1.92 | 3500 | 18.0 | 0.118 | 24.0 | 68 | 2 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HS-A70GL | S | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 0,1 | UL,CUL,TUV,CSA,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HS-A72GL | S | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 2 | CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624HS-A73GL | S | 24 | 0.15 | 3.60 | 4500 | 23.2 | 0.188 | 32.3 | 68 | 3 | UL,CE | 300 | 44.00 |
| 60 X 60 X 25 | AD0624US-A71GL | S | 24 | 0.16 | 3.84 | 5000 | 28.3 | 0.250 | 37.0 | 68 | 1 | TUV,CE | 300 | 44.00 |
| 70 X 70 X 15 | AD0712HB-DA6 | BALL | 12 | 0.27 | 3.24 | 4200 | 32.3 | 0.164 | 37.3 | 54 | 6 | CE | | |
| 70 X 70 X 15 | AD0712UB-DA6 | BALL | 12 | 0.30 | 3.60 | 4500 | 34.8 | 0.193 | 43.4 | 54 | 6 | CE | | |
| 70 X 70 X 25 | AD0705MX-A76GL | HYPRO | 5 | 0.30 | 1.50 | 3800 | 31.0 | 0.176 | 32.0 | 61 | 6 | CE | | |
| 70 X 70 X 25 | AD0705MB-A76GL | BALL | 5 | 0.30 | 1.50 | 3800 | 31.0 | 0.176 | 32.0 | 61 | 6 | CE | | |
| 70 X 70 X 25 | AD0712-LX-A70GL | HYPRO | 12 | 0.12 | 1.44 | 3300 | 27.0 | 0.134 | 28.0 | 61 | 0 | CE | | |
| 70 X 70 X 25 | AD0712-MX-A70GL | HYPRO | 12 | 0.16 | 1.92 | 3800 | 31.0 | 0.176 | 32.0 | 61 | 0 | CE | | |
| 70 X 70 X 25 | AD0712-HX-A70GL | HYPRO | 12 | 0.19 | 2.28 | 4200 | 34.0 | 0.217 | 35.5 | 61 | 0 | CE | | |
| 70 X 70 X 25 | AD0712LB-A70GL | BALL | 12 | 0.12 | 1.44 | 3300 | 27.0 | 0.134 | 28.0 | 61 | 0 | CE | | |
| 70 X 70 X 25 | AD0712MB-A70GL | BALL | 12 | 0.16 | 1.92 | 3800 | 31.0 | 0.176 | 32.0 | 61 | 0,6 | CE | | |
| 70 X 70 X 25 | AD0712HB-A70GL | BALL | 12 | 0.19 | 2.28 | 4200 | 34.0 | 0.217 | 35.5 | 61 | 0,6 | CE | | |
| 70 X 70 X 25 | AD0712UB-A76GL | BALL | 12 | 0.24 | 2.88 | 4500 | 38.4 | 0.239 | 37.8 | 61 | 6 | CE | | |
| 70 X 70 X 25 | AD0712LS-A70GL | S | 12 | 0.12 | 1.44 | 3300 | 27.0 | 0.134 | 28.0 | 61 | 0 | CE | | |
| 70 X 70 X 25 | AD0712MS-A70GL | S | 12 | 0.16 | 1.92 | 3800 | 31.0 | 0.176 | 32.0 | 61 | 0 | CE | | |
| 70 X 70 X 25 | AD0712HS-A70GL | S | 12 | 0.19 | 2.28 | 4200 | 34.0 | 0.217 | 35.5 | 61 | 0,6 | CE | | |
| 70 X 70 X 25 | AD0712US-A76GL | S | 12 | 0.24 | 2.88 | 4500 | 38.4 | 0.239 | 37.8 | 61 | 6 | CE | | |
| 70 X 70 X 25 | AD0724HB-A70GL | BALL | 24 | 0.13 | 3.12 | 4200 | 34.0 | 0.218 | 35.5 | 61 | 0 | CE | | |
| 75 X 75 X 30 | AD7512MX | HYPRO | 12 | 0.20 | 2.40 | 2600 | 7.8 | 0.228 | 34.9 | 80 | 0 | CE | | |
| 75 X 75 X 30 | AD7512HX | HYPRO | 12 | 0.30 | 3.60 | 3000 | 10.3 | 0.350 | 38.5 | 80 | 1 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7512HX | HYPRO | 12 | 0.30 | 3.60 | 3000 | 10.3 | 0.350 | 38.5 | 80 | 3 | CE | | |
| 75 X 75 X 30 | AD7512UX | HYPRO | 12 | 0.55 | 6.60 | 4200 | 13.1 | 0.822 | 44.7 | 80 | 0,2,3 | CE | | |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 75 X 75 X 30 | AD7512LB | BALL | 12 | 0.11 | 1.32 | 2200 | 6.9 | 0.190 | 29.0 | 80 | 0 | CE | | |
| 75 X 75 X 30 | AD7512MB | BALL | 12 | 0.15 | 1.80 | 2600 | 7.8 | 0.228 | 34.9 | 80 | 0,3 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7512HB | BALL | 12 | 0.24 | 2.88 | 3000 | 10.3 | 0.350 | 38.5 | 80 | 0,2,3 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7512UB | BALL | 12 | 0.52 | 6.24 | 4200 | 13.1 | 0.822 | 44.7 | 80 | 0,2,3 | CE | | |
| 75 X 75 X 30 | AD7512MS | S | 12 | 0.20 | 2.40 | 2600 | 7.8 | 0.228 | 34.9 | 80 | 0 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7512HS | S | 12 | 0.30 | 3.60 | 3000 | 10.3 | 0.350 | 38.5 | 80 | 0,2 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7524MX | HYPRO | 24 | 0.14 | 3.36 | 2600 | 7.8 | 0.228 | 34.9 | 80 | 0 | CE | | |
| 75 X 75 X 30 | AD7524HX | HYPRO | 24 | 0.20 | 4.80 | 3000 | 10.3 | 0.350 | 38.5 | 80 | 0 | CE | | |
| 75 X 75 X 30 | AD7524UX | HYPRO | 24 | 0.27 | 6.48 | 4200 | 13.1 | 0.822 | 44.7 | 80 | 0 | CE | | |
| 75 X 75 X 30 | AD7524MB | BALL | 24 | 0.14 | 3.36 | 2600 | 7.8 | 0.228 | 34.9 | 80 | 0 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7524HB | BALL | 24 | 0.16 | 3.84 | 3000 | 10.3 | 0.350 | 38.5 | 80 | 0 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7524UB | BALL | 24 | 0.27 | 6.48 | 4200 | 13.1 | 0.822 | 44.7 | 80 | 0 | CE | | |
| 75 X 75 X 30 | AD7524LS | S | 24 | 0.12 | 2.88 | 2200 | 6.9 | 0.190 | 29.0 | 80 | 0 | CE | | |
| 75 X 75 X 30 | AD7524MS | S | 24 | 0.14 | 3.36 | 2600 | 7.8 | 0.228 | 34.9 | 80 | 0 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7524HS | S | 24 | 0.16 | 3.84 | 3000 | 10.3 | 0.350 | 38.5 | 80 | 0 | UL,CUL,CE | | |
| 75 X 75 X 30 | AD7524US | S | 24 | 0.27 | 6.48 | 4200 | 13.1 | 0.822 | 44.7 | 80 | 0 | CE | | |
| 80 X 80 X 15 | AD0805MX-D71 | HYPRO | 5 | 0.24 | 1.20 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 1 | UL,CUL,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0805HX-D71 | HYPRO | 5 | 0.43 | 2.15 | 3200 | 29.9 | 0.129 | 31.4 | 63 | 1 | UL,CUL,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0805MB-D71 | BALL | 5 | 0.24 | 1.20 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.24 |
| 80 X 80 X 15 | AD0805HB-D70 | BALL | 5 | 0.40 | 2.00 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 0 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0805HB-D71 | BALL | 5 | 0.43 | 2.15 | 3200 | 29.9 | 0.129 | 31.4 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0805MS-D71 | S | 5 | 0.24 | 1.20 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0805HS-D70 | S | 5 | 0.40 | 2.00 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 0 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0805HS-D71 | S | 5 | 0.43 | 2.15 | 3200 | 29.9 | 0.129 | 31.4 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812LX-D70 | HYPRO | 12 | 0.09 | 1.08 | 2000 | 20.0 | 0.050 | 19.6 | 63 | 0 | UL,CUL,TUV,CE | 200 | 32.24 |
| 80 X 80 X 15 | AD0812MX-D70 | HYPRO | 12 | 0.12 | 1.44 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 0,6 | UL,CUL,TUV,CE | | |
| 80 X 80 X 15 | AD0812MX-D71 | HYPRO | 12 | 0.15 | 1.80 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812MX-D73 | HYPRO | 12 | 0.15 | 1.80 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 3 | CE | | |
| 80 X 80 X 15 | AD0812HX-D70 | HYPRO | 12 | 0.18 | 2.16 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 0,6 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HX-D71 | HYPRO | 12 | 0.19 | 2.28 | 3200 | 28.0 | 0.107 | 28.1 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HX-D73 | HYPRO | 12 | 0.19 | 2.28 | 3200 | 28.0 | 0.107 | 28.1 | 63 | 3 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812LB-D70 | BALL | 12 | 0.09 | 1.08 | 2000 | 20.0 | 0.050 | 19.6 | 63 | 0,6 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812LB-D73 | BALL | 12 | 0.09 | 1.08 | 2000 | 20.0 | 0.050 | 19.6 | 63 | 3 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812MB-D70 | BALL | 12 | 0.12 | 1.44 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 0,6 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812MB-D71 | BALL | 12 | 0.15 | 1.80 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812MB-D73 | BALL | 12 | 0.15 | 1.80 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 3 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812MB-D74 | BALL | 12 | 0.08 | 0.96 | 2440 | 22.1 | 0.087 | 25.4 | 63 | 4 | UL,CUL,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HB-D70 | BALL | 12 | 0.18 | 2.16 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 0,6 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HB-D71 | BALL | 12 | 0.19 | 2.16 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HB-D72 | BALL | 12 | 0.19 | 2.16 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 2 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HB-D73 | BALL | 12 | 0.19 | 2.16 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 3 | TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HB-D74 | BALL | 12 | 0.17 | 2.16 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 4 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812LS-D70 | S | 12 | 0.09 | 1.08 | 2000 | 20.0 | 0.050 | 19.6 | 63 | 0,6 | UL,CUL,TUV,CE | 200 | 32.34 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 80 X 80 X 15 | AD0812MS-D70 | S | 12 | 0.12 | 1.44 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 0,6 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812MS-D71 | S | 12 | 0.15 | 1.80 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812MS-D73 | S | 12 | 0.15 | 1.80 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 3 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HS-D70 | S | 12 | 0.18 | 2.16 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 0,6 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HS-D71 | S | 12 | 0.19 | 2.28 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 1 | UL,CUL,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0812HS-D73 | S | 12 | 0.18 | 2.16 | 3200 | 29.9 | 0.129 | 33.4 | 63 | 3 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0824MX-D71 | HYPRO | 24 | 0.10 | 2.40 | 2440 | 21.0 | 0.070 | 27.0 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0824HX-D71 | HYPRO | 24 | 0.13 | 3.12 | 3200 | 29.0 | 0.116 | 33.5 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0824MB-D71 | BALL | 24 | 0.10 | 2.40 | 2440 | 21.0 | 0.070 | 27.0 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0824HB-D70 | BALL | 24 | 0.13 | 3.12 | 3200 | 32.0 | 0.131 | 33.6 | 63 | 0 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0824HB-D71 | BALL | 24 | 0.13 | 3.12 | 3200 | 32.0 | 0.131 | 33.6 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0824MS-D70 | S | 24 | 0.08 | 1.92 | 2440 | 22.4 | 0.083 | 26.0 | 63 | 0 | CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0824MS-D71 | S | 24 | 0.10 | 2.40 | 2440 | 21.0 | 0.070 | 27.0 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 15 | AD0824HS-D71 | S | 24 | 0.13 | 3.12 | 3200 | 29.0 | 0.116 | 33.5 | 63 | 1 | UL,CUL,TUV,CE | 200 | 32.34 |
| 80 X 80 X 20 | AD0805HX-C72 | HYPRO | 5 | 0.32 | 3.84 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 2 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0805HB-C70 | BALL | 5 | 0.43 | 5.16 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 0 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0805HB-C71 | BALL | 5 | 0.32 | 3.84 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 1,2 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812LX-C70 | HYPRO | 12 | 0.10 | 1.20 | 2000 | 18.9 | 0.059 | 17.7 | 70 | 0 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MX-C70 | HYPRO | 12 | 0.16 | 1.92 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 0 | UL,CUL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MX-C76 | HYPRO | 12 | 0.16 | 1.92 | 2440 | 21.8 | 0.085 | 25.0 | 70 | 6 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HX-C70 | HYPRO | 12 | 0.24 | 2.88 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 0 | UL,CUL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HX-C72 | HYPRO | 12 | 0.24 | 2.88 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 2,3 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812UX-C72 | HYPRO | 12 | 0.29 | 3.48 | 4200 | 38.9 | 0.234 | 40.7 | 70 | 2 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812LB-C70 | BALL | 12 | 0.10 | 1.20 | 2100 | 19.3 | 0.067 | 22.4 | 70 | 0 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812LB-C76 | BALL | 12 | 0.10 | 1.20 | 2100 | 27.3 | 0.128 | 31.4 | 70 | 6 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MB-C70 | BALL | 12 | 0.16 | 1.92 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 0,6 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MB-C71 | BALL | 12 | 0.16 | 1.92 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MB-C72 | BALL | 12 | 0.16 | 1.92 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 2,3 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HB-C70 | BALL | 12 | 0.24 | 2.88 | 3100 | 28.8 | 0.138 | 32.4 | 70 | 0,6 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HB-C71 | BALL | 12 | 0.24 | 2.88 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 1 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HB-C72 | BALL | 12 | 0.24 | 2.88 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 2,3 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812UB-C72 | BALL | 12 | 0.29 | 3.48 | 4200 | 38.9 | 0.234 | 40.7 | 70 | 2 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812LS-C70 | S | 12 | 0.24 | 2.88 | 2040 | 27.3 | 0.128 | 31.4 | 70 | 0 | UL,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812LS-C76 | S | 12 | 0.10 | 1.20 | 2040 | 27.3 | 0.128 | 31.4 | 70 | 6 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MS-C70 | S | 12 | 0.16 | 1.92 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 0 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MS-C71 | S | 12 | 0.16 | 1.92 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MS-C72 | S | 12 | 0.16 | 1.92 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 2 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812MS-C76 | S | 12 | 0.16 | 1.92 | 2400 | 21.8 | 0.085 | 25.0 | 70 | 6 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HS-C70 | S | 12 | 0.24 | 2.88 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 0,6 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HS-C70(UT) | S | 12 | 0.24 | 2.88 | 3750 | 33.5 | 0.194 | 34.0 | 70 | 0,6 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HS-C71 | S | 12 | 0.24 | 2.88 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0812HS-C72 | S | 12 | 0.24 | 2.88 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 2 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824MX-C70 | HYPRO | 24 | 0.13 | 3.12 | 2440 | 22.1 | 2.210 | 25.4 | 66 | 0,1,2,3 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 80 X 80 X 20 | AD0824HX-C70 | HYPRO | 24 | 0.15 | 3.60 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 0 | UL,CUL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824MB-C70 | BALL | 24 | 0.13 | 3.12 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 0 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824MB-C71 | BALL | 24 | 0.13 | 3.12 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824HB-C70 | BALL | 24 | 0.15 | 3.60 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 0 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824HB-C71 | BALL | 24 | 0.15 | 3.60 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 1 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824HB-C72 | BALL | 24 | 0.15 | 3.60 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 2 | CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824MS-C70 | S | 24 | 0.13 | 3.12 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 0 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824MS-C71 | S | 24 | 0.13 | 3.12 | 2440 | 22.1 | 0.087 | 25.4 | 70 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824HS-C70 | S | 24 | 0.15 | 3.60 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 0 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 20 | AD0824HS-C71 | S | 24 | 0.15 | 3.60 | 3010 | 27.3 | 0.128 | 31.4 | 70 | 1 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812DX-A70GL | HYPRO | 12 | 0.08 | 0.96 | 1600 | 20.5 | 0.051 | 14.0 | 86 | 0,1,2 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LX-A70GL | HYPRO | 12 | 0.12 | 1.44 | 2030 | 25.0 | 0.090 | 22.0 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LX-A72GL | HYPRO | 12 | 0.12 | 1.44 | 2030 | 25.0 | 0.090 | 22.0 | 86 | 2 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LX-A73GL | HYPRO | 12 | 0.12 | 1.44 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 3 | UL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LX-A76GL | HYPRO | 12 | 0.12 | 1.44 | 2030 | 25.0 | 0.090 | 22.0 | 86 | 6 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MX-A70GL | HYPRO | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MX-A71GL | HYPRO | 12 | 0.15 | 1.80 | 2450 | 31.5 | 0.115 | 27.6 | 86 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MX-A76GL | HYPRO | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 6 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HX-A70GL | HYPRO | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 0,6 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HX-A71GL | HYPRO | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HX-A72GL | HYPRO | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 2,3 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812UX-A70GL | HYPRO | 12 | 0.50 | 6.00 | 3700 | 48.3 | 0.268 | 40.0 | 86 | 0 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812UX-A71GL | HYPRO | 12 | 0.45 | 5.40 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 1 | TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812UX-A72GL | HYPRO | 12 | 0.45 | 5.40 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 2,3 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812DB-A70GL | BALL | 12 | 0.08 | 0.96 | 1600 | 20.5 | 0.050 | 15.0 | 86 | 0,1,3 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LB-A70GL | BALL | 12 | 0.12 | 1.44 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 0,6 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LB-A71GL | BALL | 12 | 0.12 | 1.44 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LB-A72GL | BALL | 12 | 0.12 | 1.44 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 2,3 | UL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MB-A70GL | BALL | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MB-A70TS | BALL | 12 | 0.15 | 1.80 | 2700 | 33.0 | 0.130 | 29.0 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MB-A71GL | BALL | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 1,2 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MB-A73GL | BALL | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 3 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MB-A76GL | BALL | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 6 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HB-A70GL | BALL | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 0,1 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HB-A72GL | BALL | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 2,3 | UL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HB-A74GL | BALL | 12 | 0.29 | 3.48 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 4 | TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HB-A76GL | BALL | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 6 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812UB-A70GL | BALL | 12 | 0.30 | 3.60 | 3400 | 43.8 | 0.190 | 40.0 | 86 | 0 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812UB-A71GL | BALL | 12 | 0.45 | 5.40 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 1 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812UB-A72GL | BALL | 12 | 0.45 | 5.40 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 2 | UL,CUL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812UB-A73GL | BALL | 12 | 0.45 | 5.40 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 3 | UL,CUL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812DS-A70GL | S | 12 | 0.08 | 0.96 | 1600 | 20.5 | 0.050 | 15.0 | 86 | 0,6 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LS-A70GL | S | 12 | 0.12 | 1.44 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 80 X 80 X 25 | AD0812LS-A71GL | S | 12 | 0.12 | 1.44 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LS-A73GL | S | 12 | 0.12 | 1.44 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 3 | UL,TUL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812LS-A76GL | S | 12 | 0.12 | 1.44 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 6 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MS-A70GL | S | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MS-A71GL | S | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 1,2 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MS-A73GL | S | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 3 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812MS-A76GL | S | 12 | 0.15 | 1.80 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 6 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HS-A70GL | S | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HS-A71GL | S | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 1 | UL,TUL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HS-A72GL | S | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 2,3 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812HS-A76GL | S | 12 | 0.25 | 3.00 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 6 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812US-A70GL | S | 12 | 0.38 | 4.56 | 3700 | 46.7 | 0.226 | 38.5 | 86 | 0 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812US-A71GL | S | 12 | 0.45 | 5.40 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 1 | TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812US-A73GL | S | 12 | 0.45 | 5.40 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 3 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0812US-A76GL | S | 12 | 0.38 | 4.56 | 3700 | 46.7 | 0.226 | 38.5 | 86 | 6 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824LX-A70GL | HYPRO | 24 | 0.09 | 2.16 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 0 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MX-A70GL | HYPRO | 24 | 0.10 | 2.40 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MX-A72GL | HYPRO | 24 | 0.09 | 2.16 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 2 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HX-A70GL | HYPRO | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.166 | 34.0 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HX-A71GL | HYPRO | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.166 | 34.0 | 86 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HX-A72GL | HYPRO | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.166 | 34.0 | 86 | 2 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824UX-A71GL | HYPRO | 24 | 0.26 | 6.24 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 0,1,2,3 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824LB-A70GL | BALL | 24 | 0.09 | 2.16 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824LB-A71GL | BALL | 24 | 0.09 | 2.16 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824LB-A73GL | BALL | 24 | 0.09 | 2.16 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 3 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MB-A70GL | BALL | 24 | 0.10 | 2.40 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MB-A71GL | BALL | 24 | 0.10 | 2.40 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 1 | UL,CUL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MB-A73GL | BALL | 24 | 0.10 | 2.40 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 3 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HB-A70GL | BALL | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HB-A71GL | BALL | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 1 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HB-A72GL | BALL | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 2 | UL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HB-A73GL | BALL | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 3 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HB-A76GL | BALL | 24 | 0.16 | 3.84 | 3200 | 40.0 | 0.171 | 35.0 | 86 | 6 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824UB-A71GL | BALL | 24 | 0.26 | 6.24 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 1 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824UB-A72GL | BALL | 24 | 0.26 | 6.24 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 2 | UL,CUL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824UB-A73GL | BALL | 24 | 0.26 | 6.24 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 3 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824LS-A70GL | S | 24 | 0.09 | 2.16 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 0,1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824LS-A76GL | S | 24 | 0.09 | 2.16 | 2030 | 26.2 | 0.078 | 22.5 | 86 | 6 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MS-A70GL | S | 24 | 0.10 | 2.40 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MS-A71GL | S | 24 | 0.10 | 2.40 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 1 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MS-A72GL | S | 24 | 0.10 | 2.40 | 2440 | 31.4 | 0.114 | 28.3 | 86 | 2 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824MS-A76GL | S | 24 | 0.10 | 2.40 | 2400 | 30.0 | 0.100 | 27.0 | 86 | 6 | UL,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824HS-A70GL | S | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 0 | UL,TUV,CSA,CE | 200 | 35.20 |

NOTE B=Ball S=Sleeve X=Hypro AT=Terminals AW=Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 80 X 80 X 25 | AD0824HS-A71GL | S | 24 | 0.16 | 3.84 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 1,2 | UL,CSA,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824US-A70GL | S | 24 | 0.29 | 6.96 | 4100 | 52.5 | 0.253 | 42.0 | 86 | 0 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0824US-A71GL | S | 24 | 0.26 | 6.24 | 3900 | 50.0 | 0.279 | 41.0 | 86 | 1 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0848HB-A71GL | BALL | 48 | 0.11 | 5.28 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 1 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0848HB-A73GL | BALL | 48 | 0.11 | 5.28 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 3,6 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0848XB-A76GL | BALL | 48 | 0.13 | 6.24 | 4500 | 55.2 | 0.302 | 44.8 | 86 | 6 | CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0848HS-A71GL | S | 48 | 0.11 | 5.28 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 1 | UL,CUL,TUV,CE | 200 | 35.20 |
| 80 X 80 X 25 | AD0848HS-A73GL | S | 48 | 0.08 | 3.84 | 3010 | 38.6 | 0.160 | 34.4 | 86 | 3,6 | CE | 200 | 35.20 |
| 92 X 92 X 20 | AD0912MX-C70 | HYPRO | 12 | 0.16 | 1.92 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 0 | TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912HX-C70 | HYPRO | 12 | 0.25 | 3.00 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 0 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912HX-C7 | HYPRO | 12 | 0.25 | 3.00 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 6 | CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912MB-C70 | BALL | 12 | 0.16 | 1.92 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 0 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912MB-C71 | BALL | 12 | 0.16 | 1.92 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 1 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912MB-C72 | BALL | 12 | 0.16 | 1.92 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 2 | TUV,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912MB-C76 | BALL | 12 | 0.16 | 1.92 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 6 | CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912HB-C70 | BALL | 12 | 0.25 | 3.00 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 0,6 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912HB-C71 | BALL | 12 | 0.25 | 3.00 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 1 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912HB-C72 | BALL | 12 | 0.25 | 3.00 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 2,3 | TUV,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912MS-C70 | S | 12 | 0.16 | 1.92 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 0 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912MS-C71 | S | 12 | 0.16 | 1.92 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 1 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912HS-C70 | S | 12 | 0.25 | 3.00 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 0 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912HS-C71 | S | 12 | 0.25 | 3.00 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 1 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0912HS-C76 | S | 12 | 0.25 | 3.00 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 6 | CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924MX-C70 | HYPRO | 24 | 0.10 | 2.40 | 2430 | 29.0 | 2.110 | 28.9 | 78 | 0,1,2,3 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924HX-C70 | HYPRO | 24 | 0.14 | 3.36 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 0 | TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924MB-C70 | BALL | 24 | 0.10 | 2.40 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 0 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924MB-C71 | BALL | 24 | 0.10 | 2.40 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 1 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924HB-C70 | BALL | 24 | 0.14 | 3.36 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 0 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924HB-C71 | BALL | 24 | 0.14 | 3.36 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 1 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924HB-C73 | BALL | 24 | 0.14 | 3.36 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 3 | UL,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924MS-C70 | S | 24 | 0.10 | 2.40 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 0 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924MS-C71 | S | 24 | 0.10 | 2.40 | 2430 | 29.0 | 0.083 | 28.9 | 85 | 1 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924HS-C70 | S | 24 | 0.14 | 3.36 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 0 | UL,CUL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 20 | AD0924HS-C71 | S | 24 | 0.14 | 3.36 | 2740 | 32.8 | 0.106 | 32.8 | 85 | 1 | UL,TUV,CSA,CE | 200 | 41.30 |
| 92 X 92 X 25 | AD0912DX-A70GL | HYPRO | 12 | 0.09 | 1.08 | 1600 | 28.0 | 0.060 | 22.0 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912DX-A71GL | HYPRO | 12 | 0.07 | 0.84 | 1600 | 28.0 | 0.060 | 22.0 | 101 | 1 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LX-A70GL | HYPRO | 12 | 0.12 | 1.44 | 2100 | 37.9 | 0.073 | 26.5 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LX-A72GL | HYPRO | 12 | 0.13 | 1.56 | 2200 | 35.9 | 0.097 | 29.3 | 101 | 2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LX-A76GL | HYPRO | 12 | 0.13 | 1.56 | 2000 | 32.4 | 0.054 | 23.5 | 101 | 6 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912MX-A70GL | HYPRO | 12 | 0.17 | 2.04 | 2400 | 43.5 | 0.094 | 31.3 | 101 | 0,2,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912HX-A70GL | HYPRO | 12 | 0.25 | 3.00 | 2700 | 50.0 | 0.117 | 33.7 | 101 | 0,2,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912HX-A76GL | HYPRO | 12 | 0.25 | 3.00 | 2700 | 50.0 | 0.117 | 33.7 | 101 | 6 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912UX-A71GL | HYPRO | 12 | 0.39 | 4.68 | 3200 | 57.8 | 0.158 | 38.6 | 101 | 1,2 | UL,CUL,TUV,CE | 200 | 52.36 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 92 X 92 X 25 | AD0912UX-A76GL | HYPRO | 12 | 0.30 | 3.60 | 3300 | 60.0 | 0.166 | 39.4 | 101 | 6 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912DB-A71GL | BALL | 12 | 0.07 | 0.84 | 1600 | 28.0 | 0.060 | 22.0 | 101 | 1 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LB-A70GL | BALL | 12 | 0.13 | 1.56 | 2050 | 36.0 | 0.063 | 25.0 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LB-A702GL | BALL | 12 | 0.12 | 1.44 | 2300 | 41.6 | 0.087 | 29.8 | 101 | 2,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LB-A76GL | BALL | 12 | 0.12 | 1.44 | 2300 | 41.6 | 0.087 | 29.8 | 101 | 6 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912MB-A70GL | BALL | 12 | 0.17 | 2.04 | 2600 | 47.2 | 0.108 | 32.7 | 101 | 0,1,2,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912MB-A76GL | BALL | 12 | 0.17 | 2.04 | 2600 | 47.2 | 0.108 | 32.7 | 101 | 6 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912HB-A70GL | BALL | 12 | 0.25 | 3.00 | 2900 | 52.5 | 0.133 | 35.0 | 101 | 0,1,2,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912HB-A76GL | BALL | 12 | 0.25 | 3.00 | 2900 | 52.5 | 0.133 | 35.0 | 101 | 6 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912UB-A71GL | BALL | 12 | 0.39 | 4.68 | 3300 | 60.0 | 0.166 | 39.4 | 101 | 1,2,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912UB-A76GL | BALL | 12 | 0.39 | 4.68 | 3300 | 60.0 | 0.166 | 39.4 | 101 | 6 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912XB-A71GL | BALL | 12 | 0.55 | 6.60 | 3800 | 67.0 | 0.198 | 43.9 | 101 | 1 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912DS-A70GL | S | 12 | 0.09 | 1.08 | 1600 | 28.0 | 0.060 | 22.0 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912DS-A71GL | S | 12 | 0.07 | 1.08 | 1600 | 28.0 | 0.060 | 22.0 | 101 | 1 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LS-A70GL | S | 12 | 0.13 | 1.56 | 2000 | 32.4 | 0.054 | 23.5 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LS-A73GL | S | 12 | 0.13 | 1.56 | 2100 | 37.9 | 0.073 | 26.5 | 101 | 3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912LS-A76GL | S | 12 | 0.13 | 1.56 | 2000 | 32.4 | 0.054 | 23.5 | 101 | 6 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912MS-A70GL | S | 12 | 0.17 | 2.04 | 2350 | 43.0 | 0.087 | 31.0 | 101 | 0,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912MS-A76GL | S | 12 | 0.17 | 2.04 | 2350 | 43.0 | 0.087 | 31.0 | 101 | 6 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912HS-A70GL | S | 12 | 0.25 | 3.00 | 2700 | 50.0 | 0.117 | 33.7 | 101 | 0,1,2,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912HS-A76GL | S | 12 | 0.25 | 3.00 | 2700 | 50.0 | 0.117 | 33.7 | 101 | 6 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912US-A70GL | S | 12 | 0.39 | 4.68 | 3200 | 57.8 | 0.156 | 39.4 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912US-A71GL | S | 12 | 0.39 | 4.68 | 3300 | 60.0 | 0.198 | 39.1 | 101 | 1,2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0912US-A76GL | S | 12 | 0.30 | 3.60 | 3300 | 60.0 | 0.166 | 39.4 | 101 | 6 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924LX-A70GL | HYPRO | 24 | 0.08 | 1.92 | 2100 | 37.9 | 0.073 | 26.5 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924MX-A70GL | HYPRO | 24 | 0.12 | 2.88 | 2400 | 43.5 | 0.094 | 31.3 | 101 | 0,2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924MX-A71GL | HYPRO | 24 | 0.17 | 2.04 | 2700 | 43.2 | 0.140 | 35.0 | 101 | 1 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924HX-A70GL | HYPRO | 24 | 0.15 | 3.60 | 2700 | 50.0 | 0.115 | 33.7 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924UX-A71GL | HYPRO | 24 | 0.21 | 5.04 | 3200 | 57.8 | 0.156 | 38.6 | 101 | 1,2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924UX-A73GL | HYPRO | 24 | 0.21 | 5.04 | 3200 | 57.8 | 0.156 | 38.6 | 101 | 3 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924LB-A70GL | BALL | 24 | 0.08 | 1.92 | 2100 | 37.9 | 0.074 | 26.5 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924LB-A72GL | BALL | 24 | 0.08 | 1.92 | 2300 | 41.6 | 0.086 | 29.8 | 101 | 2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924LB-A76GL | BALL | 24 | 0.08 | 1.92 | 2300 | 41.6 | 0.086 | 29.8 | 101 | 6 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924MB-A70GL | BALL | 24 | 0.12 | 2.88 | 2600 | 47.2 | 0.106 | 32.7 | 101 | 0,2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924HB-A70GL | BALL | 24 | 0.15 | 3.60 | 2900 | 52.5 | 0.131 | 35.0 | 101 | 0,1,2,3 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924HB-A76GL | BALL | 24 | 0.15 | 3.60 | 2900 | 52.5 | 0.131 | 35.0 | 101 | 6 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924UB-A72GL | BALL | 24 | 0.21 | 5.04 | 3300 | 60.0 | 0.166 | 39.4 | 101 | 2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924XB-A71GL | BALL | 24 | 0.25 | 6.00 | 3800 | 66.9 | 0.186 | 42.6 | 101 | 1,2 | CE | 200 | 25.36 |
| 92 X 92 X 25 | AD0924LS-A70GL | S | 24 | 0.08 | 1.92 | 2100 | 37.9 | 0.073 | 26.5 | 101 | 0,2 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924MS-A70GL | S | 24 | 0.12 | 2.88 | 2400 | 43.5 | 0.094 | 31.3 | 101 | 0,2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924HS-A70GL | S | 24 | 0.15 | 3.60 | 2700 | 48.0 | 0.115 | 33.7 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924HS-A72GL | S | 24 | 0.20 | 4.80 | 3000 | 48.4 | 0.169 | 38.0 | 101 | 2 | UL,CUL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924HS-A73GL | S | 24 | 0.20 | 4.80 | 3000 | 48.4 | 0.169 | 38.0 | 101 | 3 | UL,CUL,TUV,CE | 200 | 52.36 |

NOTE B=Ball S=Sleeve X=Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|------------------|---------------|----------------|
| 92 X 92 X 25 | AD0924US-A70GL | S | 24 | 0.21 | 5.04 | 3300 | 60.0 | 0.166 | 39.4 | 101 | 0 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924US-A71GL | S | 24 | 0.21 | 5.04 | 3200 | 57.8 | 0.158 | 38.6 | 101 | 1 | UL,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0924US-A72GL | S | 24 | 0.21 | 5.04 | 3200 | 57.8 | 0.158 | 38.6 | 101 | 2 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0948HB-A71GL | BALL | 48 | 0.13 | 6.24 | 2900 | 52.5 | 0.133 | 35.0 | 101 | 1 | UL,CUL,TUV,CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0948UB-A71GL | BALL | 48 | 0.16 | 7.68 | 3300 | 60.0 | 0.163 | 39.4 | 101 | 1 | CE | 200 | 52.36 |
| 92 X 92 X 25 | AD0948HS-A72GL | S | 48 | 0.07 | 3.36 | 2900 | 52.0 | 0.177 | 34.0 | 101 | 2 | CE | 200 | 52.36 |
| 120 X 120 X 25 | AD1212LX-A71GL | HYPRO | 12 | 0.24 | 2.88 | 1800 | 72.0 | 0.095 | 34.4 | 156 | 1 | UL,CUL,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212LX-A72GL | HYPRO | 12 | 0.24 | 2.88 | 1800 | 72.0 | 0.095 | 34.4 | 156 | 2 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212MX-A71GL | HYPRO | 12 | 0.34 | 4.08 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212MX-A73GL | HYPRO | 12 | 0.34 | 4.08 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HX-A71GL | HYPRO | 12 | 0.44 | 5.28 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HX-A73GL | HYPRO | 12 | 0.44 | 5.28 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212UX-A71GL | HYPRO | 12 | 0.50 | 6.00 | 2500 | 98.6 | 0.179 | 43.3 | 156 | 1 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212LB-A71GL | BALL | 12 | 0.24 | 2.88 | 1800 | 72.0 | 0.095 | 34.4 | 156 | 1,2 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212LB-A73GL | BALL | 12 | 0.24 | 2.88 | 1800 | 72.0 | 0.095 | 34.4 | 156 | 3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212MB-A71GL | BALL | 12 | 0.33 | 3.96 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212MB-A72GL | BALL | 12 | 0.33 | 3.96 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 2 | UL,CUL,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212MB-A73GL | BALL | 12 | 0.33 | 3.96 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HB-A71GL | BALL | 12 | 0.37 | 4.44 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HB-A72GL | BALL | 12 | 0.37 | 4.44 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 2 | UL,CUL,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HB-A73GL | BALL | 12 | 0.37 | 4.44 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212UB-A71GL | BALL | 12 | 0.50 | 6.00 | 2500 | 98.6 | 0.179 | 43.3 | 156 | 1 | TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212UB-A72GL | BALL | 12 | 0.50 | 6.00 | 2500 | 98.6 | 0.179 | 43.3 | 156 | 2,3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212LS-A71GL | S | 12 | 0.24 | 2.88 | 1800 | 72.0 | 0.095 | 34.4 | 156 | 1,3 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212MS-A71GL | S | 12 | 0.34 | 4.08 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 1,3 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212MS-A72GL | S | 12 | 0.34 | 4.08 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 2 | UL,CUL,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HS-A71GL | S | 12 | 0.44 | 5.28 | 220 | 85.2 | 0.136 | 39.1 | 158 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HS-A72GL | S | 12 | 0.44 | 5.28 | 220 | 85.2 | 0.136 | 39.1 | 158 | 2 | UL,CUL,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HS-A73GL | S | 12 | 0.44 | 5.28 | 220 | 85.2 | 0.136 | 39.1 | 158 | 3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212HS-A74GL | S | 12 | 0.40 | 4.80 | 2200 | 85.2 | 0.134 | 39.1 | 156 | 4 | TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1212US-A71GL | S | 12 | 0.50 | 6.00 | 2500 | 98.6 | 0.179 | 43.3 | 156 | 1,2,3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224LX-A71GL | HYPRO | 24 | 0.14 | 3.36 | 1800 | 72.0 | 0.095 | 34.4 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224MX-A71GL | HYPRO | 24 | 0.20 | 4.80 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224HX-A71GL | HYPRO | 24 | 0.24 | 5.76 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 1,2 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224HX-A73GL | HYPRO | 24 | 0.24 | 5.76 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224UX-A72GL | HYPRO | 24 | 0.25 | 6.00 | 2500 | 98.6 | 0.176 | 43.3 | 156 | 2 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224LB-A71GL | BALL | 24 | 0.14 | 3.36 | 1800 | 72.0 | 0.095 | 34.3 | 156 | 1,2 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224MB-A71GL | BALL | 24 | 0.17 | 4.08 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224HB-A71GL | BALL | 24 | 0.19 | 4.56 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 1,2,3 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224UB-A71GL | BALL | 24 | 0.25 | 6.00 | 2500 | 98.6 | 0.176 | 43.3 | 156 | 1 | TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224UB-A72GL | BALL | 24 | 0.25 | 6.00 | 2500 | 98.6 | 0.176 | 43.3 | 156 | 2,3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224LS-A71GL | S | 24 | 0.14 | 3.36 | 1800 | 72.0 | 0.095 | 34.4 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224MS-A71GL | S | 24 | 0.20 | 4.80 | 2050 | 80.5 | 0.117 | 38.0 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |

NOTE B=Ball S=Sleeve X=Hypro AT=Terminals AW=Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 120 X 120 X 25 | AD1224HS-A71GL | S | 24 | 0.24 | 5.76 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 1 | UL,CUL,TUV,CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224HS-A73GL | S | 24 | 0.24 | 5.76 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 3 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1224US-A71GL | S | 24 | 0.25 | 6.00 | 2500 | 98.6 | 0.176 | 43.3 | 156 | 1 | CE | 90 | 30.80 |
| 120 X 120 X 25 | AD1248HB-A71GL | BALL | 48 | 0.25 | 9.60 | 2200 | 85.2 | 0.136 | 39.1 | 156 | 1 | CE | 90 | 30.80 |
| 120 X 120 X 32 | AD2512LX | HYPRO | 12 | 0.15 | 1.80 | 1200 | 12.0 | 0.109 | 34.3 | 276 | 0 | TUV,CE | | |
| 120 X 120 X 32 | AD2512MX | HYPRO | 12 | 0.60 | 7.20 | 2300 | 23.7 | 0.621 | 51.1 | 276 | 0 | UL,CUL,CE | | |
| 120 X 120 X 32 | AD2512LB | BALL | 12 | 0.15 | 1.80 | 1200 | 12.0 | 0.109 | 34.3 | 276 | 0,3 | TUV,CE | | |
| 120 X 120 X 32 | AD2512MB | BALL | 12 | 0.60 | 7.20 | 2300 | 23.7 | 0.621 | 51.1 | 276 | 0 | UL,CUL,TUV,CE | | |
| 120 X 120 X 32 | AD2512MB | BALL | 12 | 0.60 | 7.20 | 2300 | 23.7 | 0.621 | 51.1 | 276 | 2 | TUV,CE | | |
| 120 X 120 X 32 | AD2512MB | BALL | 12 | 0.60 | 7.20 | 2300 | 23.7 | 0.621 | 51.1 | 276 | 3 | CE | | |
| 120 X 120 X 32 | AD2512HB | BALL | 12 | 0.65 | 7.80 | 2500 | 25.2 | 0.640 | 51.0 | 276 | 0,3 | CE | | |
| 120 X 120 X 32 | AD2512UB | BALL | 12 | 1.00 | 8.00 | 3200 | 33.1 | 1.121 | 55.8 | 276 | 0,2,3 | CE | | |
| 120 X 120 X 32 | AD2512LS | S | 12 | 0.15 | 1.80 | 1200 | 12.0 | 0.109 | 34.3 | 276 | 0 | TUV,CE | | |
| 120 X 120 X 32 | AD2512MS | S | 12 | 0.60 | 7.20 | 2300 | 23.7 | 0.621 | 51.1 | 276 | 0 | TUV,CE | | |
| 120 X 120 X 32 | AD2512HS | S | 12 | 0.65 | 7.80 | 2500 | 25.2 | 0.640 | 51.0 | 276 | 0 | CE | | |
| 120 X 120 X 32 | AD2512US | S | 12 | 1.00 | 8.00 | 3200 | 33.1 | 1.121 | 55.8 | 276 | 0 | CE | | |
| 120 X 120 X 32 | AD2524MX | HYPRO | 24 | 0.40 | 9.60 | 2300 | 23.7 | 0.621 | 51.1 | 276 | 0 | UL,TUV,CE | | |
| 120 X 120 X 32 | AD2524MB | BALL | 24 | 0.40 | 9.60 | 2300 | 23.7 | 0.621 | 51.1 | 276 | 0 | UL,CUL,CSA,TUV,CE | | |
| 120 X 120 X 32 | AD2524HB | BALL | 24 | 0.43 | 9.80 | 2500 | 25.2 | 0.640 | 51.0 | 276 | 0 | CE | | |
| 120 X 120 X 32 | AD2524UB | BALL | 24 | 0.50 | 9.80 | 2800 | 29.4 | 0.800 | 52.5 | 276 | 0 | CE | | |
| 120 X 120 X 32 | AD2524MS | S | 24 | 0.40 | 9.60 | 2300 | 23.7 | 0.621 | 51.1 | 276 | 0 | UL,CSA,TUV,CE | | |
| 120 X 120 X 32 | AD2524US | S | 24 | 0.50 | 9.80 | 2800 | 29.4 | 0.800 | 52.5 | 276 | 0 | CE | | |
| 120 X 120 X 38 | AD1212LX-F51 | HYPRO | 12 | 0.24 | 2.88 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 1 | UL,CUL,TUV,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212LX-F53 | HYPRO | 12 | 0.24 | 2.88 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 3 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212MX-F51 | HYPRO | 12 | 0.35 | 4.20 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 1 | UL,CUL,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212MX-F53 | HYPRO | 12 | 0.35 | 4.20 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 3 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212HX-F51 | HYPRO | 12 | 0.50 | 6.00 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1,4 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212HX-F52 | HYPRO | 12 | 0.50 | 6.00 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 2 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212HX-Y51 | HYPRO | 12 | 0.40 | 4.80 | 2750 | 108.0 | 0.215 | 43.3 | 213 | 1 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212LB-F51 | BALL | 12 | 0.24 | 2.88 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 1,3 | UL,CUL,TUV,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212LB-F52 | BALL | 12 | 0.24 | 2.88 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 2 | UL,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212MB-F51 | BALL | 12 | 0.35 | 4.20 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212MB-F52 | BALL | 12 | 0.35 | 4.20 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 2,3,4,7 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212HB-F51 | BALL | 12 | 0.50 | 6.00 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1,3 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212HB-F52 | BALL | 12 | 0.50 | 6.00 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 2,4 | UL,CUL,TUV,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212HB-F57 | BALL | 12 | 0.50 | 6.00 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 7 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212HB-Y51 | BALL | 12 | 0.40 | 4.80 | 2750 | 108.0 | 0.215 | 43.3 | 213 | 1,3 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212UB-F51 | BALL | 12 | 0.07 | 0.84 | 3200 | 122.0 | 0.394 | 48.0 | 297 | 1,2,4 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212UB-F53 | BALL | 12 | 0.07 | 0.84 | 3200 | 122.0 | 0.394 | 48.0 | 297 | 3 | UL,CUL,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212LS-F51 | S | 12 | 0.24 | 2.88 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 1 | UL,CUL,TUV,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212MS-F51 | S | 12 | 0.35 | 4.20 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212MS-F52 | S | 12 | 0.35 | 4.20 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 2,3,4,7 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212HS-F51 | S | 12 | 0.50 | 6.00 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1,4 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |

NOTE B=Ball S=Sleeve X=Hypro AT=Terminals AW=Wires

ALL RIGHTS RESERVED

ADDA USA
DC FAN SPECIFICATIONS

| Frame Dimensions (mm) | Model Part Number | Bearing Type | Volts (V) | Current (A) | Power (W) | Speed (RPM) | Air Flow (CFM) | Pressure (Inches) | Noise (dB/A) | Weight (g) | Features Available | Safety Approvals | Units Per Box | Box Wt. (lbs.) |
|-----------------------|-------------------|--------------|-----------|-------------|-----------|-------------|----------------|-------------------|--------------|------------|--------------------|-------------------|---------------|----------------|
| 120 X 120 X 38 | AD1212HS-F52 | S | 12 | 0.50 | 6.00 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 2,3,7 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1212US-F51 | S | 12 | 0.70 | 8.40 | 3200 | 122.0 | 0.394 | 48.0 | 297 | 1 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224MX-F51 | HYPRO | 24 | 0.23 | 5.52 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224HX-F51 | HYPRO | 24 | 0.32 | 7.68 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1,2 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224UX-F51 | HYPRO | 24 | 0.40 | 9.60 | 3200 | 122.0 | 0.394 | 48.0 | 297 | 1 | UL,CUL,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224UX-F52F | HYPRO | 24 | 0.40 | 9.60 | 3200 | 122.0 | 0.394 | 48.0 | 297 | 2 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224LB-F51 | BALL | 24 | 0.14 | 3.36 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 1 | UL,CUL,TUV,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224MB-F51 | BALL | 24 | 0.23 | 5.52 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 1,3 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224MB-F52 | BALL | 24 | 0.23 | 5.52 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 2 | UL,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224MB-F54 | BALL | 24 | 0.23 | 5.52 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 4 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224HB-F51 | BALL | 24 | 0.32 | 7.68 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224HB-F52 | BALL | 24 | 0.32 | 7.68 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 2,3 | UL,CSA,TUV,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224HB-F54 | BALL | 24 | 0.32 | 7.68 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 4,7 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224UB-F51 | BALL | 24 | 0.40 | 9.60 | 3200 | 122.0 | 0.394 | 48.0 | 297 | 1,2,3 | UL,CUL,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224LS-F51 | S | 24 | 0.14 | 3.36 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 1 | UL,CUL,TUV,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224MS-F51 | S | 24 | 0.23 | 5.52 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224MS-F52 | S | 24 | 0.23 | 5.52 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 2,3,4 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224HS-F51 | S | 24 | 0.32 | 7.68 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224HS-F52 | S | 24 | 0.32 | 7.68 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 2,3,4 | CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1224US-F51 | S | 24 | 0.40 | 9.60 | 3200 | 122.0 | 0.394 | 48.0 | 297 | 1 | UL,CUL,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248MX-F52 | HYPRO | 48 | 0.14 | 6.72 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 2 | UL,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248HX-F51 | HYPRO | 48 | 0.20 | 9.60 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248HX-F52 | HYPRO | 48 | 0.20 | 9.60 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 2 | UL,CUL,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248LS-F51 | S | 48 | 0.10 | 4.80 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248MS-F51 | S | 48 | 0.14 | 6.72 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248MS-F52 | S | 48 | 0.14 | 6.72 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 2 | UL,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248LB-F51 | BALL | 48 | 0.10 | 4.80 | 1950 | 72.3 | 0.135 | 32.9 | 297 | 1,3 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248MB-F51 | BALL | 48 | 0.14 | 6.72 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 1 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248MB-F52 | BALL | 48 | 0.14 | 6.72 | 2540 | 94.0 | 0.244 | 41.0 | 297 | 2,3 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248HB-F51 | BALL | 48 | 0.20 | 9.60 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1,2 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248HB-F53 | BALL | 48 | 0.20 | 9.60 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 3 | UL,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248HB-F54 | BALL | 48 | 0.20 | 9.60 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 4 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248HB-Y56 | BALL | 48 | 0.13 | 6.24 | 2750 | 108.0 | 0.215 | 43.3 | 213 | 6 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248UB-F51 | BALL | 48 | 0.23 | 9.80 | 3200 | 122.0 | 0.394 | 48.0 | 297 | 1,3 | CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248HS-F51 | S | 48 | 0.20 | 9.60 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 1,2 | UL,CUL,TUV,CSA,CE | 40 | 33.66 |
| 120 X 120 X 38 | AD1248HS-F53 | S | 48 | 0.20 | 9.60 | 2800 | 104.8 | 0.270 | 42.8 | 297 | 3 | CE | 40 | 33.66 |

NOTE B=Ball S=Sleeve X= Hypro AT= Terminals AW= Wires

ALL RIGHTS RESERVED



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.