







LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
GP	00	-	-	SEE SHEET 1	-	-	-





1-2170287-0 shown
SCALE 4:1



1-2170287-0
ONE SIDED CONFIGURATION
SCALE 5:2




1-2170287-1 SHOWN
SCALE 4:1




1-2170287-1
ONE SIDED CONFIGURATION
SCALE 5:2


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN 29FEB2012	TE Connectivity	
DIMENSIONS:		CHK DENNY ZHU 29FEB2012		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD ALEX CAI 29FEB2012	NAME 1X4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS, QSFP	
	0 PLC ± 1 PLC ±0.35 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	PRODUCT SPEC 108-2286 APPLICATION SPEC 114-13217	SIZE A100779C=2170287	
MATERIAL	-	WEIGHT	RESTRICTED TO	
CUSTOMER DRAWING		SCALE 1:1	SHEET 2 OF 8	REV A

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN 29FEB2012	 TE Connectivity	
DIMENSIONS:		CHK DENNY ZHU 29FEB2012		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD ALEX CAI 29FEB2012	NAME 1X4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS, QSFP	
	0 PLC	±	PRODUCT SPEC	SIZE
	1 PLC	±0.35	108-2286	CAGE CODE
	2 PLC	±0.25	APPLICATION SPEC	DRAWING NO
	3 PLC	±	114-13217	RESTRICTED TO
MATERIAL	FINISH	WEIGHT	A100779C=2170287	
-	-	-	CUSTOMER DRAWING	
		SCALE	1:1	SHEET 3 OF 8
		REV	A	

LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-




ONE SIDED CONFIGURATION
SCALE 5:2




BELLY TO BELLY CONFIGURATION
SIMILAR TO ONE SIDED
EXCEPT WHERE NOTED
SCALE 5:2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN CHK DENNY ZHU APVD ALEX CAI	29FEB2012 29FEB2012 29FEB2012	TE Connectivity	
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME	
mm		0 PLC ±.35 1 PLC ±0.35 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH		PRODUCT SPEC 108-2286 APPLICATION SPEC 114-13217	
MATERIAL		WEIGHT		SIZE CAGE CODE DRAWING NO	
-		-		A100779C=2170287	
CUSTOMER DRAWING		SCALE		RESTRICTED TO	
		1:1		-	
		SHEET		REV	
		4		A	
		OF			
		8			



DETAIL M
SCALE 10:1





DETAIL J
3 PLACES
SCALE 8:1


— 3.75 MIN $\triangle_3$
 ⌀ OF FINAL ROW OF HOLES
 TO ⌀ OF FIRST ROW OF HOLES
 FOR NEXT ADJACENT CAGE

—CROSS-HATCHED AREA DENOTES
COMPONENT AND TRACE KEEP-OUT
(EXCEPT CHASSIS GROUND)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN 29FEB2012		
		CHK DENNY ZHU 29FEB2012	 TE Connectivity	
DIMENSIONS: mm		ALEX CAI 29FEB2012	NAME	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	1X4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS, QSFP	
		APPLICATION SPEC	SIZE	CAGE CODE
MATERIAL		114-13217	DRAWING NO	RESTRICTED TO
-		WEIGHT -	A100779C=2170287	-
		CUSTOMER DRAWING	SCALE	SHEET 5 OF 8 REV A




DETAIL M
SCALE 10:1




DETAIL J
3 PLACES
SCALE 8:1

RECOMMENDED PC BOARD LAYOUT FOR 1-2170287-0
SINGLE SIDE MOUNT CONFIGURATION
SCALE 4:1


THIS PRODUCT HAS NOT COMPLETED VALIDATION/QUALIFICATION TESTING



LOC		DIST		REVISONS			
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



DETAIL M
SCALE 10:1




DETAIL J
3 PLACES
SCALE 8:1

RECOMMENDED PC BOARD LAYOUT
SINGLE SIDE MOUNT CONFIGURATION FOR 1-2170287-1
SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN CHK DENNY ZHU APVD ALEX CAI	29FEB2012 29FEB2012 29FEB2012	NAME 1X4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS, QSFP	
DIMENSIONS:	TOLERANCES UNLESS OTHERWISE SPECIFIED:	PRODUCT SPEC		SIZE	
mm	0 PLC ±.35 1 PLC ±0.35 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	APPLICATION SPEC		CAGE CODE	
MATERIAL		114-13217		DRAWING NO	
		WEIGHT		RESTRICTED TO	
		CUSTOMER DRAWING		A100779C=2170287	
		SCALE 1:1		SHEET 7 OF 8	
				REV A	

LOC	DIST	REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN
GP	00	-	-	SEE SHEET 1	-	-



THIS PRODUCT HAS NOT COMPLETED VALIDATION/QUALIFICATION TESTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN KINSEN SUN CHK DENNY ZHU APVD ALEX CAI	29FEB2012 29FEB2012 29FEB2012	TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME 1X4 CAGE ASSEMBLY, THRU BEZEL, W/ELASTOMERIC GASKET AND HEAT SINKS, QSFP	
0 PLC 1 PLC 2 PLC 3 PLC 4 PLC		± ±0.35 ±0.25 ± ±		PRODUCT SPEC 108-2286 APPLICATION SPEC	
ANGLES FINISH		± ±		SIZE 114-13217	
MATERIAL -		WEIGHT -		RESTRICTED TO A100779C=2170287	
CUSTOMER DRAWING		SCALE 1:1		SHEET 8 OF 8	
				REV A	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.