






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Peng-Bing Fu	2013/03/07	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Zhen-Hua Liu	2015/08/10			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/08/10			product family	PwrBlade+	rel level	Released
surface	linear	appr	Pei-Ming Zheng	2015/08/10			dwg no	10106262-3606001	rev	A
ASME Y14.5	angular			6LP + 24S + 3HP RA STB HEADER		cat. no.		Product - Customer Drw		sheet 1 of 3
				PDS: Rev :A		STATUS:Released		Printed: Aug 10, 2015		

Copyright FCI.

PRODUCT NO.	ROWS	LP						SIGNAL						HP			E2
		E1	P1	P2	P3	P4	P5	P6	1	2	3	4	5	6	P7	P8	
10106262-3606001LF	DCBA	LKLK LKLK LKLK LKLK						UUUUUUUU TTTTTTTT SSSSSSSS RRRRRRRR						H1	H1	H1	



CODE	DESCRIPTION
F	MLBF SIGNAL CONTACT, ROW B (3.43)
HI	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Peng-Bing Fu	2013/03/07	projection	MM	size	A3	scale	3:2	
eng	Zhen-Hua Liu	2015/08/10			ecn no	-	rel level	Released	
chr	Fancy Zhang	2015/08/10							
appr	Pei-Ming Zheng	2015/08/10	product family	PwrBlade+					
			6LP + 24S + 3HP			cat. no.		Product - Customer Drw	
www.fci.com			RA STB HEADER			dwg no 10106262-3606001		rev A	
			sheet 2 of 3						



Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.
APPLICATION SPECIFICATION : GS-20-141.
PRODUCT PACKAGE SPECIFICATION : GS-14-1502.

A

B

C

D

A




B

C

D



Copyright FCI.

dr	Peng-Bing Fu	2013/03/07	projection 	MM 	size	A3	scale	3:2
eng	Zhen-Hua Liu	2015/08/10			ecn no	-		
chr	Fancy Zhang	2015/08/10			product family	PwrBlade+	rel level	Released
appr	Pei-Ming Zheng	2015/08/10					title 6LP + 24S + 3HP RA STB HEADER	dwg no 10106262-3606001
www.fci.com			cat. no.	Product - Customer Drw			sheet 3 of 3	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.