







TYPE 2: H32B HOOD, TOP ENTRY, 4 EAR  
OTHER SPEC REFER TO TYPE 1

类型 2: H32B上壳, 顶出, 4耳  
未注规格参照类型1





TYPE 3: H32B HOOD, SIDE/TOP ENTRY, 4 EAR  
OTHER SPEC REFER TO TYPE 1 & TYPE 2

类型 3: H32B上壳, 侧顶出, 4耳  
未注规格参照类型1和类型2


NOTES:  
1. TECHNICAL CHARACTERISTICS:  
BODY MATERIAL: DIE CAST ALUMINIUM ALLOY  
SURFACE TREATMENT: POWDER COATED, GREY  
DEGREE OF PROTECTION: IP65 (MATED)

注释:  
1. 技术参数:  
主体材料: 铝合金  
表面处理: 灰色粉末喷涂  
防护等级: IP65(配合)




TYPE 1: H32B HOOD, SIDE ENTRY, 4 EAR

类型 1: H32B上壳, 侧出, 4耳



TYPE 4: H32B HOOD, TOP ENTRY (2 HOLE), 4 EAR  
OTHER SPEC REFER TO TYPE 1

类型 4: H32B上壳, 顶出(2孔), 4耳  
未注规格参照类型1



TYPE 5: H32B HOOD, SIDE ENTRY / TOP ENTRY (2 HOLE), 4 EAR  
OTHER SPEC REFER TO TYPE 4

类型 5: H32B上壳, 侧出/顶出(2孔), 4耳  
未注规格参照类型4

|                    |                         |                                                                                                        |                             |                             |                             |                |
|--------------------|-------------------------|--------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|-----------------------------|----------------|
| T1210320120-000    | H32B-TS-M20             | H32B HOOD, SIDE ENTRY M20, 4 EAR, POWDER COATED, GREY<br>H32B上壳,侧出M20,4耳,灰色粉末喷涂                        | M20                         | -                           | -                           | TYPE 1<br>类型 1 |
| T1210320121-000    | H32B-TS-PG21            | H32B HOOD, SIDE ENTRY PG21, 4 EAR, POWDER COATED, GREY<br>H32B上壳,侧出PG21,4耳,灰色粉末喷涂                      | PG21                        | -                           | -                           |                |
| T1210320125-000    | H32B-TS-M25             | H32B HOOD, SIDE ENTRY M25, 4 EAR, POWDER COATED, GREY<br>H32B上壳,侧出M25,4耳,灰色粉末喷涂                        | M25                         | -                           | -                           |                |
| T1210320129-000    | H32B-TS-PG29            | H32B HOOD, SIDE ENTRY PG29, 4 EAR, POWDER COATED, GREY<br>H32B上壳,侧出PG29,4耳,灰色粉末喷涂                      | PG29                        | -                           | -                           |                |
| T1210320132-000    | H32B-TS-M32             | H32B HOOD, SIDE ENTRY M32, 4 EAR, POWDER COATED, GREY<br>H32B上壳,侧出M32,4耳,灰色粉末喷涂                        | M32                         | -                           | -                           |                |
| T1210320136-000    | H32B-TS-PG36            | H32B HOOD, SIDE ENTRY PG36, 4 EAR, POWDER COATED, GREY<br>H32B上壳,侧出PG36,4耳,灰色粉末喷涂                      | PG36                        | -                           | -                           |                |
| T1210320140-000    | H32B-TS-M40             | H32B HOOD, SIDE ENTRY M40, 4 EAR, POWDER COATED, GREY<br>H32B上壳,侧出M40,4耳,灰色粉末喷涂                        | M40                         | -                           | -                           | TYPE 2<br>类型 2 |
| T1220320121-000    | H32B-TG-PG21            | H32B HOOD, TOP ENTRY PG21, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出PG21,4耳,灰色粉末喷涂                       | -                           | PG21                        | -                           |                |
| T1220320125-000    | H32B-TG-M25             | H32B HOOD, TOP ENTRY M25, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出M25,4耳,灰色粉末喷涂                         | -                           | M25                         | -                           |                |
| T1220320129-000    | H32B-TG-PG29            | H32B HOOD, TOP ENTRY PG29, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出PG29,4耳,灰色粉末喷涂                       | -                           | PG29                        | -                           |                |
| T1220320132-000    | H32B-TG-M32             | H32B HOOD, TOP ENTRY M32, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出M32,4耳,灰色粉末喷涂                         | -                           | M32                         | -                           |                |
| T1220320136-000    | H32B-TG-PG36            | H32B HOOD, TOP ENTRY PG36, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出PG36,4耳,灰色粉末喷涂                       | -                           | PG36                        | -                           |                |
| T1220320140-000    | H32B-TG-M40             | H32B HOOD, TOP ENTRY M40, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出M40,4耳,灰色粉末喷涂                         | -                           | M40                         | -                           |                |
| T1220320142-000    | H32B-TG-PG42            | H32B HOOD, TOP ENTRY PG42, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出PG42,4耳,灰色粉末喷涂                       | -                           | PG42                        | -                           |                |
| T1220320148-000    | H32B-TG-PG48            | H32B HOOD, TOP ENTRY PG48, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出PG48,4耳,灰色粉末喷涂                       | -                           | PG48                        | -                           |                |
| T1220320150-000    | H32B-TG-M50             | H32B HOOD, TOP ENTRY M50, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出M50,4耳,灰色粉末喷涂                         | -                           | M50                         | -                           |                |
| T1220320163-000    | H32B-TG-M63             | H32B HOOD, TOP ENTRY M63, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出M63,4耳,灰色粉末喷涂                         | -                           | M63                         | -                           | TYPE 3<br>类型 3 |
| T1220320134-000    | H32B-TG-G3/4            | H32B HOOD, TOP ENTRY G3/4, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出G3/4,4耳,灰色粉末喷涂                       | -                           | G3/4                        | -                           |                |
| T1200320240-000    | H32B-TG/S-2M40          | H32B HOOD, SIDE/TOP ENTRY M40, 4 EAR, POWDER COATED, GREY<br>H32B上壳,侧/顶出M40,4耳,灰色粉末喷涂                  | M40                         | M40                         | -                           |                |
| T1220320225-000    | H32B-TG-2M25            | H32B HOOD, TOP ENTRY 2M25, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出2M25,4耳,灰色粉末喷涂                       | -                           | M25                         | M25                         |                |
| T1220320325-000    | H32B-TG-3M25            | H32B HOOD, TOP ENTRY 2M25, SIDE ENTRY M25, 4 EAR, POWDER COATED, GREY<br>H32B上壳,顶出2M25,侧出M25,4耳,灰色粉末喷涂 | M25                         | M25                         | M25                         |                |
| PART NUMBER<br>料 号 | PART DESCRIPTION<br>描 述 |                                                                                                        | PG/M THREAD-1<br>PG/M 螺纹孔-1 | PG/M THREAD-2<br>PG/M 螺纹孔-2 | PG/M THREAD-3<br>PG/M 螺纹孔-3 | TYPE<br>类型     |

THIS DRAWING IS A CONTROLLED DOCUMENT.  
DIMENSIONS:  
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC  
1 PLC  
2 PLC  
3 PLC  
4 PLC  
ANGLES

±  
±  
±  
±  
±  
±

FINISH

-  
-

OWN  
DAVID LI  
CHK  
CHRIS WANG  
APVD  
XU XIANG

02JUN2015  
02JUN2015  
02JUN2015

PRODUCT SPEC  
108-137013  
APPLICATION SPEC  
114-137013

SIZE  
A1

CAGE CODE  
-

DRAWING NO  
C=TI2X032XXXX000

RESTRICTED TO

TE Connectivity

H32B-TS/TG/TSB/TGB-PG/M

SCALE  
1:1

SHEET  
1

OF  
2

REV  
A3

CUSTOMER DRAWING





SCALE  
1:1

SHEET  
1

OF  
2


REV  
A3

| REVISIONS |     |             |      |     |      |
|-----------|-----|-------------|------|-----|------|
| P         | LTR | DESCRIPTION | DATE | DWN | APVD |
| -         | -   | SEE SHEET 1 | -    | -   | -    |
|           |     |             |      |     |      |
|           |     |             |      |     |      |
|           |     |             |      |     |      |



TYPE 6: H32B HOOD, SIDE ENTRY, WITH DOUBLE STEEL LOCKING

类型 6: H32B上壳, 侧出, 彩锌双扣



TYPE 7: H32B HOOD, TOP ENTRY, WITH DOUBLE STEEL LOCKING  
OTHER SPEC REFER TO TYPE 6

类型 7: H32B上壳, 顶出, 彩锌双扣  
未注规格参照类型6

|                    |                         |                                                                                                       |                             |                             |            |
|--------------------|-------------------------|-------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------|------------|
| T1250322121-000    | H32B-TSB-PG21           | H32B HOOD, SIDE ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H32B上壳, 侧出PG21, 彩锌双扣, 灰色粉末喷涂 | PG21                        | -                           | TYPE 6     |
| T1250322129-000    | H32B-TSB-PG29           | H32B HOOD, SIDE ENTRY PG29, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H32B上壳, 侧出PG29, 彩锌双扣, 灰色粉末喷涂 | PG29                        | -                           |            |
| T1250322132-000    | H32B-TSB-M32            | H32B HOOD, SIDE ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H32B上壳, 侧出M32, 彩锌双扣, 灰色粉末喷涂   | M32                         | -                           |            |
| T1260320132-000    | H32B-TGB-M32            | H32B HOOD, TOP ENTRY M32, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H32B上壳, 顶出M32, 彩锌双扣, 灰色粉末喷涂    | -                           | M32                         | TYPE 7     |
| T1260320136-000    | H32B-TGB-PG36           | H32B HOOD, TOP ENTRY PG36, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H32B上壳, 顶出PG36, 彩锌双扣, 灰色粉末喷涂  | -                           | PG36                        |            |
| T1260320140-000    | H32B-TGB-M40            | H32B HOOD, TOP ENTRY M40, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H32B上壳, 顶出M40, 彩锌双扣, 灰色粉末喷涂    | -                           | M40                         |            |
| T1260322121-000    | H32B-TGB-PG21           | H32B HOOD, TOP ENTRY PG21, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H32B上壳, 顶出PG21, 彩锌双扣, 灰色粉末喷涂  | -                           | PG21                        |            |
| T1260322129-000    | H32B-TGB-PG29           | H32B HOOD, TOP ENTRY PG29, METAL DOUBLE LOCKING, POWDER COATED, GREY<br>H32B上壳, 顶出PG29, 彩锌双扣, 灰色粉末喷涂  | -                           | PG29                        |            |
| PART NUMBER<br>料 号 | PART DESCRIPTION<br>描 述 |                                                                                                       | PG/M THREAD-1<br>PG/M 螺纹孔-1 | PG/M THREAD-2<br>PG/M 螺纹孔-2 | TYPE<br>类型 |

|                                        |  |                         |                                                                                                       |  |  |
|----------------------------------------|--|-------------------------|-------------------------------------------------------------------------------------------------------|--|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. |  | DWN DAVID LI 02JUN2015  |  TE Connectivity |  |  |
| DIMENSIONS:                            |  | CHR CHRS WANG 02JUN2015 |                                                                                                       |  |  |
| mm                                     |  | APVD XU XIANG 02JUN2015 | NAME H32B-TS/TG/TSB/TGB-PG/M                                                                          |  |  |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: |  | PRODUCT SPEC            | SIZE CAGE CODE DRAWING NO RESTRICTED TO                                                               |  |  |
| 0 PLC ±                                |  | 108-137013              |                                                                                                       |  |  |
| 1 PLC ±                                |  | APPLICATION SPEC        | A1 - T12X032XXXX000                                                                                   |  |  |
| 2 PLC ±                                |  | 114-137013              |                                                                                                       |  |  |
| 3 PLC ±                                |  | WEIGHT                  | SCALE 1:1 SHEET 2 OF 2 REV A3                                                                         |  |  |
| 4 PLC ±                                |  | CUSTOMER DRAWING        |                                                                                                       |  |  |
| ANGLES                                 |  |                         |                                                                                                       |  |  |
| FINISH                                 |  |                         |                                                                                                       |  |  |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.