


PRODUCT NUMBER
89099-XYY
89099-XYYLF







PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9

rev	ecn no	dr	date
AN	V06-0493	DAI	2006-05-24
AP	V06-0513	DAI	2006-05-30
AR	DG09-0256	TER	2009-08-19
AS	DG10-0296	TER	2010-08-11
-	-	-	-
AL	V05-0445	DAI	2005-05-12
AM	V05-0859	DAI	2005-09-09

www.fciconnect.com

surface 3.200 ISO 1302 | tolerance std ISO 406 ISO 1101 | projection | mm

TOLERANCES UNLESS OTHERWISE SPECIFIED

Dr	T.BRUNGARD	11/19/99
Eng	M.STRAWSER	11/19/99
Chr	M.STRAWSER	11/19/99
Appr	M.STRAWSER	02/29/00

ANGULAR		LINEAR		
0°	±2°	0.X	±0.3	
		0.XX	±0.13	
		0.XXX	±0.051	

size A4 | Scale 11:10

ECN * | Product family METRAL | Spec ref *

title: METRAL POWER HEADER
1 MOD, 5 ROW PRESS-FIT


dwg no 89099 | Rev. AS

catalog no - | CUSTOMER | sheet 1 of 6

Copyright FCI.

REV F - 2006-04-17

PDM: Rev:AS STATUS:Released Printed: Aug 17, 2010



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR ADDITIONAL PCB INFORMATION.

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
P01	6.50	4.30
P02	7.25	4.30
P03	8.00	4.30
P04	6.50	13.60
P05	7.25	13.60
P06	8.00	13.60
P07	6.50	17.00
P08	7.25	17.00
P09	8.00	17.00
P16	5.00	4.30
P17	5.75	4.30

Copyright FCI.

www.fciconnect.com			surface 3.200 ISO 1302		tolerance std ISO 406 ISO 1101		projection	mm
			TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	T.BRUNGARD	11/19/99	ANGULAR	LINEAR	0.X	±0.3	size A4	Scale 21:10
Eng	M.STRAWSER	11/19/99			0.XX	±0.13		
Chr	M.STRAWSER	11/19/99	0° ±2°		0.XXX	±0.051	ECN	*
Appr	M.STRAWSER	02/29/00	Product family		METRAL		Spec ref	*

title	METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT	dwg no	89099 Rev. AS
catalog no	-	CUSTOMER	sheet 2 of 6

REV F - 2006-04-17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X01	E	P16	P16
SEE NOTE 10 LEAD FREE OPTION	D	P16	P16
	C	P16	P16
	B	P16	P16
	A	P16	P16

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X02	E	P16	P16
SEE NOTE 10 LEAD FREE OPTION	D	P16	P16
	C	P16	P16
	B	P16	P16
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X03	E	P17	P17
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P17	P17
	B	P17	P17
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X04	E	P17	P17
SEE NOTE 10 LEAD FREE OPTION	D	P17	P17
	C	P17	P17
	B	P02	P02
	A	P17	P17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X05	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P02	P02
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X06	E	P17	P17
SEE NOTE 10 LEAD FREE OPTION	D	P17	P17
	C	P17	P17
	B	P17	P17
	A	P17	P17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X07	E	P02	P02
SEE NOTE 10 LEAD FREE OPTION	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X10	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P02	P02
	B	P03	P03
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X11	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P01	P01
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X12	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P01	P01
	B	P03	P03
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X13	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P02	P02
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X14	E	P03	P03
SEE NOTE 10 LEAD FREE OPTION	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X15	E	P02	P02
SEE NOTE 10 LEAD FREE OPTION	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X16	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P02	P02
	B	P02	P02
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X17	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P01	P01
	B	P01	P01
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X18	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X20	E	P04	P04
SEE NOTE 10 LEAD FREE OPTION	D	P04	P04
	C	P05	P05
	B	P06	P06
	A	P05	P05

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X21	E	P04	P04
SEE NOTE 10 LEAD FREE OPTION	D	P04	P04
	C	P04	P04
	B	P04	P04
	A	P04	P04

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X22	E	P04	P04
SEE NOTE 10 LEAD FREE OPTION	D	P04	P04
	C	P04	P04
	B	P06	P06
	A	P04	P04

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X23	E	P04	P04
SEE NOTE 10 LEAD FREE OPTION	D	P04	P04
	C	P05	P05
	B	P06	P06
	A	P06	P06

Copyright FCI.

www.fciconnect.com			surface 3.200 ISO 1302	tolerance std ISO 406 ISO 1101	projection	mm
			TOLERANCES UNLESS OTHERWISE SPECIFIED			
Dr	T.BRUNGARD	11/19/99	ANGULAR	LINEAR 0.X ±0.3	size A4	Scale 1:1.0
Eng	M.STRAWSER	11/19/99		0.XX ±0.13		
Chr	M.STRAWSER	11/19/99	0° ±2°	0.XXX ±0.051	ECN	*
Appr	M.STRAWSER	02/29/00	Product family	METRAL	Spec ref	*
title	METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT				dwg no 89099	Rev. AS
catalog no	-				CUSTOMER	sheet 3 of 6

REV F - 2006-04-17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X24	E	P06	P06
	D	P06	P06
SEE NOTE 10 LEAD FREE OPTION	C	P06	P06
	B	P06	P06
	A	P06	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X28	E	P04	P04
	D	P04	P04
SEE NOTE 10 LEAD FREE OPTION	C	P06	P06
	B	P06	P06
	A	P06	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X33	E	P07	P07
	D	P07	P07
SEE NOTE 10 LEAD FREE OPTION	C	P08	P08
	B	P09	P09
	A	P09	P09

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X37	E	P07	P07
	D	P07	P07
SEE NOTE 10 LEAD FREE OPTION	C	P07	P07
	B	P07	P07
	A	P09	P09

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X41	E	P01	P01
	D	P03	P03
SEE NOTE 10 LEAD FREE OPTION	C	P03	P03
	B	P03	P03
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X25	E	P05	P05
	D	P05	P05
SEE NOTE 10 LEAD FREE OPTION	C	P05	P05
	B	P05	P05
	A	P05	P05

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X30	E	P07	P07
	D	P07	P07
SEE NOTE 10 LEAD FREE OPTION	C	P08	P08
	B	P09	P09
	A	P08	P08

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X34	E	P09	P09
	D	P09	P09
SEE NOTE 10 LEAD FREE OPTION	C	P09	P09
	B	P09	P09
	A	P09	P09

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X38	E	P07	P07
	D	P07	P07
SEE NOTE 10 LEAD FREE OPTION	C	P09	P09
	B	P09	P09
	A	P09	P09

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X42	E	P01	P01
	D	P02	P02
SEE NOTE 10 LEAD FREE OPTION	C	P02	P02
	B	P02	P02
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X26	E	P04	P04
	D	P04	P04
SEE NOTE 10 LEAD FREE OPTION	C	P05	P05
	B	P05	P05
	A	P06	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X31	E	P07	P07
	D	P07	P07
SEE NOTE 10 LEAD FREE OPTION	C	P07	P07
	B	P07	P07
	A	P07	P07

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X35	E	P08	P08
	D	P08	P08
SEE NOTE 10 LEAD FREE OPTION	C	P08	P08
	B	P08	P08
	A	P08	P08

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X39	E	P03	P03
	D	P01	P01
SEE NOTE 10 LEAD FREE OPTION	C	P01	P01
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X43	E	P03	P03
	D	P03	P03
SEE NOTE 10 LEAD FREE OPTION	C	P03	P03
	B	P02	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X27	E	P04	P04
	D	P04	P04
SEE NOTE 10 LEAD FREE OPTION	C	P04	P04
	B	P04	P04
	A	P06	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X32	E	P07	P07
	D	P07	P07
SEE NOTE 10 LEAD FREE OPTION	C	P07	P07
	B	P09	P09
	A	P07	P07

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X36	E	P07	P07
	D	P07	P07
SEE NOTE 10 LEAD FREE OPTION	C	P08	P08
	B	P08	P08
	A	P09	P09

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X40	E	P02	P02
	D	P01	P01
SEE NOTE 10 LEAD FREE OPTION	C	P02	P02
	B	P01	P01
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X44	E	P03	P03
	D	P03	P03
SEE NOTE 10 LEAD FREE OPTION	C	P03	P03
	B	P16	P16
	A	P03	P03

Copyright FCI.

www.fciconnect.com			surface 3.200 ISO 1302		tolerance std ISO 406 ISO 1101	projection	mm
			TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	T.BRUNGARD	11/19/99	ANGULAR	LINEAR	0.X ±0.3	size A4	Scale 1:1 0
Eng	M.STRAWSER	11/19/99			0.XX ±0.13		
Chr	M.STRAWSER	11/19/99	0° ±2°		0.XXX ±0.051	ECN *	
Appr	M.STRAWSER	02/29/00	Product family METRAL			Spec ref *	
title	METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT					dwg no 89099	Rev. AS
catalog no -						CUSTOMER	sheet 4 of 6

REV F - 2006-04-17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X45	E	P03	P03
SEE NOTE 10 LEAD FREE OPTION	D	P02	P02
	C	P17	P17
	B	P17	P17
	A	P17	P17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X49	E	P02	P02
SEE NOTE 10 LEAD FREE OPTION	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X53	E	P05	P05
SEE NOTE 10 LEAD FREE OPTION	D	P05	P05
	C	P06	P06
	B	P04	P04
	A	P04	P04

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X57	E	P03	P03
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P01	P01
	B	P01	P01
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X61	E	P03	P03
SEE NOTE 10 LEAD FREE OPTION	D	P03	P03
	C	P02	P02
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X46	E	P03	P03
SEE NOTE 10 LEAD FREE OPTION	D	P03	P03
	C	P01	P01
	B	P03	P03
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X50	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P03	P03
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X54	E	P02	P02
SEE NOTE 10 LEAD FREE OPTION	D	P02	P02
	C	P03	P03
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X58	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P03	P03
	C	P01	P01
	B	P03	P03
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X62	E	P06	P06
SEE NOTE 10 LEAD FREE OPTION	D	P05	P05
	C	P05	P05
	B	P06	P06
	A	P05	P05

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X47	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P02	P02
	B	P03	P03
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X51	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P16	P16
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X55	E	P02	P02
SEE NOTE 10 LEAD FREE OPTION	D	P02	P02
	C	P02	P02
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X59	E	P16	P16
SEE NOTE 10 LEAD FREE OPTION	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X63	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P02	P02
	C	P01	P01
	B	P02	P02
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X48	E	P04	P04
SEE NOTE 10 LEAD FREE OPTION	D	P04	P04
	C	P06	P06
	B	P04	P04
	A	P04	P04

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X52	E	P03	P03
SEE NOTE 10 LEAD FREE OPTION	D	P02	P02
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X56	E	P05	P05
SEE NOTE 10 LEAD FREE OPTION	D	P05	P05
	C	P05	P05
	B	P05	P05
	A	P04	P04

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X60	E	P01	P01
SEE NOTE 10 LEAD FREE OPTION	D	P01	P01
	C	P03	P03
	B	P03	P03
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X64	E	P02	P02
SEE NOTE 10 LEAD FREE OPTION	D	P02	P02
	C	P01	P01
	B	P03	P03
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X65	E	P17	P17
SEE NOTE 10 LEAD FREE OPTION	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

www.fciconnect.com			surface 3.200 ISO 1302		tolerance std ISO 406 ISO 1101	projection	mm
			TOLERANCES UNLESS OTHERWISE SPECIFIED				
Dr	T.BRUNGARD	11/19/99	ANGULAR	LINEAR	0.X ±0.3	size A4	Scale 1:10
Eng	M.STRAWSER	11/19/99			0.XX ±0.13		
Chr	M.STRAWSER	11/19/99	0° ±2°		0.XXX ±0.051	ECN	*
Appr	M.STRAWSER	02/29/00	Product family		METRAL	Spec ref	*
title	METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT					dwg no 89099	Rev. AS
catalog no	-					CUSTOMER	sheet 5 of 6

Copyright FCI.

REV F - 2006-04-17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X66	E	P17	P17
----------	D	P17	P17
89099-X66LF	C	P02	P02
	B	P02	P02
	A	P17	P17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X67	E	P01	P01
----------	D	P02	P02
89099-X67LF	C	P02	P02
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X68	E	P01	P01
----------	D	P02	P02
89099-X68LF	C	P02	P02
	B	P02	P02
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
89099-X69	E	P03	P03
----------	D	P16	P16
89099-X69LF	C	P16	P16
	B	P16	P16
	A	P03	P03

△AS

NOTES:

1. FOR DIM A AND B SEE SHEET 2 AND UP.

2. BODY MATERIAL: LIQUID CRYSTAL

   POLYMER 30 % GLASS.

   FLAME RETARDANT ACC. UL 94-V0.

3. PIN MATERIAL:
   PHOSPHOR BRONZE.

4. PLATING ON PRESS-FIT TAIL:
   89099 -XYY IS SnPb
   89099-XYYLF IS SN (LEAD FREE)
   PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
   LEVEL SHOWN IN TABLE.

5. PRODUCT MARKING:
   PART NUMBER DESIGNATION & BATCH I.D.

6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN
   SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
   IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
   WILL BE ADDED TO THE END OF THE PART NUMBER.
   EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF

7. PRODUCT SPECIFICATION GS-12-180
   APPLICATION SPECIFICATION BUS-20-075

(8.) AFTER INSERTION INTO CIRCUIT BOARD WITH
   QUALIFIED TOOL.

(9.) THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
   EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
   AS DESCRIBED IN GS-22-008.

(10.) FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
   EXAMPLE: 89099-X01LF

11. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR
   60 SECONDS IN CONVECTION, INFAR-RED OR VAPOR PHASE
   REFLOW OVEN.

www.fciconnect.com			surface 3.200 ISO 1302		tolerance std ISO 406 ISO 1101		projection	mm
			TOLERANCES UNLESS OTHERWISE SPECIFIED					
Dr	T.BRUNGARD	11/19/99	ANGULAR	LINEAR	0.X	±0.3	size A4	Scale 1:1 0
Eng	M.STRAWSER	11/19/99			0.XX	±0.13		
Chr	M.STRAWSER	11/19/99	0°	±2°	0.XXX	±0.051	ECN	*
Appr	M.STRAWSER	02/29/00	Product family		METRAL		Spec ref	*

title	METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT	dwg no 89099	Rev. AS
catalog no -		CUSTOMER	sheet 6 of 6

Copyright FCI.

REV F - 2006-04-17


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.