

**MIL-C-38999 LJT-R/JT-R and Accessories
Cross Reference List**

| Series or Accessory | MS Part No. | Amphenol Part No. | Description |
|---------------------|------------------|---------------------------|---|
| Ac | MS20047AXX | 10-275197-XX7 | Cap, Recept. Series I No Chain |
| Ac | MS20047BXX | 10-275197-XX9 | |
| Ac | MS20047FXX | 10-275197-XXG | |
| Ac | MS20048AXX | 10-275196-XX7 | Cap, Plug Series I, No Chain |
| Ac | MS20048BXX | 10-275196-XX9 | |
| Ac | MS20048FXX | 10-275196-XXG | |
| Ac | MS27342AXX-1 | 10-440390-XX7 (Series II) | Adapter |
| Ac | MS27342BXX-1 | 10-440390-XX9 (Series II) | |
| Ac | MS27342CXX-1 | 10-440390-XX5 (Series II) | |
| Ac | MS27342FXX-1 | 10-440390-XXG (Series II) | |
| Ac | MS27342AXX-2 | 10-241055 Series II | |
| Ac | MS27342BXX-2 | 10-457452 Series I | |
| Ac | MS27342CXX-2 | | |
| Ac | MS27342FXX-2 | | |
| Ac | MS27352AXX | 10-241853-XX7 | Cap, Plug Series II, No Chain |
| Ac | MS27352BXX | 10-241853-XX9 | |
| Ac | MS27352CXX | 10-241853-XX5 | |
| Ac | MS27352FXX | 10-241853-XXG | |
| Ac | MS27353AXX | 10-241856-XX7 | Cap, Recept. Series II, No Chain |
| Ac | MS27353BXX | 10-241856-XX9 | |
| Ac | MS27353CXX | 10-241856-XX5 | |
| Ac | MS27353FXX | 10-241856-XXG | |
| I | MS27466EXXAXXP/S | LJT00REXX-XXP/S | Wall Mount Receptacle |
| I | MS27466EXXBXXP/S | LJT00REXX-XXP/S (014) | |
| I | MS27466EXXFXXP/S | LJT00REXX-XXP/S (023) | |
| I | MS27466TXXAXXP/S | LJT00RTXX-XXP/S | |
| I | MS27466TXXBXXP/S | LJT00RTXX-XXP/S (014) | |
| I | MS27466TXXFXXP/S | LJT00RTXX-XXP/S (023) | |
| I | MS27466PXXAXXP/S | LJT00RPXX-XXP/S | |
| I | MS27466PXXBXXP/S | LJT00RPXX-XXP/S (014) | |
| I | MS27466PXXFXXP/S | LJT00RPXX-XXP/S (023) | |
| I | MS27467EXXAXXP/S | LJT06REXX-XXP/S | Straight Plug |
| I | MS27467EXXBXXP/S | LJT06REXX-XXP/S (014) | |
| I | MS27467EXXFXXP/S | LJT06REXX-XXP/S (023) | |
| I | MS27467TXXAXXP/S | LJT06RTXX-XXP/S | |
| I | MS27467TXXBXXP/S | LJT06RTXX-XXP/S (014) | |
| I | MS27467TXXFXXP/S | LJT06RTXX-XXP/S (023) | |
| I | MS27467PXXAXXP/S | LJT06RPXX-XXP/S | Straight Plug |
| I | MS27467PXXBXXP/S | LJT06RPXX-XXP/S (014) | |
| I | MS27467PXXFXXP/S | LJT06RPXX-XXP/S (023) | |
| I | MS27468EXXAXXP/S | LJT07REXX-XXP/S | Jam Nut Mount Receptacle |
| I | MS27468EXXBXXP/S | LJT07REXX-XXP/S (014) | |
| I | MS27468EXXFXXP/S | LJT07REXX-XXP/S (023) | |
| I | MS27468TXXAXXP/S | LJT07RTXX-XXP/S | |
| I | MS27468TXXBXXP/S | LJT07RTXX-XXP/S (014) | |
| I | MS27468TXXFXXP/S | LJT07RTXX-XXP/S (023) | |
| I | MS27468PXXAXXP/S | LJT07RPXX-XXP/S | |
| I | MS27468PXXBXXP/S | LJT07RPXX-XXP/S (014) | |
| I | MS27468PXXFXXP/S | LJT07RPXX-XXP/S (023) | |
| I | MS27469YXXDXXP | LJT00YXX-XXP | Wall Mount Recept., Hermetic Seal |
| I | MS27469YXXEXXP | LJTS00YXX-XXP | |
| I | MS27470YXXDXXP | LJT07YXX-XXP | Jam Nut Mount Recept., Hermetic Seal |
| I | MS27470YXXEXXP | LJTS07YXX-XXP | |
| I | MS27471YXXDXXP | LJTIYXX-XXP | Solder Mount Recept., Hermetic Seal |
| I | MS27471YXXEXXP | LJTSIYXX-XXP | |

| Series or Accessory | MS Part No. | Amphenol Part No. | Description |
|---------------------|------------------|----------------------|---|
| II | MS27472EXXAXXP/S | JT00REXX-XXP/S | Wall Mount Receptacle |
| II | MS27472EXXBXXP/S | JT00REXX-XXP/S (014) | |
| II | MS27472EXXCXXP/S | JTS00REXX-XXP/S | |
| II | MS27472EXXFXXP/S | JT00REXX-XXP/S (023) | |
| II | MS27472TXXAXXP/S | JT00RTXX-XXP/S | |
| II | MS27472TXXBXXP/S | JT00RTXX-XXP/S (014) | |
| II | MS27472TXXCXXP/S | JTS00RTXX-XXP/S | |
| II | MS27472TXXFXXP/S | JT00RTXX-XXP/S (023) | |
| II | MS27472PXXAXXP/S | JT00RPXX-XXP/S | |
| II | MS27472PXXBXXP/S | JT00RPXX-XXP/S (014) | |
| II | MS27472PXXCXXP/S | JTS00RPXX-XXP/S | |
| II | MS27472PXXFXXP/S | JT00RPXX-XXP/S (023) | |
| II | MS27473EXXAXXP/S | JT06REXX-XXP/S | Straight Plug |
| II | MS27473EXXBXXP/S | JT06REXX-XXP/S (014) | |
| II | MS27473EXXCXXP/S | JT06REXX-XXP/S | |
| II | MS27473EXXFXXP/S | JT06REXX-XXP/S (023) | |
| II | MS27473TXXAXXP/S | JT06RTXX-XXP/S | |
| II | MS27473TXXBXXP/S | JT06RTXX-XXP/S (014) | |
| II | MS27473TXXCXXP/S | JT06RTXX-XXP/S | |
| II | MS27473TXXFXXP/S | JT06RTXX-XXP/S (023) | |
| II | MS27473PXXAXXP/S | JT06RPXX-XXP/S | |
| II | MS27473PXXBXXP/S | JT06RPXX-XXP/S (014) | |
| II | MS27473PXXCXXP/S | JTS06RPXX-XXP/S | |
| II | MS27473PXXFXXP/S | JT06RPXX-XXP/S (023) | |
| II | MS27474EXXAXXP/S | JT07REXX-XXP/S | Jam Nut Mount Receptacle |
| II | MS27474EXXBXXP/S | JT07REXX-XXP/S (014) | |
| II | MS27474EXXCXXP/S | JTS07REXX-XXP/S | |
| II | MS27474EXXFXXP/S | JT07REXX-XXP/S (023) | |
| II | MS27474TXXAXXP/S | JT07RTXX-XXP/S | |
| II | MS27474TXXBXXP/S | JT07RTXX-XXP/S (014) | |
| II | MS27474TXXCXXP/S | JTS07RTXX-XXP/S | |
| II | MS27474TXXFXXP/S | JT07RTXX-XXP/S (023) | |
| II | MS27474PXXAXXP/S | JT07RPXX-XXP/S | |
| II | MS27474PXXBXXP/S | JT07RPXX-XXP/S (014) | |
| II | MS27474PXXCXXP/S | JTS07RPXX-XXP/S | |
| II | MS27474PXXFXXP/S | JT07RPXX-XXP/S (023) | |
| II | MS27475YXXDXXP | JT00YXX-XXP | Wall Mount Recept., Hermetic Seal |
| II | MS27475YXXEXXP | JTS00YXX-XXP | |
| II | MS27476YXXDXXP | JT02YXX-XXP | Box Mount Recept., Hermetic Seal |
| II | MS27476YXXEXXP | JTS0YXX-XXP | |
| II | MS27477YXXDXXP | JT07YXX-XXP | Jam Nut Mount Recept., Hermetic Seal |
| II | MS27477YXXEXXP | JTS07YXX-XXP | |
| II | MS27478YXXDXXP | JTIYXX-XXP | Solder Mount Recept., Hermetic Seal |
| II | MS27478YXXEXXP | JTSIYXX-XXP | |
| II | MS27479EXXCXXP/S | JTS00REXX-XXP/S | Wall Mount Recept., Inactive, Use MS27472 |
| II | MS27479TXXCXXP/S | JTS00RTXX-XXP/S | |
| II | MS27480EXXCXXP/S | JTS06REXX-XXP/S | Straight Plug, Inactive, Use MS27473 |
| II | MS27480TXXCXXP/S | JTS06RTXX-XXP/S | |
| II | MS27481EXXCXXP/S | JTS07REXX-XXP/S | Jam Nut Mount Recept., Inactive, Use MS27474 |
| II | MS27481TXXCXXP/S | JTS07RTXX-XXP/S | |
| II | MS27482YXXEXXP | JTS00YXX-XXP | Wall Mount Recept., Hermetic Seal, Inactive, Use MS27475 |
| II | MS27483YXXEXXP | JTS07YXX-XXP | Jam Nut Mount Recept., Hermetic Seal, Inactive, Use MS27477 |

MIL-C-38999 LJT-R/JT-R and Accessories
Cross Reference List (Cont.)

| Series or Accessory | MS Part No. | Amphenol Part No. | Description |
|---------------------|------------------|--------------------------------|--|
| II | MS27484EXXAXXP/S | JTG06REXX-XXP/S | Straight Plug with Grounding Spring |
| II | MS27484EXXBXXP/S | JTG06REXX-XXP/S (014) | |
| II | MS27484EXXFXXP/S | JTG06REXX-XXP/S (023) | |
| II | MS27484TXAXXP/S | JTG06RTXX-XXP/S | |
| II | MS27484TXBXXP/S | JTG06RTXX-XXP/S (014) | |
| II | MS27484TXFXFP/S | JTG06RTXX-XXP/S (023) | |
| II | MS27484PXXAXXP/S | JTG06RPXX-XXP/S | |
| II | MS27484PXXBXXP/S | JTG06RPXX-XXP/S (014) | |
| II | MS27484PXXFXFP/S | JTG06RPXX-XXP/S (023) | |
| Ac | MS27485AXX | 10-528399-XX7 | Ring, Potting Boot, Series II |
| Ac | MS27485BXX | 10-528399-XX9 | |
| Ac | MS27485CXX | 10-528399-XX5 | |
| Ac | MS27485FXX | 10-528399-XXG | |
| Ac | MS27486-XX-1 | 10-241912-XX | Potting, Boot Straight, Series II |
| Ac | MS27486-XX-2 | 10-241990-XX | Potting, Boot 90 Degree Series II |
| Ac | MS27487-XX-1 | 10-450910-XX, Includes MS27489 | Kit, EMR Adapter, Straight, Series I & II |
| Ac | MS27487-XX-2 | 10-450911-XX | Kit, EMR Adapter, 90 Degree Series I & II, |
| Ac | MS27488-12 | 10-405996-12 | Plug, Sealing Grommet |
| Ac | MS27488-16 | 10-405996-16 | |
| Ac | MS27488-20 | 10-405996-20 | |
| Ac | MS27488-22 | 10-405996-24 | |
| Ac | MS27489-XXX | 10-352425-XX | |
| I | MS27490-XX | 10-407035-XX5 | Contact-Socket |
| II | MS27491-XX | 10-251416-XX5 | Contact-Socket |
| II | MS27492-XX | 10-251416-XXH | Contact-Socket, Inactive, use MS27491 |
| II | MS27493-XX | 10-251415-XX5 | Contact-Pin |
| II | MS27494-XX | 10-251415-XXH | Contact-Pin, Inactive, use MS27493 |
| I & II | MS27495R-XX | 11-8675-XX | Tool, Contact, Removable, Metal |
| I & II | MS27495A-XX | 11-8674-XX | Tool, Contact, Assembly, Metal |
| I | MS27496EXXAXXP/S | LJT02REXX-XXP/S | Box Mount Receptacle |
| I | MS27496EXXBXXP/S | LJT02REXX-XXP/S (014) | |
| I | MS27496EXXFXXP/S | LJT02REXX-XXP/S (023) | |
| II | MS27497EXXAXXP/S | JTPQ00REXX-XXP/S | Back Panel Wall Mount Receptacle. |
| II | MS27497EXXBXXP/S | JTPQ00REXX-XXP/S (014) | |
| II | MS27497EXXCXXP/S | JTPSQ00REXX-XXP/S | |
| II | MS27497EXXFXXP/S | JTPQ00REXX-XXP/S (023) | |
| II | MS27497TXAXXP/S | JTPQ00RTXX-XXP/S | |
| II | MS27497TXBXXP/S | JTPQ00RTXX-XXP/S (014) | |
| II | MS27497TXCXXP/S | JTPSQ00RTXX-XXP/S | |
| II | MS27497TXFXFP/S | JTPQ00RTXX-XXP/S (023) | |
| II | MS27497PXXAXXP/S | JTPQ002PXX-XXP/S | |
| II | MS27497PXXBXXP/S | JTPQ002PXX-XXP/S (014) | |
| II | MS27497PXXCXXP/S | JTPSQ002PXX-XXP/S | |
| II | MS27497PXXFXFP/S | JTPQ002PXX-XXP/S (023) | |
| II | MS27497VXXAXXP/S | JTP00REXX-XXP/S | |
| II | MS27497VXXBXXP/S | JTP00REXX-XXP/S (014) | |
| II | MS27497VXXCXXP/S | JTPSQ00REXX-XXP/S | |
| II | MS27497VXXFXFP/S | JTP00REXX-XXP/S (023) | |

| Series or Accessory | MS Part No. | Amphenol Part No. | Description |
|---------------------|------------------|------------------------|---|
| I | MS27498EXXAXXP/S | LJT08REXX-XXP/S | 90 Degree Plug, Inactive for Design |
| I | MS27498EXXBXXP/S | LJT08REXX-XXP/S (014) | |
| II | MS27499EXXAXXP/S | JT02REXX-XXP/S | Box Mount Receptacle |
| II | MS27499EXXBXXP/S | JT02REXX-XXP/S (014) | |
| II | MS27499EXXCXXP/S | JTS02REXX-XXP/S | |
| II | MS27499EXFXFP/S | JT02REXX-XXP/S (023) | |
| II | MS27500EXXAXXP/S | JT08REXX-XXP/S | 90 Degree Plug, Inactive for Design |
| II | MS27500EXXBXXP/S | JT08REXX-XXP/S (014) | |
| I | MS27501AXXC | 10-421399-XX7 | Cover, Plug, with chain |
| I | MS27501BXXC | 10-421399-XX9 | |
| I | MS27501FXXC | 10-421399-XXG | |
| I | MS27502AXXC | 10-427406-XX7 | Cover Receptacle, with chain |
| I | MS27502BXXC | 10-427406-XX9 | |
| I | MS27502FXXC | 10-427406-XXG | |
| II | MS27503YXXEEXP | JTSIYXX-XXP | Solder Mount Receptacle, Hermetic Seal Inactive, use MS27503 |
| II | MS27504EXXCXXP/S | JTS00REXX-XXP/S | Box Mount Receptacle, Inactive, use MS27499 |
| I | MS27505EXXAXXP/S | LJTP02REXX-XXP/S (023) | Back Panel Wall Mount Receptacle |
| I | MS27505EXXBXXP/S | LJTP02REXX-XXP/S (014) | |
| I | MS27505EXXFXXP/S | LJTP02REXX-XXP/S (023) | |
| I | MS27506AXX-1 | 10-436792-XX7 | Adapter, Strain Relief, Clamp Bars |
| I | MS27506BXX-1 | 10-436792-XX9 | |
| I | MS27506FXX-1 | 10-436792-XXG | |
| II | MS27506AXX-2 | 10-433992-XX7 | |
| II | MS27506BXX-2 | 10-433992-XX9 | |
| II | MS27506CXX-2 | 10-433992-XX5 | |
| II | MS27506FXX-2 | 10-433992-XXG | |
| I & II | MS27507A-XX | 10-415693-XX7 | |
| I & II | MS27507B-XX | 10-415693-XX9 | Adapter, 90 Degree, Strain Relief, Clamp Bars |
| I & II | MS27507C-XX | 10-415693-XX5 | |
| I & II | MS27507F-XX | 10-415693-XXG | |
| II | MS27508EXXAXXP/S | JTP02REXX-XXP/S | Back Panel Box Mount Receptacle |
| II | MS27508EXXBXXP/S | JTP02REXX-XXP/S (014) | |
| II | MS27508EXXCXXP/S | JTP02REXX-XXP/S | |
| II | MS27508EXFXFP/S | JTP02REXX-XXP/S (023) | |
| I & II | MS27509R-XX | 10-296943-XX | Tool, Contact Removal and Assembly, Plastic Inactive, use MS27534 |
| I & II | MS27509A-XX | 10-296940-XX | |
| II | MS27510AXXC | 10-241801-XX7 | Cap, Plug with chain |
| II | MS27510BXXC | 10-241801-XX9 | |
| II | MS27510CXXC | 10-241801-XX5 | |
| II | MS27510FXXC | 10-241801-XXG | |
| II | MS27511AXXC | 10-241800-XX7 | Cap, Receptacle, with chain |
| II | MS27511BXXC | 10-241800-XX9 | |
| II | MS27511CXXC | 10-241800-XX5 | |
| II | MS27511FXXC | 10-241800-XXG | |
| II | MS27511AXXR | 10-241866-XX7 | Cap, Receptacle with wire rope |
| II | MS27511BXXR | 10-241866-XX9 | |
| II | MS27511CXXR | 10-241866-XX5 | |
| II | MS27511FXXR | 10-241866-XXG | |
| II | MS27510 ()XXR | 10-241864- | Cap, Plug with wire rope |
| II | MS27511()XXN | 10-241802- | Cap, Receptacle, Jam Nut, with chain |

MIL-C-38999 LJT-R/JT-R and Accessories
Cross Reference List (Cont.)

| Series or Accessory | MS Part No. | Amphenol Part No. | Description |
|---------------------|------------------|-------------------------|--|
| II | MS27512-XXA | 10-101917-XX7 | Nut, Hex |
| II | MS27512-XXB | 10-101917-XX9 | |
| II | MS27512-XXC | 10-101917-XX5 | |
| II | MS27512-XXE | 10-260548-XX | |
| II | MS27512-XXF | 10-101917-XXG | |
| II | MS27513EXXAXXP/S | JT02REXX-XXP/S | Box Mount Receptacle, Full Length Grommet |
| II | MS27513EXXAXXP/S | JT02REXX-XXP/S (014) | |
| II | MS27513EXXCXXP/S | JTS02REXX-XXP/S | |
| II | MS27513EXXFXXP/S | JT02REXX-XXP/S (023) | |
| I | MS27514-XXA | 10-123017-XX7 | Nut, Hex |
| I | MS27514-XXB | 10-123017-XX9 | |
| I | MS27514-XXE | 10-195959-XX | |
| I | MS27514-XXF | 10-123017-XXG | |
| I | MS27515EXXAXXP/S | LJTP00REXX-XXP/S | Black Panel Wall Mount Receptacle, Inactive, Use MS27656 |
| I | MS27515EXXBXXP/S | LJTP00REXX-XXP/S (014) | |
| I & II | MS27534-12 | 10-538988-12 | Tool, Contact Insertion/Removal, Plastic |
| I & II | MS27534-16 | 10-538988-16 | |
| I & II | MS27534-20 | 10-538988-20 | |
| I & II | MS27534-22D | 10-538988-22D | |
| I | MS27535 | 21-33101-XX | Contact, Socket, Shielded |
| I | MS27536 | 21-33102-XX | Contact, Pin, Shielded |
| I | MS27652EXXFXXP/S | LJTS00REXX-XXP/S (023) | Wall Mount Receptacle Inactive, Use MS27466 |
| I | MS27652TXXFXXP/S | LJTS00RTXX-XXP/S (023) | |
| I | MS27653EXXFXXP/S | LJTS06REXX-XXP/S (023) | Straight Plug, Inactive, Use MS27467 |
| I | MS27653TXXFXXP/S | LJTS06RTXX-XXP/S (023) | |
| I | MS27654EXXFXXP/S | LJTPS00REXX-XXP/S (023) | Back Panel Wall Mount Recept. Inactive, Use MS27656 |
| I | MS27654TXXFXXP/S | LJTPS00RTXX-XXP/S (023) | |
| I | MS27655-XX | 10-407035-XXH | Contact, Socket, Inactive, Use MS27490 |
| I | MS27656EXXAXXP/S | LJTPQ00REXX-XXP/S | Back Panel Wall Mount Receptacle |
| I | MS27656EXXFXXP/S | LJTPQ00REXX-XXP/S (014) | |
| I | MS27656EXXFXXP/S | LJTPQ00REXX-XXP/S (023) | |

| Series or Accessory | MS Part No. | Amphenol Part No. | Description |
|---------------------|------------------|-------------------------|--|
| I | MS27656TXXAXXP/S | LJTPQ00RTXX-XXP/S | Back Panel Wall Mount Receptacle |
| I | MS27656PXXBXXP/S | LJTPQ00RTXX-XXP/S (014) | |
| I | MS27656PXXFXXP/S | LJTPQ00RTXX-XXP/S (023) | |
| I | MS27656PXXAXXP/S | LJTPQ00RPXX-XXP/S | Back Panel Wall Mount Receptacle |
| I | MS27656PXXBXXP/S | LJTPQ00RPXX-XXP/S (014) | |
| I | MS27656PXXFXXP/S | LJTPQ00RPXX-XXP/S (023) | |
| I | MS27661EXXAXXP/S | 87-538800/74 | Straight Plug, Lanyard Release |
| I | MS27661EXXBXXP/S | 88-538800/74 | |
| I | MS27661EXXFXXP/S | 91-538800/74 | |
| I | MS27662EXXAXXC | LJTB-XX-XXX | Thru-Bulkhead Mount Receptacle |
| I | MS27662EXXBXXC | LJTB-XX-XXX | |
| I | MS27662EXXCXXC | LJTB-XX-XXX | |
| I | MS27662EXXFXXC | LJTB-XX-XXX | |
| I & II | MS27663AXX-1 | 10-482790-XX7 | Adapter Nut, Non-Metallic (Nylon Only) |
| I & II | MS27663BXX-1 | 10-482790-XX9 | |
| I & II | MS27663CXX-1 | 10-482790-XX5 | |
| I & II | MS27663FXX-1 | 10-482790-XX6 | |
| I & II | MS27663AXX-2 | 10-482494-XX7 | Adapter 90 Degree, Non-Metallic (Nylon Only) |
| I & II | MS27663BXX-2 | 10-482494-XX9 | |
| I & II | MS27663CXX-2 | 10-482494-XX5 | |
| I & II | MS27663FXX-2 | 10-482494-XX6 | |
| II | MS27664EXXAXXP/S | JTPQ00REXX-XXP/S | Back Panel Wall Mount Receptacle, Inactive Use MS27497 |
| II | MS27664EXXBXXP/S | JTPQ00REXX-XXP/S (014) | |
| II | MS27664EXXCXXP/S | JTPSQ00REXX-XXP/S | |
| II | MS27664EXXFXXP/S | JTPQ00REXX-XXP/S (023) | |
| II | MS27664TXXAXXP/S | JTPQ00RTXX-XXP/S | |
| II | MS27664TXXBXXP/S | JTPQ00RTXX-XXP/S (014) | |
| II | MS27664TXXCXXP/S | JTPSQ00RTXX-XXP/S | |
| II | MS27664TXXFXXP/S | JTPQ00RTXX-XXP/S (023) | |
| I | MS27665 | | Rack and Panel, Cancelled |
| | MS27666 | DNS | |
| II | MS27667EXXBXXC | JTB-XX-XX | Thru-Bulkhead UTZ Receptacle |
| II | MS27667EXXCXXC | JTB-XX-XX | |
| II | MS27667EXXFXXC | JTB-XX-XX | |
| | MS27668 | DNS | |
| | MS27669 | DNS | |
| | MS27670 | DNS | |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.