






LOC		DIST		REVISIONS				
AD	00	P	LYR	DESCRIPTION	DATE	OWN	APVD	
			C	REVISED PER ECO-11-025276	22DEC11	KH	DY	



- 1 MATERIAL:
HOUSING: LCP, GLASS FILLED, UL94V-0.
TERMINALS: HIGH PERFORMANCE COPPER ALLOY.
- 2 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN
ON PCB TAILS, NICKEL OVERALL.
- 3 FINISH:
30μ" MIN GOLD IN CONTACT AREA. SELECTIVE TIN-LEAD
ON PCB TAILS, NICKEL OVERALL.
4. SCREWS PACKAGED IN END OF PACKAGING TUBE.
- 5 FOR GROUNDED GUIDE PIN USE Ø3.56±0.08 PTH,
Ø3.66 DRILL, AND Ø6.5 PAD.
6. KEYING PIN SHOWN IN POSITION A. SEE KEYING CHART
ON SHEET 2 FOR OTHER POSITIONS.



THIS DRAWING IS A CONTROLLED DOCUMENT.		OWN J. K. SHOBER 04JAN2011	 TE Connectivity			
DIMENSIONS:		CHK J. EABY 04JAN2011				
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD J. EABY 04JAN2011	NAME			
		PRODUCT SPEC	IMPACT, 3 PAIR, 16 COLUMN, HEADER			
	0 PLC ±0.25 2 PLC ±0.13 2 PLC ±0.13 2 PLC ±0.13 2 PLC ±0.13	APPLICATION SPEC	LEFT GUIDED, RIGHT END WALL			
		WEIGHT	SIGNAL MODULE, 0.46 PTH			
MATERIAL	FINISH	CUSTOMER DRAWING		SIZE CAGE CODE DRAWING NO	RESTRICTED TO	
				A100779C-2007794		
	SEE TABLE			SCALE 6:1	SHEET 1 OF 2	REV C

LOC		DIST		REVISIONS						
AD		00		REV	LYR	DESCRIPTION	DATE	DWN	APVD	
				-	-	SEE SHEET 1	-	-	-	

	H	5.5	8-2007794-6
	H	4.9	8-2007794-5
	H	4.5	8-2007794-4
	H	5.5	8-2007794-3
	H	4.9	8-2007794-2
	H	4.5	8-2007794-1
	G	5.5	7-2007794-6
	G	4.9	7-2007794-5
	G	4.5	7-2007794-4
	G	5.5	7-2007794-3
	G	4.9	7-2007794-2
	G	4.5	7-2007794-1
	F	5.5	6-2007794-6
	F	4.9	6-2007794-5
	F	4.5	6-2007794-4
	F	5.5	6-2007794-3
	F	4.9	6-2007794-2
	F	4.5	6-2007794-1
	E	5.5	5-2007794-6
	E	4.9	5-2007794-5
	E	4.5	5-2007794-4
	E	5.5	5-2007794-3
	E	4.9	5-2007794-2
	E	4.5	5-2007794-1
	D	5.5	4-2007794-6
	D	4.9	4-2007794-5
	D	4.5	4-2007794-4
	D	5.5	4-2007794-3
	D	4.9	4-2007794-2
	D	4.5	4-2007794-1
	C	5.5	3-2007794-6
	C	4.9	3-2007794-5
	C	4.5	3-2007794-4
	C	5.5	3-2007794-3
	C	4.9	3-2007794-2
	C	4.5	3-2007794-1
	B	5.5	2-2007794-6
	B	4.9	2-2007794-5
	B	4.5	2-2007794-4
	B	5.5	2-2007794-3
	B	4.9	2-2007794-2
	B	4.5	2-2007794-1
	A	5.5	1-2007794-6
	A	4.9	1-2007794-5
	A	4.5	1-2007794-4
	A	5.5	1-2007794-3
	A	4.9	1-2007794-2
	A	4.5	1-2007794-1
	-	5.5	2007794-6
	-	4.9	2007794-5
	-	4.5	2007794-4
	-	5.5	2007794-3
	-	4.9	2007794-2
	-	4.5	2007794-1
FINISH	KEY POSITION	DIM M	PART NUMBER

REFER TO WWW.TE.COM
FOR PRODUCT AVAILABILITY

KEY POSITION
CHART

NONE

A

E

B

F

C

G

D

H

THIS DRAWING IS A CONTROLLED DOCUMENT.			DWN	J. K. SHOBER	04JAN2011	TE Connectivity			
DIMENSIONS:			CHK	J. EABY	04JAN2011	NAME IMPACT, 3 PAIR, 16 COLUMN, HEADER LEFT GUIDED, RIGHT END WALL SIGNAL MODULE, 0.46 PTH			
mm			APVD	J. EABY	04JAN2011				
			TOLERANCES UNLESS OTHERWISE SPECIFIED:			PRODUCT SPEC			
			9 PLC ±.1			APPLICATION SPEC			
MATERIAL			3 PLC ±0.25			SIZE			
-			5 PLC ±0.13			CAGE CODE			
-			4 PLC ±.			DRAWING NO			
-			ANGLES ±.			RESTRICTED TO			
-			FINISH ±.			A100779C=2007794			
-			SEE TABLE			WEIGHT			
-			-			CUSTOMER DRAWING			
						SCALE			
						5:1			
						SHEET			
						2			
						OF			
						2			
						REV			
						C			



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.