




This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE

SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
19	8.00	4.30

mat'l code				tolerances unless otherwise specified		CUSTOMER	FCI		www.fciconnect.com	
ltr	ecr no.	dr	date	linear	0.X ± 0.3	COPY		title	METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT	
BJ					0.XX ± 0.13	projection				
					.XXX $\pm .051$					
				angles	0° $\pm 2^\circ$			product family	METRAL	
				dr	T.BRUNGARD 11/19/99				code	
				engr	M.STRAWSER 11/19/99				213	
				chr	M.STRAWSER 11/19/99		scale	size	dwg no	
				appd	M.STRAWSER 02/29/00				89074	
sheet index		revision sheet							sheet	
									2	
									cage code	
									22526	

Pro/E

cage code 22526

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X01 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	1	1	1	3	2	3	2	3
	C	3	3	1	1	1	1	1	3	2	3	2	3
	B	3	2	1	1	1	1	1	3	2	3	2	3
	A	3	1	1	1	1	1	1	3	2	3	2	3

[illegible][illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X02 SEE NOTE 10 LEAD FREE OPTION	D	1	3	1	1	1	1	1	1	1	3	1	3
	C	1	3	1	1	1	1	1	1	1	3	1	3
	B	1	3	1	1	1	1	1	1	1	3	1	3
	A	1	3	1	1	1	1	1	1	1	3	1	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X08 SEE NOTE 10 LEAD FREE OPTION	D	3	2	3	2	3	3	3	3	2	3	2	2
	C	3	2	3	2	3	3	3	3	2	3	2	2
	B	3	2	3	2	3	3	3	3	2	3	2	2
	A	3	2	3	2	3	3	3	3	2	3	2	2

METAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11
89074-X12 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	3	2	2	2	2
	C	3	2	2	2	2	2	3	2	2	2	2
	B	3	2	2	2	2	2	3	2	2	2	2
	A	3	2	2	2	2	2	3	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X03 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	2	2	2	2	3	2	2	1
	C	3	2	1	1	2	2	2	2	3	2	2	1
	B	3	2	1	1	2	2	2	2	3	2	2	2
	A	3	2	1	1	2	2	2	1	3	2	2	2

[illegible][illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X04 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	2	2	2	2	2	3
	C	3	2	2	2	2	2	2	2	2	2	2	3
	B	3	2	2	2	2	2	2	2	2	2	2	3
	A	3	2	2	2	2	2	2	2	2	3	1	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X10 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	3	3	3	2	4	4
	C	3	2	2	2	2	2	3	3	3	2	4	4
	B	3	2	2	2	2	2	3	3	3	2	4	4
	A	3	2	2	2	2	2	3	3	3	2	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11
89074-X14 SEE NOTE 10 LEAD FREE OPTION	D	7	6	6	6	6	6	7	6	6	6	6
	C	7	6	6	6	6	6	7	6	6	6	6
	B	7	6	6	6	6	6	7	6	6	6	6
	A	7	6	6	6	6	6	7	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X05 SEE NOTE 10 LEAD FREE OPTION	D	3	1	1	1	1	1	1	3	2	3	2	3
	C	3	1	1	1	1	1	1	3	2	3	2	3
	B	3	1	1	1	1	1	1	3	2	3	2	3
	A	3	1	1	1	1	1	1	3	2	2	2	3

[illegible][illegible]



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X15 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	3	2	2	2
	C	2	2	2	2	2	2	3	2	2	2
	B	2	2	2	2	2	2	3	2	2	2
	A	2	2	2	2	2	2	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X16 SEE NOTE 10 LEAD FREE OPTION	D	4	2	2	2	2	2	2	2	2	2
	C	4	2	2	2	2	2	2	2	2	2
	B	4	2	2	2	2	2	2	2	2	2
	A	4	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X17 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4
	C	2	2	2	2	2	2	2	2	2	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X18 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	4	2	2	2	3
	C	3	2	2	2	2	4	2	2	2	3
	B	3	2	2	2	2	4	2	2	2	3
	A	3	1	2	2	2	4	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X19 SEE NOTE 10 LEAD FREE OPTION	D	4	2	2	2	2	2	2	4	3	3
	C	4	2	2	2	2	2	2	4	3	3
	B	4	2	2	2	2	2	2	4	3	3
	A	4	2	2	2	2	2	2	4	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X20 SEE NOTE 10 LEAD FREE OPTION	D	8	7	7	7	7	7	7	7	7	7
	C	8	7	7	7	7	7	7	7	7	7
	B	8	7	7	7	7	7	7	7	7	7
	A	8	7	7	7	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X21 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	3	2	4	2	2	2
	C	2	2	2	2	3	2	4	2	2	2
	B	2	2	2	2	3	2	4	2	2	2
	A	2	2	1	2	3	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X22 SEE NOTE 10 LEAD FREE OPTION	D	2	2	1	1	3	2	4	2	2	2
	C	2	2	2	2	3	2	4	2	2	2
	B	2	2	2	2	3	2	4	2	2	2
	A	2	2	2	2	3	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X23 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	3	3	3	3	3	3	3
	C	1	1	1	3	3	3	3	3	3	3
	B	1	1	1	3	3	3	3	3	3	3
	A	1	1	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X24 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	2
	C	1	1	1	1	1	1	1	1	1	2
	B	1	1	1	1	1	1	1	1	1	2
	A	1	1	1	1	1	1	1	1	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X25 SEE NOTE 10 LEAD FREE OPTION	D	3	3	1	3	3	3	3	3	3	3
	C	3	3	1	3	3	3	3	3	3	3
	B	3	3	1	3	3	3	3	3	3	3
	A	3	3	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X26 SEE NOTE 10 LEAD FREE OPTION	D	3	3	1	3	3	3	3	3	3	3
	C	3	4	1	3	3	3	3	3	3	3
	B	3	3	1	3	3	3	3	3	3	3
	A	3	3	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X27 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4
	C	2	2	2	2	2	2	2	2	2	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	1	1	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X28 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	1	2
	C	2	2	2	2	2	2	2	1	1	2
	B	2	2	2	2	2	2	2	4	1	2
	A	2	2	2	2	2	2	2	4	1	2

mat'l code				tolerances unless otherwise specified		CUSTOMER	
litr	ecn no.	dr	date	linear	0.X ±0.3	projection	COPY
BJ					0.XX ±0.13		
					.XXX ±.051		
					0° ±2°		
				angles		MIM	
				dr	T.BRUNGARD 11/19/99		
				enrg	M.STRAWSE 11/19/99		
				chr	M.STRAWSE 11/19/99		
				appd	M.STRAWSE 02/29/00	scale	1:1
sheet	revision						
index	sheet						

FCI		www.fciconnect.com	
title		METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT	
product family		METRAL	
size		dwg no	
A		89074	
		213	
		sheet	
		4	
cage code		22526	

Pro/E

PDM: Rev:BJ

STATUS:Released

Printed: Jun 10, 2010



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X29 SEE NOTE 10 LEAD FREE OPTION	D	2	2	4	4	4	4	4	4	4	4
	C	2	2	4	4	4	4	4	4	4	4
	B	2	2	4	4	4	4	4	4	4	4
	A	2	2	4	4	4	4	4	4	4	4

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X30 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	7
	C	6	6	6	6	6	6	6	6	6	7
	B	6	6	6	6	6	6	6	6	6	7
	A	6	6	6	6	6	6	6	6	6	7

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X31 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	7
	C	6	6	6	6	6	6	6	6	6	7
	B	6	6	6	6	6	6	6	6	6	7
	A	6	6	6	6	6	6	6	6	6	7

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X32 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	3	3	2	4
	C	2	2	2	2	2	2	3	3	2	4
	B	2	2	2	2	2	2	3	3	2	4
	A	2	2	2	2	2	2	3	3	2	4

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X33 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2
	C	2	2	2	2	2	2	4	2	2	2
	B	2	2	2	2	2	2	4	2	2	2
	A	2	2	2	2	2	2	4	2	2	2

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X34 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2
	C	2	2	2	2	2	2	4	2	2	2
	B	2	2	2	2	2	2	4	2	2	2
	A	2	2	2	2	2	2	4	2	2	2

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X35 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	3	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	3	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X36 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2
	C	2	2	2	2	2	2	4	2	2	2
	B	2	2	4	2	2	2	4	2	2	2
	A	2	2	3	2	2	2	4	2	2	2

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X37 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	4	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X38 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X39 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	4	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X40 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	3

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X41 SEE NOTE 10 LEAD FREE OPTION	D	3	3	3	3	3	2	4	2	4	2
	C	3	3	3	3	2	4	2	4	2	4
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	1	2	3	4	5	6	7	8	9	10
		1	2	3	4	5	6	7	8	9	10
89074-X42 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER		FCI www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	projection	⊕	copy	title		
BJ					0.XX ±0.13				METRAL SIGNAL HEADER		
					.XXX ±.051				2 MOD, 4 ROW PRESS-FIT		
				angles	0° ±2°				product family		
				dr	T.BRUNGARD 11/19/99				METRAL		
				enrg	M.STRAWSE 11/19/99				code		
				chr	M.STRAWSE 11/19/99				213		
				appd	M.STRAWSE 02/29/00				sheet		
sheet		revision								5	
index		sheet									

Pro/E

cage code
22526



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X43 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	2	1	1	1	1	2
	C	1	1	1	1	2	1	1	1	1	2
	B	1	1	1	1	2	1	1	1	1	2
	A	1	1	1	1	2	1	1	1	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X44 SEE NOTE 10 LEAD FREE OPTION	D	3	1	3	2	2	2	3	2	2	2
	C	3	3	2	2	2	2	3	2	2	2
	B	3	2	2	2	2	2	3	2	2	2
	A	3	2	2	2	2	2	3	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X45 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	1
	C	2	2	2	2	2	2	2	2	2	1
	B	2	2	2	2	2	2	2	2	2	1
	A	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X46 SEE NOTE 10 LEAD FREE OPTION	D	4	-	-	2	-	1	2	2	2	2
	C	4	-	-	2	-	2	2	2	2	2
	B	4	-	-	2	-	4	4	4	2	2
	A	4	-	-	2	-	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X47 SEE NOTE 10 LEAD FREE OPTION	D	8	-	-	6	-	5	6	6	6	6
	C	8	-	-	6	-	6	6	6	6	6
	B	8	-	-	6	-	8	8	8	6	6
	A	8	-	-	6	-	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X48 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	6
	C	6	6	6	6	6	6	6	8	8	6
	B	6	6	6	6	6	6	6	6	6	6
	A	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X49 SEE NOTE 10 LEAD FREE OPTION	D	4	-	-	2	-	6	6	6	6	6
	C	4	-	-	2	-	6	6	6	6	6
	B	4	-	-	2	-	8	8	8	6	6
	A	4	-	-	2	-	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X50 SEE NOTE 10 LEAD FREE OPTION	D	2	4	2	2	2	2	2	2	2	2
	C	2	4	2	2	2	2	2	2	2	2
	B	2	4	2	2	2	2	2	2	2	2
	A	2	4	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X51 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	3	3	2	4
	C	2	2	2	2	2	2	3	3	2	4
	B	2	2	2	2	2	2	3	3	2	4
	A	2	2	2	2	2	2	3	3	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X52 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	4	2	2	2	2
	C	2	2	2	2	2	4	2	2	2	2
	B	2	2	2	2	2	4	2	2	2	2
	A	2	2	2	2	2	4	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X53 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	4	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

mat'l code				tolerances unless otherwise specified	
lfr	ecn no.	dr	date	linear	0.X ±0.3
BJ					0.XX ±0.13
					.XXX ±.051
				angles	0° ±2°
				dr	T.BRUNGARD 11/19/99
				engr	M.STRAWSE 11/19/99
				chr	M.STRAWSE 11/19/99
				appd	M.STRAWSE 02/29/00
sheet	revision				
index	sheet				

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X54 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	1	1	1	1	1	2
	C	3	2	1	1	1	1	1	1	1	2
	B	3	2	1	1	1	1	1	1	1	2
	A	3	2	1	1	1	1	1	1	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X55 SEE NOTE 10 LEAD FREE OPTION	D	4	4	3	3	4	4	4	4	4	2
	C	4	4	3	3	4	4	4	4	4	4
	B	4	4	3	3	4	4	4	4	4	2
	A	4	4	3	3	4	4	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X56 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	3	4	4	3
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X57 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	-	-	-	1	1
	C	1	1	1	1	1	-	-	-	1	1
	B	1	1	1	1	1	-	-	-	1	1
	A	1	1	1	1	1	-	-	-	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2				
		1	2	3	4	5	6	7	8	9	10
89074-X58 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	3	1	3	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

CUSTOMER		FCI		www.fciconnect.com	
COPY		projection		title	
MIM		METRAL SIGNAL HEADER		2 MOD, 4 ROW PRESS-FIT	
scale		product family		METRAL	
1:1		size		dwg no	
		A		89074	
				213	
				sheet	
				6	

cage code 22526

Pro/E

PDM: Rev:BJ

STATUS:Released

Printed: Jun 10, 2010



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X59 SEE NOTE 10 LEAD FREE OPTION	D	6	8	6	6	6	6	6	6	6	6	6	6
	C	6	8	6	6	6	6	6	6	6	6	6	6
	B	6	8	6	6	6	6	6	6	6	6	6	6
	A	6	8	6	6	6	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X60 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	1	1	1	1	1	1	3	2	3
	C	2	2	2	1	1	1	1	1	1	3	2	3
	B	2	2	2	1	1	1	1	1	1	3	2	3
	A	2	2	2	1	1	1	1	1	1	3	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X61 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	1	2	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X62 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X63 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	4	2	2	4
	C	2	2	2	2	2	2	2	2	4	2	2	4
	B	2	2	2	2	2	2	2	2	4	2	2	4
	A	2	2	2	2	2	2	2	2	4	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X64 SEE NOTE 10 LEAD FREE OPTION	D	2	2	4	2	2	2	2	2	2	2	2	4
	C	2	2	4	2	2	2	2	2	2	2	2	4
	B	2	2	4	4	2	2	2	2	2	2	2	4
	A	2	2	4	4	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X65 SEE NOTE 10 LEAD FREE OPTION	D	3	4	2	3	2	2	2	4	2	2	2	2
	C	3	2	2	3	2	2	2	4	2	2	2	2
	B	3	2	2	3	3	2	2	4	2	2	2	2
	A	3	2	2	3	3	2	2	4	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X66 SEE NOTE 10 LEAD FREE OPTION	D	3	3	2	2	4	4	4	4	4	4	4	4
	C	3	3	2	2	4	4	4	4	4	4	4	4
	B	3	3	2	2	4	4	4	4	4	4	4	4
	A	3	3	2	2	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X67 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	4	4	4	4	4	2	2
	C	2	2	2	2	2	4	4	4	4	4	2	2
	B	2	2	2	2	2	4	4	4	4	4	2	2
	A	2	2	2	2	2	4	4	4	4	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X68 SEE NOTE 10 LEAD FREE OPTION	D	2	4	2	2	2	2	2	2	2	3	4	3
	C	2	4	2	2	2	2	2	2	2	3	4	3
	B	2	4	2	2	2	2	2	2	2	3	4	3
	A	2	4	2	2	2	2	2	2	2	3	4	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X69 SEE NOTE 10 LEAD FREE OPTION	D	4	4	4	4	3	3	3	4	2	3	2	2
	C	4	4	4	4	3	3	3	2	2	3	2	2
	B	4	4	4	4	3	3	3	2	2	3	3	2
	A	4	4	4	4	3	3	3	2	2	3	3	2


METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X70 SEE NOTE 10 LEAD FREE OPTION	D	4	4	4	4	2	4	2	2	4	2	2	2
	C	4	4	4	4	2	4	2	2	4	2	2	2
	B	4	4	4	4	2	4	2	2	4	4	2	2
	A	4	4	4	4	2	4	2	2	4	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X71 SEE NOTE 10 LEAD FREE OPTION	D	4	4	2	2	2	2	2	2	2	2	2	2
	C	4	4	2	2	2	2	2	2	2	2	2	2
	B	4	4	2	2	2	2	2	2	2	2	2	2
	A	4	4	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X72 SEE NOTE 10 LEAD FREE OPTION	D	3	4	4	4	4	4	4	4	4	4	4	4
	C	3	4	4	4	4	4	4	4	4	4	4	4
	B	3	4	4	4	4	4	4	4	4	4	4	4
	A	3	4	4	4	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X73 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4	2	2
	C	2	2	2	2	2	2	2	2	2	4	2	2
	B	2	2	2	2	2	2	2	2	2	4	2	2
	A	2	2	2	2	2	2	2	2	2	4	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X74 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	6	8	6	6
	C	6	6	6	6	6	6	6	6	6	8	6	6
	B	6	6	6	6	6	6	6	6	6	8	6	6
	A	6	6	6	6	6	6	6	6	6	8	6	6

mat'l code				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
BJ					0.XX ±0.13	projection		METRAL SIGNAL HEADER	
					.XXX ±.051			2 MOD, 4 ROW PRESS-FIT	
				angles	0° ±2°			product family	
				dr	T.BRUNGARD 11/19/99	scale		METRAL	
				enrg	M.STRAWER 11/19/99	size		code	
				chr	M.STRAWER 11/19/99	A		213	
				appd	M.STRAWER 02/29/00	1:1		sheet	
sheet index	revision							7	
	sheet								

cage code 22526

Pro/E

3

4

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X75 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	7	7	6	8	8
	C	6	6	6	6	6	6	6	7	7	6	8	8
	B	6	6	6	6	6	6	6	7	7	6	8	8
	A	6	6	6	6	6	6	6	7	7	6	8	8

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X76 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2	2	2
	C	2	2	2	2	2	2	4	2	2	2	2	2
	B	2	2	2	2	2	2	4	2	2	2	2	2
	A	2	2	2	2	2	2	4	2	2	2	2	1

[illegible][illegible][illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X80 SEE NOTE 10 LEAD FREE OPTION.	D	2	2	2	2	2	2	2	2	2	3	3	3
	C	2	2	2	2	2	2	2	2	2	3	3	3
	B	2	2	2	2	2	2	2	2	2	3	3	3
	A	2	2	2	2	2	2	2	2	2	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X81 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	3	3
	C	2	2	2	2	2	2	2	2	2	2	3	3
	B	2	2	2	2	2	2	2	2	2	2	3	3
	A	2	2	2	2	2	2	2	2	2	2	3	3

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2							
		1	2	3	4	5	6	7	8	9	10	11	12	
89074-X83 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	7	7	6	6	6	7	7	6	8	8
	C	6	6	6	7	7	6	6	6	7	7	6	8	8
	B	6	6	6	7	7	6	6	6	7	7	6	8	8
	A	6	6	6	7	7	6	6	6	7	7	6	8	8

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X85 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1	1	1
	A	2	2	2	2	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	
89074-X86 SEE NOTE 10 LEAD FREE OPTION	D	-	-	2	2	2	-	-	4	2	2	4	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	2
	A	-	-	-	-	-	-	4	4	4	4	19	

[illegible]

METAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2				
		1	2	3	4	5	6	7	8	9	10	11
89074-X88 SEE NOTE 10 LEAD FREE OPTION	D	4	-	2	4	4	2	-	4	2	-	4
	C	4	-	4	4	4	2	-	4	2	-	4
	B	4	-	-	4	4	2	2	4	2	2	4
	A	4	-	-	4	4	2	2	4	2	2	4

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11
89074-X90 SEE NOTE 10 LEAD FREE OPTION	D	3	3	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	1	3	3	3	3	3	3	3

[illegible]

METRAL P/N		CONTACT CODE MOD. 1						MOD. 2					
	ROW	1	2	3	4	5	6	7	8	9	10	11	12
89074-X9I SEE NOTE 10 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	5	7	7	7	7	7	7	7	7

[illegible]

METRAL P/N	ROW	CONTACT MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	
89074-X102 SEE NOTE 10 LEAD FREE OPTION	D	19	2	1	2	4	2	1	2	2	2	19	3
	C	19	2	1	2	2	2	1	2	2	2	19	3
	B	19	19	1	2	2	2	1	2	2	1	19	
	A	19	1	2	2	1	2	2	2	2	2	19	

[illegible][illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2				
		1	2	3	4	5	6	7	8	9	10	11
89074-X103 SEE NOTE 10 LEAD OPTION	D	2	2	2	2	2	2	2	2	2	2	2
	C	2	1	1	2	2	2	2	2	2	2	1
	B	2	2	2	2	2	2	2	2	2	1	2
	A	1	2	1	1	1	2	2	2	2	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X93 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	3	2	2	3
	C	2	2	2	2	2	2	2	2	3	2	2	3
	B	2	2	2	2	2	2	2	2	3	2	2	3
	A	2	2	2	2	2	2	2	2	3	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11
89074-X99 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	4	2	2	4	3	3	4
	C	2	2	2	2	4	2	2	4	3	3	4
	B	2	2	2	2	4	2	2	4	3	3	4
	A	2	2	2	2	4	2	2	4	3	3	4

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2							
		1	2	3	4	5	6	7	8	9	10	11	12	
89074-X94 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	1	1	2	2	2	2	3	2	2	2
	C	3	2	2	1	1	2	2	1	2	3	2	2	2
	B	3	2	2	1	1	2	1	1	2	3	2	2	2
	A	3	2	2	1	1	2	1	2	2	3	2	2	2

[illegible]

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2						
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X95 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	4	2	4	2
	C	2	2	2	2	4	2	2	4	2	4	2	4
	B	2	2	2	2	2	2	4	2	4	2	4	2
	A	2	2	2	2	2	2	2	4	2	4	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1					MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11
89074-X101 SEE NOTE 10 LEAD FREE OPTION	D	19	2	2	2	19	2	2	19	2	2	2
	C	19	2	1	2	19	2	2	19	2	2	2
	B	19	2	19	2	19	2	2	19	2	1	2
	A	19	2	1	2	19	2	2	19	2	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1						MOD. 2					
		1	2	3	4	5	6	7	8	9	10	11	12
89074-X96 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	2	2	1

[illegible]



This document is the property of and embodies
CONFIDENTIAL and PROPRIETARY information of FCI.
No part of the information shown on this
document may be used in any way or disclosed
to others without the written consent of FCI.
Copyright FCI.

REV E - 2006-04-18

PRODUCT NUMBER
89074-XYX
89074-XYXLF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL
POLYMER 30 % GLASS.
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:
55422-XYX IS SnPb
55422-XYXLF IS SN (LEAD FREE)
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE
LEVEL SHOWN IN TABLE.
- PRODUCT MARKING:
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN
SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES.
IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P"
WILL BE ADDED TO THE END OF THE PART NUMBER.
EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH
QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE
EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS
AS DESCRIBED IN GS-22-008.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING
(DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE
TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR
VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1---
AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT
SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR
NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

10. FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.
EXAMPLE: 89074-X01LF

PLATING IN CONTACT AREA

DASH NUMBER	PERFORMANCE LEVEL	NOTES
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-9YY	TELCORDIA CO	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9

mat'l code				- -		tolerances unless otherwise specified		CUSTOMER				www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3		projection	COPY			title METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT		
BJ					0.XX ±0.13								
				.XXX ±.051									
				angles	0° ±2°								
				dr	T.BRUNGARD	11/19/99							
				engr	M.STRAWSE	11/19/99			product family		METRAL	code	
				chr	M.STRAWSE	11/19/99	scale		size		dwg no	213	
				appd	M.STRAWSE	02/29/00	1:1		A		89074	sheet	
												10	
sheet index		revision sheet											

Pro/E

cage code 22526



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.