


PRODUCT NUMBER
89074-XYX
89074-XYLX



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ± 0.3	COPY		projection		title	
BG	V06-0573	DCH	2006-06-14		0.XX ± 0.13	MIM		METRAL		METRAL SIGNAL HEADER	
BH	DG10-0008	TER	2010-01-07		.XXX ± .051	2:1		A		2 MOD, 4 ROW PRESS-FIT	
BJ	DG10-0214	TER	2010-06-07	angles	0° ± 2°	scale		product family		code	
-	-	-	-	dr	T.BRUNGARD 11/19/99	2:1		METRAL		213	
BD	V03-1209	HTB	11/10/03	enrg	M.STRAWSER 11/19/99	A		size		sheet	
BE	V04-0795	TAB	08/16/04	chr	M.STRAWSER 11/19/99	A		89074		1 of 10	
BF	V05-0030	DAI	02/11/05	appd	M.STRAWSER 02/29/00	A		cage code		4	
sheet	revision	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ	BJ
index	sheet	1	2	3	4	5	6	7	8	9	10


REV E - 2008-04-18

Pro/E

cage code 22526



This document is the property of and embodies  
 CONFIDENTIAL and PROPRIETARY information of FCI.  
 No part of the information shown on this  
 document may be used in any way or disclosed  
 to others without the written consent of FCI.  
 Copyright FCI.



REQUIRED PC BOARD LAYOUT  
COMPONENT SIDE

SEE PRINT 58351 FOR  
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
1	5.00	4.30
2	5.75	4.30
3	6.50	4.30
4	7.25	4.30
5	5.00	13.60
6	5.75	13.60
7	6.50	13.60
8	7.25	13.60
10	5.75	17.00
11	6.50	17.00
12	7.25	17.00
19	8.00	4.30

mat'l code				tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
BJ					0.XX ±0.13	projection		METRAL SIGNAL HEADER	
				angles	.XXX ±.051			2 MOD, 4 ROW PRESS-FIT	
				dr	0° ±2°			product family	
				enr	T.BRUNGARD 11/19/99	scale		METRAL	
				chr	M.STRAWSER 11/19/99	2:1		code	
				appd	M.STRAWSER 02/29/00	size		213	
sheet index		revision sheet				A		89074	
								sheet 2	

cage code 22526

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X01 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	1	1	3	2
	C	3	3	1	1	1	1	3	2
	B	3	2	1	1	1	1	3	2
	A	3	1	1	1	1	1	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X02 SEE NOTE 10 LEAD FREE OPTION	D	1	3	1	1	1	1	1	3
	C	1	3	1	1	1	1	1	3
	B	1	3	1	1	1	1	1	3
	A	1	3	1	1	1	1	1	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X03 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	2	2	2	2
	C	3	2	1	1	2	2	2	2
	B	3	2	1	1	2	2	2	2
	A	3	2	1	1	2	2	1	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X04 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	2	2
	C	3	2	2	2	2	2	2	2
	B	3	2	2	2	2	2	2	2
	A	3	2	2	2	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X05 SEE NOTE 10 LEAD FREE OPTION	D	3	1	1	1	1	1	3	2
	C	3	1	1	1	1	1	3	2
	B	3	1	1	1	1	1	3	2
	A	3	1	1	1	1	1	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X06 SEE NOTE 10 LEAD FREE OPTION	D	7	6	6	6	6	6	6	5
	C	7	6	6	6	6	6	6	5
	B	7	6	6	6	6	6	6	5
	A	7	6	6	6	6	6	6	5

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X07 SEE NOTE 10 LEAD FREE OPTION	D	8	6	6	6	6	6	6	6
	C	8	6	6	6	6	6	6	6
	B	8	6	6	6	6	6	6	6
	A	8	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X08 SEE NOTE 10 LEAD FREE OPTION	D	3	2	3	2	3	3	3	2
	C	3	2	3	2	3	3	3	2
	B	3	2	3	2	3	3	3	2
	A	3	2	3	2	3	3	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X09 SEE NOTE 10 LEAD FREE OPTION	D	8	7	7	7	7	7	7	6
	C	8	7	7	7	7	7	7	6
	B	8	7	7	7	7	7	7	6
	A	8	7	7	7	7	7	7	6

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X10 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	3	3	2
	C	3	2	2	2	2	3	3	2
	B	3	2	2	2	2	3	3	2
	A	3	2	2	2	2	3	3	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X11 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	2	2	2
	C	3	2	2	2	2	2	2	2
	B	3	2	2	2	2	2	2	2
	A	3	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X12 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	3	2	2
	C	3	2	2	2	2	3	2	2
	B	3	2	2	2	2	3	2	2
	A	3	2	2	2	2	3	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X13 SEE NOTE 10 LEAD FREE OPTION	D	7	6	6	6	6	6	6	6
	C	7	6	6	6	6	6	6	6
	B	7	6	6	6	6	6	6	6
	A	7	6	6	6	6	6	6	6

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2			
		1	2	3	4	5	6	7	8
89074-X14 SEE NOTE 10 LEAD FREE OPTION	D	7	6	6	6	6	7	6	6
	C	7	6	6	6	6	7	6	6
	B	7	6	6	6	6	7	6	6
	A	7	6	6	6	6	7	6	6



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

mat'l code		tolerances unless otherwise specified	CUSTOMER	www.fciconnect.com <b>METRAL SIGNAL HEADER</b> <b>2 MOD, 4 ROW PRESS-FIT</b>
lfr	ecn no.	dr	COPY	
BJ			projection	
		linear	$0.X \pm 0.3$ $0.XX \pm 0.13$ $.XXX \pm .051$	product family
		angles	$0^\circ \pm 2^\circ$	METRAL
		dr	T. BRUNGARD 11/19/99	code
		enrg	M. STRAWSER 11/19/99	213
		chr	M. STRAWSER 11/19/99	sheet
		appd	M. STRAWSER 02/29/00	3
sheet index	revision sheet		scale	89074
			1:1	A



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X15 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X21 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	3	2	4	2	2	2
	C	2	2	2	2	3	2	4	2	2	2
	B	2	2	2	2	3	2	4	2	2	2
	A	2	2	2	2	3	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X25 SEE NOTE 10 LEAD FREE OPTION	D	3	3	1	3	3	3	3	3	3	3
	C	3	3	1	3	3	3	3	3	3	3
	B	3	3	1	3	3	3	3	3	3	3
	A	3	3	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X16 SEE NOTE 10 LEAD FREE OPTION	D	4	2	2	2	2	2	2	2	2	2
	C	4	2	2	2	2	2	2	2	2	2
	B	4	2	2	2	2	2	2	2	2	2
	A	4	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X22 SEE NOTE 10 LEAD FREE OPTION	D	2	2	1	1	3	2	4	2	2	2
	C	2	2	2	2	3	2	4	2	2	2
	B	2	2	2	2	3	2	4	2	2	2
	A	2	2	2	2	3	2	4	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X26 SEE NOTE 10 LEAD FREE OPTION	D	3	3	1	3	3	3	3	3	3	3
	C	3	4	1	3	3	3	3	3	3	3
	B	3	3	1	3	3	3	3	3	3	3
	A	3	3	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X17 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4
	C	2	2	2	2	2	2	2	2	2	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X23 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	3	3	3	3	3	3	3
	C	1	1	1	3	3	3	3	3	3	3
	B	1	1	1	3	3	3	3	3	3	3
	A	1	1	1	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X27 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	4
	C	2	2	2	2	2	2	2	2	2	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	1	1	2	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X18 SEE NOTE 10 LEAD FREE OPTION	D	3	2	2	2	2	4	2	2	2	3
	C	3	2	2	2	2	4	2	2	2	3
	B	3	2	2	2	2	4	2	2	2	3
	A	3	1	2	2	2	4	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X24 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	2
	C	1	1	1	1	1	1	1	1	1	2
	B	1	1	1	1	1	1	1	1	1	2
	A	1	1	1	1	1	1	1	1	1	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X28 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X19 SEE NOTE 10 LEAD FREE OPTION	D	4	2	2	2	2	2	2	4	3	4
	C	4	2	2	2	2	2	2	4	3	4
	B	4	2	2	2	2	2	2	4	3	4
	A	4	2	2	2	2	2	2	4	3	4

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X20 SEE NOTE 10 LEAD FREE OPTION	D	8	7	7	7	7	7	7	7	7	7
	C	8	7	7	7	7	7	7	7	7	7
	B	8	7	7	7	7	7	7	7	7	7
	A	8	7	7	7	7	7	7	7	7	7

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY	projection	title	
BJ					0.XX ±0.13			METRAL SIGNAL HEADER	
				angles	.XXX ±.051			2 MOD, 4 ROW PRESS-FIT	
				dr	0° ±2°			product family	METRAL
				enrg	T.BRUNGARD 11/19/99			size	dwg no
				chr	M.STRAWSER 11/19/99			scale	89074
				appd	M.STRAWSER 02/29/00				code
sheet index	revision sheet								213
									sheet
									4



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X29 SEE NOTE 10 LEAD FREE OPTION	D	2	2	4	4	4	4	4	4	4	4
	C	2	2	4	4	4	4	4	4	4	4
	B	2	2	4	4	4	4	4	4	4	4
	A	2	2	4	4	4	4	4	4	4	4

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X35 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	3	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	3	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X39 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	4	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X30 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	7	7
	C	6	6	6	6	6	6	6	6	6	7
	B	6	6	6	6	6	6	6	6	6	7
	A	6	6	6	6	6	6	6	6	6	7

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X36 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	4	2	2	2	2
	C	2	2	2	2	2	4	2	2	2	2
	B	2	2	4	2	2	4	2	2	2	2
	A	2	2	3	2	2	4	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X40 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	4	2
	A	2	2	2	2	2	2	2	2	2	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X31 SEE NOTE 10 LEAD FREE OPTION	D	6	6	6	6	6	6	6	6	7	7
	C	6	6	6	6	6	6	6	6	7	7
	B	6	6	6	6	6	6	6	6	7	7
	A	6	6	6	6	6	6	6	6	6	7

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X37 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	4	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X41 SEE NOTE 10 LEAD FREE OPTION	D	3	3	3	3	2	4	2	4	2	4
	C	3	3	3	3	2	4	2	4	2	4
	B	3	3	3	3	3	3	3	3	3	3
	A	3	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X32 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	3	3	2	4
	C	2	2	2	2	2	2	3	3	2	4
	B	2	2	2	2	2	2	3	3	2	4
	A	2	2	2	2	2	2	3	3	2	4

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X38 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	4	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X42 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	1	1	1	1	1	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X33 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

METRAL P/N	ROW	CONTACT CODE MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X34 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	4	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	4	2	2	2
	A	2	2	2	2	2	2	2	2	2	2

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
BJ					0.XX ±0.13	projection		METRAL SIGNAL HEADER	
				angles	.XXX ±.051			2 MOD, 4 ROW PRESS-FIT	
				dr	0° ±2°			product family	
				enrg	T.BRUNGARD 11/19/99	scale		METRAL	
				chr	M.STRAWSER 11/19/99	1:1		code	
				appd	M.STRAWSER 02/29/00	A		213	
sheet index	revision sheet							89074	
								5	



This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.



1   2													3													4												
A																										A												
METRAL P/N													METRAL P/N													METRAL P/N												
89074-X59 SEE NOTE 10 LEAD FREE OPTION													89074-X65 SEE NOTE 10 LEAD FREE OPTION													89074-X70 SEE NOTE 10 LEAD FREE OPTION												
METRAL P/N													METRAL P/N													METRAL P/N												
89074-X60 SEE NOTE 10 LEAD FREE OPTION													89074-X66 SEE NOTE 10 LEAD FREE OPTION													89074-X71 SEE NOTE 10 LEAD FREE OPTION												
METRAL P/N													METRAL P/N													METRAL P/N												
89074-X61 SEE NOTE 10 LEAD FREE OPTION													89074-X67 SEE NOTE 10 LEAD FREE OPTION													89074-X72 SEE NOTE 10 LEAD FREE OPTION												
METRAL P/N													METRAL P/N													METRAL P/N												
89074-X62 SEE NOTE 10 LEAD FREE OPTION													89074-X68 SEE NOTE 10 LEAD FREE OPTION													89074-X73 SEE NOTE 10 LEAD FREE OPTION												
METRAL P/N													METRAL P/N													METRAL P/N												
89074-X63 SEE NOTE 10 LEAD FREE OPTION													89074-X69 SEE NOTE 10 LEAD FREE OPTION													89074-X74 SEE NOTE 10 LEAD FREE OPTION												
METRAL P/N													METRAL P/N													METRAL P/N												
89074-X64 SEE NOTE 10 LEAD FREE OPTION																																						

mat'l code		--		Tolerances unless otherwise specified		CUSTOMER		 www.fciconnect.com			
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title			
BJ					0.XX ±0.13	projection		METRAL SIGNAL HEADER 2 MOD, 4 ROW PRESS-FIT			
					.XXX ±.051						
				angles	0° ±2°						
				dr	T.BRUNGARD 11/19/99			product family	METRAL	code	213
				enrg	M.STRAWSER 11/19/99			size	dwg no	7	
				chr	M.STRAWSER 11/19/99			scale	89074		
				appd	M.STRAWSER 02/29/00	1:1	A				
sheet index	revision sheet								cage code	22526	







This document is the property of and embodies CONFIDENTIAL and PROPRIETARY information of FCI. No part of the information shown on this document may be used in any way or disclosed to others without the written consent of FCI. Copyright FCI.

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X91 SEE NOTE 10 LEAD FREE OPTION	D	7	7	7	7	7	7	7	7	7	7
	C	7	7	7	7	7	7	7	7	7	7
	B	7	7	7	7	7	7	7	7	7	7
	A	7	7	7	5	7	7	7	7	7	7

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X92 SEE NOTE 10 LEAD FREE OPTION	D	1	3	3	3	3	3	3	3	3	3
	C	3	3	3	3	3	3	3	3	3	3
	B	3	3	3	3	3	3	3	3	3	3
	A	1	3	3	3	3	3	3	3	3	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X93 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	3	2	3
	C	2	2	2	2	2	2	2	3	2	3
	B	2	2	2	2	2	2	2	3	2	3
	A	2	2	2	2	2	2	2	3	2	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X94 SEE NOTE 10 LEAD FREE OPTION	D	3	2	1	1	2	2	2	3	2	2
	C	3	2	1	1	2	2	1	2	3	2
	B	3	2	1	1	2	1	1	2	3	2
	A	3	2	1	1	2	1	2	2	3	2

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X95 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	4	2	4	2	4
	C	2	2	2	2	4	2	4	2	4	2
	B	2	2	2	2	2	4	2	4	2	4
	A	2	2	2	2	2	4	2	4	2	4

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X96 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X97 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	2
	C	2	2	2	2	2	2	2	2	2	2
	B	2	2	2	2	2	2	2	2	2	3
	A	2	2	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X98 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	4	4
	C	2	2	2	2	2	2	2	1	2	4
	B	2	2	2	2	2	2	2	2	2	4
	A	2	2	2	2	2	2	2	2	2	4

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X99 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	4	2	2	4	3	3	4
	C	2	2	2	4	2	2	4	3	3	4
	B	2	2	2	4	2	2	4	3	3	4
	A	2	2	2	4	2	2	4	3	3	4

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X100 SEE NOTE 10 LEAD FREE OPTION	D	1	9	2	2	2	2	2	1	2	1
	C	1	9	2	2	2	2	2	1	2	1
	B	1	9	2	2	2	2	2	1	1	9
	A	1	9	2	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X101 SEE NOTE 10 LEAD FREE OPTION	D	1	9	2	2	1	9	2	2	1	9
	C	1	9	2	1	2	1	9	2	2	3
	B	1	9	2	1	9	2	1	9	2	3
	A	1	9	2	1	9	2	1	9	2	3

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X102 SEE NOTE 10 LEAD FREE OPTION	D	1	9	2	1	2	2	1	2	2	1
	C	1	9	2	1	2	2	1	2	2	1
	B	1	9	1	2	2	2	1	2	2	1
	A	1	9	1	2	2	2	2	2	2	1

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X103 SEE NOTE 10 LEAD FREE OPTION	D	2	2	2	2	2	2	2	2	2	1
	C	2	1	1	2	2	2	2	2	2	1
	B	2	2	2	2	2	2	2	1	9	2
	A	1	2	1	1	1	2	2	2	1	2

METRAL P/N	ROW	CONTACT MOD. 1				MOD. 2					
		1	2	3	4	5	6	7	8		
89074-X104 SEE NOTE 10 LEAD FREE OPTION	D	1	1	1	1	1	1	1	1	1	1
	C	1	1	1	1	1	1	1	1	1	1
	B	3	3	3	3	3	1	1	1	1	1
	A	1	1	1	1	1	1	1	1	1	1

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		FCI		www.fciconnect.com	
lfr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title		METRAL SIGNAL HEADER	
BJ				angles	0.XX ±0.13	projection		2 MOD, 4 ROW PRESS-FIT		code	
				dr	.XXX ±.051	MIM		product family		METRAL	
				enr	0° ±2°	scale		size		213	
				chr	T.BRUNGARD 11/19/99	1:1		dwg no		89074	
				appd	M.STRAWSER 11/19/99	A		sheet		9	
					M.STRAWSER 02/29/00			cage code		22526	
sheet index	revision sheet										

PRODUCT NUMBER
89074-XYX
89074-XYLFF

NOTES:

- FOR DIM A AND B SEE SHEET 2 AND UP.
- BODY MATERIAL: LIQUID CRYSTAL  
POLYMER 30 % GLASS.  
FLAME RETARDANT ACC. UL 94-V0.
- PIN MATERIAL:  
PHOSPHOR BRONZE.
- PLATING ON PRESS-FIT TAIL:  
55422-XYX IS SnPb  
55422-XYLFF IS SN (LEAD FREE)  
PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE.
- PRODUCT MARKING:  
PART NUMBER DESIGNATION & BATCH I.D.
- ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, A SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP OR XXXXX-XXXPLF
- PRODUCT SPECIFICATION GS-12-180  
APPLICATION SPECIFICATION BUS-20-073
- AFTER INSERTION INTO CIRCUIT BOARD WITH QUALIFIED TOOL.
- THE PRODUCTS WHERE THE PART NUMBER ENDS IN LF MEET THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

(10.) FOR LEAD FREE PART NUMBERS, ADD AN "LF" SUFFIX.  
EXAMPLE: 89074-X01LF

PLATING IN CONTACT AREA		
DASH NUMBER	PERFORMANCE LEVEL	NOTES
-N1YY	TELCORDIA CO (NXT)	-
-N5YY	TELCORDIA UE (NXT)	-
-1YY	TELCORDIA CO	-
-2YY	TELECOM CLASS	-
-3YY	IEC CLASS I	-
-5YY	TELCORDIA UE	-
-9YY	TELCORDIA CO	-
-N1YYLF	TELCORDIA CO (NXT) IEC CLASS I	SEE NOTE 9
-N5YYLF	TELCORDIA UE (NXT)	SEE NOTE 9
-1YYLF	TELCORDIA CO IEC CLASS I	SEE NOTE 9
-2YYLF	TELECOM CLASS	SEE NOTE 9
-5YYLF	TELCORDIA UE	SEE NOTE 9



This document is the property of and embodies  
 CONFIDENTIAL and PROPRIETARY information of FCI.  
 No part of the information shown on this  
 document may be used in any way or disclosed  
 to others without the written consent of FCI.  
 Copyright FCI.

ALL PRODUCTS EXCEPT THOSE WITH PART NUMBERS CONTAINING (DRAWING NO.)-N1--- OR (DRAWING NO.)-N5---WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN. PART NUMBERS (DRAWING NO.)-N1--- AND (DRAWINGS NO.)-N5---WILL NOT WITHSTAND REFLOW AND Au CONTACT SURFACE OF THE CONTACTS SHALL BE EXPOSED TO A MAXIMUM 140°C FOR NO LONGER THAN 15 SECONDS IN A WAVE SOLDER APPLICATION.

mat'l code		--		tolerances unless otherwise specified		CUSTOMER		www.fciconnect.com	
ltr	ecn no.	dr	date	linear	0.X ±0.3	COPY		title	
BJ				linear	0.XX ±0.13	projection		METRAL SIGNAL HEADER	
				angles	.XXX ±.051			2 MOD, 4 ROW PRESS-FIT	
				dr	0° ±2°			product family	
				enr	T.BRUNGARD 11/19/99	scale		METRAL	
				chr	M.STRAWSER 11/19/99	1:1		code	
				appd	M.STRAWSER 02/29/00	A		213	
sheet index	revision sheet							sheet	
								10	

cage code 22526



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.