THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION ,19 .
© COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	DIST
AG	1

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	AL	REV PER 0G3C-0045-02	09JUL02	RB	HW





FIG 1



CONTACT ARRANGEMENT




FIG 2

1. FOR ADDITIONAL SPECIFICATIONS SEE AMP PRODUCT SPEC 108-7519.
2. SWITCH SHOWN IN OPEN POSITION.
3. ALL CHARACTERS AND ROCKERS ARE WHITE, HOUSING IS BLACK.
4. STAMPING WILL VARY ON 2 AND 3 POSITION TOPS DUE TO SPACE RESTRICTIONS.

△5 STRIPPABLE TRANSPARENT SEAL, SEE FIG 6.

△6 .315 DIMENSION APPLIES AT TERMINAL TIPS. TERMINALS ARE .300 +.010 −.000 AT MOUNTING SURFACE.

△7 NO POSITION MARKING.

△8 NO PART NO. MARKING.

△9 STRIPPABLE TAPE SEAL, SEE FIGURE 8.

	HOUSING	MARKING	PROTECTIVE SEAL	A	NO OF POSN	PART NO
	FIG 2	FIG 3A& 7	——	1.08	10	6-435802-3
	FIG 1	FIG 3B	△9	.88	8	3-435802-8
SUPSD BY 1-435802-6	FIG 2	△7 △8	△5	.58	5	3-435802-1
	FIG 2	△7 △8	△5	.88	8	3-435802-0
	FIG 2	△7 △8	△5	.48	4	2-435802-9
SUPSD BY 1-435802-0	FIG 1	△7	——	.28	2	2-435802-8
SUPSD BY 1-435802-3	FIG 1	△7	△5	.28	2	2-435802-7
OBSOLETE	FIG 2	△7	△5	1.08	10	2-435802-6
OBSOLETE	FIG 2	FIG 4	——	.88	8	2-435802-5
OBSOLETE	FIG 2	△7	△5	.88	8	2-435802-4
OBSOLETE	FIG 2	FIG 3A& 5	——	.48	4	2-435802-3
	FIG 2			1.28	12	2-435802-2
	FIG 2			1.18	11	2-435802-1
	FIG 2			1.08	10	2-435802-0
	FIG 2			.98	9	1-435802-9
	FIG 2	FIG 3A	△5	.78	7	1-435802-8
	FIG 2			.68	6	1-435802-7
	FIG 2			.58	5	1-435802-6
	FIG 2			.48	4	1-435802-5
	FIG 2			.38	3	1-435802-4
SUPSD BY 3-1437590-2	FIG 1	FIG 3B	△5	.28	2	1-435802-3
	FIG 2		——	1.28	12	1-435802-2
	FIG 1	FIG 3B	——	.28	2	1-435802-0
	FIG 2		△5	.88	8	435802-9
	FIG 2		——	1.08	10	435802-8
	FIG 2	FIG 3A	——	.98	9	435802-7
	FIG 2		——	.78	7	435802-6
	FIG 2		——	.68	6	435802-5
	FIG 2		——	.58	5	435802-4
	FIG 2		——	.48	4	435802-3
	FIG 2	FIG 3A	——	.38	3	435802-2
435802-1 SHOWN	FIG 2	FIG 3A	——	.88	8	435802-1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005
4 PLC ±-
ANGLES ±-

MATERIAL: HOUSING & ROCKERS, POLYESTER CONTACTS; BERYLLIUM COPPER

FINISH: CONTACTS; PLATED .000030 MIN GOLD IN CONTACT AREA OVER .000050 MIN NICKEL

DWN R. TALLEY 9-19-89
CHK R. MILLER 9-19-89
APVD H. LEITER 9-19-89

PRODUCT SPEC —
APPLICATION SPEC —
WEIGHT —

AMP Incorporated
Harrisburg, PA 17105-3608

NAME SWITCH ASSY, DIP, TYPE "C", 7000 SERIES, SPST, SIDE ACTUATED

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C- 435802	—

CUSTOMER DRAWING | SCALE 4:1 | SHEET 1 OF 2 | REV AL

435802

AMP 1471-9 REV 11JUN97

09-JUL-02 09:16:40 amp01193 /home/amp01193/dmtmod/ec004502

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION ,19 .
© COPYRIGHT 19 BY AMP INCORPORATED. ALL RIGHTS RESERVED.

LOC	DIST
AG	1

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	–	SEE SHEET 1	–	–	–




FIG 3A




FIG 3B




FIG 4




FIG 5




FIG 6




FIG 7




FIG 8

435802

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: INCHES

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±-
1 PLC ±-
2 PLC ±-
3 PLC ±.005
4 PLC ±-
ANGLES ±-

MATERIAL: SEE SHEET 1
FINISH: SEE SHEET 1

DWN	R. TALLEY	9-19-89
CHK	R. MILLER	9-19-89
APVD	H. LEITER	9-19-89

PRODUCT SPEC –
APPLICATION SPEC –
WEIGHT –

AMP Incorporated
Harrisburg, PA 17105-3608

NAME: SWITCH ASSY, DIP, TYPE "C", 7000 SERIES, SPST, SIDE ACTUATED

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A2	00779	C- 435802	–

CUSTOMER DRAWING | SCALE 4:1 | SHEET 2 OF 2 | REV AL


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.