

13

12

11

10

9

8

7

6

5

4

3

2

1

J

I

H

G

F



E

D

C





B

A



DETAIL I

PT. NO. (19-09-2033)
ENG. NO. 1991-3P4
PLUG WITHOUT MTG. EARS AND
WITHOUT SQUARE ENDS.
FOR USE WITH 2687 CONNECTOR



PLUG HOUSING

3	X
2	X
1	X

UPDATE TITLE BLOCK EC NO: UCP2007-1498 DRW: AELHAG 2007/04/04 CHK: AELHAG 2007/04/04 APPR: FSM TH 2007/04/04 REV: X	DESCRIPTION	QUALITY SYMBOLS ▽=0 ▽=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION			
				mm	INCH	DRAWN BY	DATE	TITLE				
			4 PLACES	± .005	± .005	GEP	1988/03/07	.093/(2.36) HOUSINGS,				
			3 PLACES	± .010	± .005	CHECKED BY	DATE	PLUG AND RECEPTACLE,				
			2 PLACES	± 0.13	± 0.10	RW	1988/03/07	3 CKT, .248/(6.30) CTRS				
			1 PLACE	± 0.25	± .005	APPROVED BY	DATE	MOLEX INCORPORATED				
			ANGULAR		± 1 °	RAS	1988/03/07	MATERIAL NO.				
			DRAFT WHERE APPLICABLE		MUST REMAIN		SEE CHART		DOCUMENT NO.		SHEET NO.	
			WITHIN DIMENSIONS				SIZE		SD-1991-3*		1 OF 3	
							C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			

12

11

10

9

8

7

6


5

4

3

2

1




LEGEND:

1991-3****


CIRCUIT SIZE
P = PLUG
R = RECEPTACLE

BLANK = PLUG: WITH PREBENT EARS
PER DETAIL 4
1 = WITHOUT EARS
4 = WITHOUT EARS, WITHOUT SQUARE
ENDS PER DETAIL 1
5 = RECEPT: WITH PREBENT EARS,
PER DETAIL 4


COLOR: BLANK=NATURAL COLOR
AM=AMBER BK=BLACK BU=BLUE
BN=BROWN CY=GRAY GN=GREEN
OR=ORANGE RD=RED YW=YELLOW



DETAIL 3
STANDARD MOUNTING EAR
(SCALE 4:1)



HOUSING	DIM. "A"	DIM. "B"	DIM. "C" STD. EARD	DIM. "C" PREBENT
PLUG	.1022/(25.96)	.365/(9.27)	.48/(12.2)	.52/(13.2)
RECEPTACLE	.920/(23.37)	.311/(7.90)	.47/(11.9)	.51/(12.9)



DETAIL 4
PREBENT MOUNTING EAR
(SCALE 4:1)

- NOTES:
1. MATERIAL: NYLON TYPE 6/6, 94V-2.
 2. FINISH: NOT APPLICABLE
 3. PRODUCT SPECIFICATION: PS-02-09
 4. PACKAGING SPECIFICATION: SEE CHART
 5. ACCEPTS MOLEX .093/(2.36) SERIES TERMINALS.
 6. VERSION FOR USE WITH 2687 CONNECTOR.
 7. PARTS CONFORM TO CLASS B REQUIREMENTS OF COSMETIC SPECIFICATION PS-45499-002.

ADD NOTES 2,3,4, & 7 EC NO: UCP2007-1498 DRAWN: AELHAG 2007/04/04 CHKD: AELHAG 2007/04/04 APPR: FSM TH 2007/04/04 REV: X	QUALITY SYMBOLS ▽=0 ▽=0	DESCRIPTION	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 2:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
				mm	INCH	DRAWN BY GEP	DATE 1988/03/07	TITLE .093/(2.36) HOUSINGS, PLUG AND RECEPTACLE, 3 CKT, .248/(6.30) CTRS.		
			4 PLACES	± ---	± ---	CHECKED BY RW	DATE 1988/03/07			
			3 PLACES	± ---	± .010	APPROVED BY RAS	DATE 1988/03/07	MOLEX INCORPORATED		
			2 PLACES	± 0.25	± .014	MATERIAL NO.	DOCUMENT NO.			
			1 PLACE	± 0.35	± ---	SIZE C	SEE CHART	SD-1991-3*	3 OF 3	
			ANGULAR ± 1 °			THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION				
			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS							



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.