

Specification Sheet

USB3.0 Flash Drive
Handy Steno AH552



Table of Contents

1. Product Introduction.....3

2. Product Features.....3

3. Specification.....4

4. Physical Dimension.....4

5. Revision History.....5

1. Product Introduction

The brand new AH552 adopts the single chip USB3.0 controller, making it blazing fast and more compact than other USB 3.0 flash drives. Available in ultra-large storage capacities of 32GB and 64GB, AH552 boosts speed of up to 110MB/s in read and 70MB/s in write and shows outstanding quality with the sleek aluminum housing and pen cap design. AH552 provides easy storage of large high-definition audio and video data and documents. By transmitting 4GB high-definition movie in only 1 minute and sharing large amounts of data in a short span of time, the AH552 brings the properties of USB 3.0 to full display.

2. Features


- SuperSpeed USB3.0; backwards compatible with USB 2.0
- High specification Quad-Channel transmission
- Easy plug & play
- USB powered. No external power required.
- Sleek & sturdy aluminum casing and pen cap design
- Strap hole: Allow easy carry
- LED indicates the usage status
- RoHS compliant

3. Specifications

Specifications	
Interface	SuperSpeed USB 3.0; backwards compatible with USB 2.0
Device Interface Transfer Rate	USB 3.0 interface: up to 5Gbit/second USB 2.0 interface: up to 480Mbit/second
Performance	Up to 110MB/s read (*) Up to 70MB/s write (*)
Power supply	USB bus powered; No external power required
Operating voltage	4.5V-5.5V
Operating Systems Supported	Windows XP//Vista/7 and Linux Kernel 2.6.33 or above without device driver (support USB3.0) Mac OS 10.4 or later (support USB2.0)
Capacity	32GB-64GB
LED	LED flashing-USB detection, Data transmission
Operating Temperature	0° C to +60° C (32° F to 140° F)
Storage Temperature	-20° C to +60° C (-4° F to +140° F)
Dimensions	(L) 73.25 x (W) 19.75 x (H) 9.0 mm
Weight	13g
Certificate	CE, FCC, BSMI, C-Tick

* The transmission speed may vary due to host hardware, software & usage. Apacer reserves the right to make changes in specifications at any time without prior notice.

4. Physical Dimension



5. Revision History

Revision	History	Date	Remark
1.0	Official release	April 25,2011	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.