

## SWIFT Converter Product Portfolio

### SWIFT Products

PART NUMBER	V <sub>IN</sub> (V)	V <sub>OUT</sub> (V)	I <sub>OUT</sub> (A)	I <sub>q</sub> (Typ) (mA)	SWITCHING FREQUENCY		PACKAGE	FEATURES
					FIXED (kHz)	ADJUSTABLE (kHz)		
Wide Input Voltage, Non Synchronous Buck								
<a href="#">TPS5410</a>	5.5 to 36	1.23 to 31	1	3	500	-	8SOIC	EN, Int. Comp.
<a href="#">TPS54160</a>	3.5 to 60	0.8 to 57	1.5	0.116	-	300 to 2500	10MSOP, PowerPAD™	TM, PG, EN, SoftStart, UVLO, RT, TRACKIN, CLK, Ext. Comp., Eco-Mode™
<a href="#">TPS5420</a>	5.5 to 36	1.23 to 31	2	3	500	-	8SOIC	EN, Int. Comp.
<a href="#">TPS5430</a>	5.5 to 36	1.23 to 31	3	3	500	-	8SO PowerPAD™	EN, Int. Comp.
<a href="#">TPS5450</a>	5.5 to 36	1.22 to 31	5	3	500	-	8HSOIC PowerPAD™	EN, Int. Comp.
Mid Input Voltage, Synchronous Buck								
<a href="#">TPS54350</a>	4.5 to 20	0.9 to 12	3	9	250, 500	250 to 700	16HTSSOP	PG, EN, SYNC, UVLO, LSG, RT, Ext. Comp., 180° out of phase
<a href="#">TPS5435x</a>	4.5 to 20	1.2, 1.5, 1.8, 2.5, 3.3, 5.0	3	9	250, 500	250 to 700	16HTSSOP	PG, EN, SYNC, UVLO, LSG, RT, Int. Comp., 180° out of phase
<a href="#">TPS54550</a>	4.5 to 20	0.9 to 12	6	9	250, 500	250 to 700	16HTSSOP	PG, EN, SoftStart, SYNC, UVLO, LSG, RT, Int. Comp., 180° out of phase
Mid Input Voltage, Non Synchronous Buck								
<a href="#">TPS54231</a>	3.5 to 28	0.8 to 25	2	0.11	570	-	8SOIC	EN, SoftStart, UVLO, Ext. Comp., Eco-Mode™
<a href="#">TPS54331</a>	3.5 to 28	0.8 to 25	3	0.11	570	-	8SOIC	EN, SoftStart, UVLO, Ext. Comp., Eco-Mode™
Mid Input Voltage, Dual, Non Synchronous Buck								
<a href="#">TPS54283</a>	4.5 to 28	0.8 to 25.2	2 / 2	1.8	300	-	14HTSSOP	EN1, EN2, ILIM2, SEQ, Int. Comp.
<a href="#">TPS54286</a>	4.5 to 28	0.8 to 25.2	2 / 2	1.8	600	-	14HTSSOP	EN1, EN2, ILIM2, SEQ, Int. Comp.
<a href="#">TPS54383</a>	4.5 to 28	0.8 to 25.2	3 / 3	1.8	300	-	14HTSSOP	EN1, EN2, ILIM2, SEQ, Int. Comp.
<a href="#">TPS54386</a>	4.5 to 28	0.8 to 25.2	3 / 3	1.8	600	-	14HTSSOP	EN1, EN2, ILIM2, SEQ, Int. Comp.
<a href="#">TPS55383</a>	4.5 to 28	0.8 to 25.2	3 / 3	1.8	300	-	16HTSSOP	EN1, EN2, ILIM2, SEQ, Ext. Comp.
<a href="#">TPS55386</a>	4.5 to 28	0.8 to 25.2	3 / 3	1.8	600	-	16HTSSOP	EN1, EN2, ILIM2, SEQ, Ext. Comp.

**SWIFT Products (continued)**

PART NUMBER	V <sub>IN</sub> (V)	V <sub>OUT</sub> (V)	I <sub>OUT</sub> (A)	I <sub>q</sub> (Typ) (mA)	SWITCHING FREQUENCY		PACKAGE	FEATURES
					FIXED (kHz)	ADJUSTABLE (kHz)		
Low Input Voltage, Synchronous Buck								
<a href="#">TPS54110</a>	3 to 6	0.9 to 4.5	1.5	4.2	350, 550	280 to 700	20HTSSOP	PG, EN, SoftStart, SYNC, RT, Ext. Comp.
<a href="#">TPS54310</a>	3 to 6	0.9 to 3.3	3	6.2	350, 550	280 to 700	20HTSSOP	PG, EN, SoftStart, SYNC, RT, Ext. Comp.
<a href="#">TPS5431x</a>	3 to 6	0.9, 1.2, 1.8, 2.5, 3.3	3	6.2	350, 550	280 to 700	20HTSSOP	PG, EN, SoftStart, SYNC, RT, Int. Comp.
<a href="#">TPS54317</a>	3 to 6	0.9 to 3.3	3	6.2	-	280 to 1600	24QFN	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS54610</a>	3 to 6	0.9 to 4.5	6	11	350, 550	280 to 700	28HTSSOP	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS5461x</a>	3 to 6	0.9, 1.2, 1.8, 2.5, 3.3	6	11	350, 550	280 to 700	28HTSSOP	PG, EN, SoftStart, RT, Int. Comp.
<a href="#">TPS54810</a>	4 to 6	0.9 to 3.3	8	11	350, 550	280 to 700	28HTSSOP	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS54910</a>	3 to 4	0.9 to 2.5	9	11	350, 550	280 to 700	28HTSSOP	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS54010</a>	2.2 to 4	0.9 to 2.5	14	13	350, 550	280 to 700	28HTSSOP	PG, EN, SYNC, SoftStart, RT, Split Rail, Ext. Comp.
DDR Memory (Active Bus Termination), Synchronous Buck								
<a href="#">TPS54372</a>	3 to 6	0.2 to 4.5	3	6.2	350	280 to 700	20HTSSOP	PG, EN, RT, REFIN, Ext. Comp.
<a href="#">TPS54672</a>	3 to 6	0.2 to 4.5	6	11	350	280 to 700	28HTSSOP	PG, EN, RT, REFIN, Ext. Comp.
<a href="#">TPS54872</a>	4 to 6	0.2 to 3.3	8	11	350	280 to 700	28HTSSOP	PG, EN, RT, REFIN, Ext. Comp.
<a href="#">TPS54972</a>	3 to 4	0.2 to 2.5	9	11	350	280 to 700	20HTSSOP	PG, EN, RT, REFIN, Ext. Comp.

**SWIFT Products (continued)**

PART NUMBER	V <sub>IN</sub> (V)	V <sub>OUT</sub> (V)	I <sub>OUT</sub> (A)	I <sub>q</sub> (Typ) (mA)	SWITCHING FREQUENCY		PACKAGE	FEATURES
					FIXED (kHz)	ADJUSTABLE (kHz)		
Sequencing, Synchronous Buck								
<a href="#">TPS54380</a>	3 to 6	0.9 to 4.5	3	6.2	350	280 to 700	20HTSSOP	PG, EN, RT, TRACKIN, Ext. Comp.
<a href="#">TPS54680</a>	3 to 6	0.9 to 4.5	6	11	350	280 to 700	28HTSSOP	PG, EN, RT, TRACKIN, Ext. Comp.
<a href="#">TPS54880</a>	4 to 6	0.9 to 3.3	8	11	350	280 to 700	28HTSSOP	PG, EN, RT, TRACKIN, Ext. Comp.
<a href="#">TPS54980</a>	3 to 4	0.9 to 2.5	9	11	350	280 to 700	28HTSSOP	PG, EN, RT, TRACKIN, Ext. Comp.
Pre Bias, Synchronous Buck								
<a href="#">TPS54073</a>	2.2 to 4	0.9 to 2.5	14	13	350, 550	280 to 700	28HTSSOP	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS54373</a>	3 to 6	0.9 to 3.3	3	6.2	350, 550	280 to 700	20HTSSOP	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS54377</a>	3 to 6	0.9 to 3.3	3	6.2	-	280 to 1600	24QFN	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS54673</a>	3 to 6	0.9 to 4.5	6	11	350, 550	280 to 700	28HTSSOP	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS54873</a>	4 to 6	0.9 to 3.3	8	11	350, 550	280 to 700	28HTSSOP	PG, EN, SYNC, SoftStart, RT, Ext. Comp.
<a href="#">TPS54973</a>	3 to 4	0.9 to 2.5	9	11	350, 550	280 to 700	28HTSSOP	PG, EN, SYNC, SoftStart, RT, Ext. Comp.

**Glossary**

NAME	DEFINITION
PG	Power Good pin
EN	Enable pin
SYNC	Synchronization pin
UVLO	Undervoltage lockout pin
LSG	Gate drive for low-side MOSFET
RT	Frequency setting pin
SoftStart	Adjustable Slow Start
TRACKIN	External reference input pin for simultaneous sequencing
REFIN	External reference input pin for Active Bus Termination
Split Rail	Separate power and control voltage inputs
ILIM2	Current limit adjust pin for output 2 only
SEQ	Configure the output startup mode pin
Ext. Comp.	Externally Compensated
Int. Comp.	Internally Compensated
Eco-Mode™	High efficiency at light load
CLK	Clock pin to synchronize frequency (internal PLL)

## IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

### Products

Amplifiers	<a href="http://amplifier.ti.com">amplifier.ti.com</a>
Data Converters	<a href="http://dataconverter.ti.com">dataconverter.ti.com</a>
DSP	<a href="http://dsp.ti.com">dsp.ti.com</a>
Clocks and Timers	<a href="http://www.ti.com/clocks">www.ti.com/clocks</a>
Interface	<a href="http://interface.ti.com">interface.ti.com</a>
Logic	<a href="http://logic.ti.com">logic.ti.com</a>
Power Mgmt	<a href="http://power.ti.com">power.ti.com</a>
Microcontrollers	<a href="http://microcontroller.ti.com">microcontroller.ti.com</a>
RFID	<a href="http://www.ti-rfid.com">www.ti-rfid.com</a>
RF/IF and ZigBee® Solutions	<a href="http://www.ti.com/lprf">www.ti.com/lprf</a>

### Applications

Audio	<a href="http://www.ti.com/audio">www.ti.com/audio</a>
Automotive	<a href="http://www.ti.com/automotive">www.ti.com/automotive</a>
Broadband	<a href="http://www.ti.com/broadband">www.ti.com/broadband</a>
Digital Control	<a href="http://www.ti.com/digitalcontrol">www.ti.com/digitalcontrol</a>
Medical	<a href="http://www.ti.com/medical">www.ti.com/medical</a>
Military	<a href="http://www.ti.com/military">www.ti.com/military</a>
Optical Networking	<a href="http://www.ti.com/opticalnetwork">www.ti.com/opticalnetwork</a>
Security	<a href="http://www.ti.com/security">www.ti.com/security</a>
Telephony	<a href="http://www.ti.com/telephony">www.ti.com/telephony</a>
Video & Imaging	<a href="http://www.ti.com/video">www.ti.com/video</a>
Wireless	<a href="http://www.ti.com/wireless">www.ti.com/wireless</a>

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265  
Copyright © 2008, Texas Instruments Incorporated



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.