











THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

| LDC | | DIST | | REVISIONS | | | |
|-----|-----|----------------------|---------|-----------|------|--|--|
| P | LTR | DESCRIPTION | DATE | DWN | APVD | | |
| | B | REV PER OG3D-0083-01 | 07NOV01 | MB | DM | | |

| DESCRIPTION | MATERIAL | FINISH |
|--|---|-------------------------------|
| GROMMET | FLUOROSILICONE 40/50 BLEND PER MIL-R-25988 | COLOR: BLUE |
| SPLICE ASSEMBLY HOUSING | EPOXY | COLOR: BLACK |
| CONTACT FEMALE SOCKET | BERYLLIUM COPPER PER QQ-C-533 | GOLD PLATE PER MIL-G-45204 |
| CLIP CONTACT RETAINING | BERYLLIUM COPPER PER QQ-C-533 OR STAINLESS STEEL PER QQ-S-766 | NONE |
| TUBE SHRINK | PER MIL-1-23053/8 | COLOR TRANSPARENT |
| CONTACTS  | COPPER ALLOY PER QQ-B-750 | GOLD PLATE PER MIL-G-45204 |




-  A QUANTITY OF 2 CONTACTS ARE SUPPLIED WITH WIRE SPLICE.
-  PART NO. 592583-4 IS MARKED WITH MILITARY PART NO. M81714/11-22D. .060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.
-  PART NO. 592583-3 IS MARKED WITH MILITARY PART NO. M81714/11-20D. .060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.
-  PART NO. 592583-2 IS MARKED WITH MILITARY PART NO. M81714/11-16D. .060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.
-  PART NO. 592583-1 IS MARKED WITH MILITARY PART NO. M81714/11-12D. .060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.
-  MARK WIRE SPLICE WITH "AMP", AMP PART NO. AND DATE CODE .060 MINIMUM HIGH CHARACTERS AT APPROXIMATE AREA SHOWN.


| REMARKS | DESCRIPTION | PART NO. |
|--|-------------|----------|
|  | SIZE 20/22 | 592583-7 |
| — | SIZE 20/22 | 592583-6 |
| — | SIZE 16 | 592583-5 |
| SUPERSEDED BY -7  | SIZE 20/22 | 592583-4 |
|  | SIZE 20/22 | 592583-3 |
|  | SIZE 16 | 592583-2 |
|  | SIZE 12 | 592583-1 |


| | | | | |
|---|--|-----------------------------|---|------------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN J. MECK 04-10-93 | AMP Tyco Electronics Corporation Harrisburg, PA 17105 | |
| DIMENSIONS: INCHES | | CHK R. RYAN 05-12-93 | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD R. RYAN 05-12-93 | NAME WIRE SPLICE, SINGLE SIZE 12, 20/22 ASSEMBLY TJ | |
| 0 PLC ± - 1 PLC ± - 2 PLC ± .02 3 PLC ± - 4 PLC ± - ANGLES ± - | | PRODUCT SPEC — | SIZE A2 | |
| MATERIAL — | | FINISH — | CAGE CODE 00779 | DRAWING NO C-592583 |
| — | | WEIGHT — | RESTRICTED TO — | SCALE 4:1 |
| — | | CUSTOMER DRAWING | SHEET 1 OF 3 | REV B |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

| LDC | | DIST | | REVISIONS | | | |
|-----|-----|-------------|------|-----------|------|--|--|
| P | LTR | DESCRIPTION | DATE | DWN | APVD | | |
| - | - | SEE SHEET 1 | - | - | - | | |


| DESCRIPTION | MATERIAL | FINISH |
|--|---|-------------------------------|
| GROMMET | FLUOROSILICONE 40/50 BLEND PER MIL-R-25988 | COLOR: BLUE |
| SPLICE ASSEMBLY HOUSING | EPOXY | COLOR: BLACK |
| CONTACT FEMALE SOCKET | BERYLLIUM COPPER PER QQ-C-533 | GOLD PLATE PER MIL-G-45204 |
| CLIP CONTACT RETAINING | BERYLLIUM COPPER PER QQ-C-533 OR STAINLESS STEEL PER QQ-S-766 | NONE |
| TUBE SHRINK | PER MIL-1-23053/8 | COLOR TRANSPARENT |
| CONTACTS  | COPPER ALLOY PER QQ-B-750 | GOLD PLATE PER MIL-G-45204 |





| | | | | | | | | | | | | | | | | | | | | | | |
|--|---|-----------------------------|--|--------------------|-------|---|---|-------|---|-----|-------|---|---|-------|---|---|--------|---|---|-------------------|------------|--------------------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN J. MECK 04-10-93 |  Tyco Electronics Corporation Harrisburg, PA 17105 | | | | | | | | | | | | | | | | | | | |
| DIMENSIONS: INCHES | | CHK R. RYAN 05-12-93 | | | | | | | | | | | | | | | | | | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD R. RYAN 05-12-93 | NAME WIRE SPLICE, SINGLE SIZE 12, 20/22 ASSEMBLY TJ | | | | | | | | | | | | | | | | | | | |
| <table border="1"> <tr><td>0 PLC</td><td>±</td><td>-</td></tr> <tr><td>1 PLC</td><td>±</td><td>-</td></tr> <tr><td>2 PLC</td><td>±</td><td>.02</td></tr> <tr><td>3 PLC</td><td>±</td><td>-</td></tr> <tr><td>4 PLC</td><td>±</td><td>-</td></tr> <tr><td>ANGLES</td><td>±</td><td>-</td></tr> </table> | | 0 PLC | ± | - | 1 PLC | ± | - | 2 PLC | ± | .02 | 3 PLC | ± | - | 4 PLC | ± | - | ANGLES | ± | - | PRODUCT SPEC - | SIZE A2 | CAGE CODE 00779 |
| 0 PLC | ± | - | | | | | | | | | | | | | | | | | | | | |
| 1 PLC | ± | - | | | | | | | | | | | | | | | | | | | | |
| 2 PLC | ± | .02 | | | | | | | | | | | | | | | | | | | | |
| 3 PLC | ± | - | | | | | | | | | | | | | | | | | | | | |
| 4 PLC | ± | - | | | | | | | | | | | | | | | | | | | | |
| ANGLES | ± | - | | | | | | | | | | | | | | | | | | | | |
| MATERIAL - | | FINISH - | DRAWING NO C-592583 | RESTRICTED TO - | | | | | | | | | | | | | | | | | | |
| CUSTOMER DRAWING | | | SCALE 4: 1 | SHEET 2 OF 3 | | | | | | | | | | | | | | | | | | |

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.

| LOC | DIST | REVISIONS | | | | | |
|-----|------|-----------|-----|-------------|------|-----|------|
| DF | AD | P | LTR | DESCRIPTION | DATE | DWN | APVD |
| | | - | | SEE SHEET 1 | | - | - |

| DESCRIPTION | MATERIAL | FINISH |
|--|---|-------------------------------|
| GROMMET | FLUOROSILICONE 40/50 BLEND PER MIL-R-25988 | COLOR: BLUE |
| SPLICE ASSEMBLY HOUSING | EPOXY | COLOR: BLACK |
| CONTACT FEMALE SOCKET | BERYLLIUM COPPER PER QQ-C-533 | GOLD PLATE PER MIL-G-45204 |
| CLIP CONTACT RETAINING | BERYLLIUM COPPER PER QQ-C-533 OR STAINLESS STEEL PER QQ-S-766 | NONE |
| TUBE SHRINK | PER MIL-1-23053/8 | COLOR TRANSPARENT |
| CONTACTS  | COPPER ALLOY PER QQ-B-750 | GOLD PLATE PER MIL-G-45204 |



| | | | | | | | |
|---|--|------------------|---------|----------|--|--|----------|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN | J. MECK | 04-10-93 |  Tyco Electronics Corporation Harrisburg, PA 17105 | | |
| DIMENSIONS: INCHES | | CHK | R. RYAN | 05-12-93 | | | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD | R. RYAN | 05-12-93 | | | |
| 0 PLC ± - 1 PLC ± - 2 PLC ± .02 3 PLC ± - 4 PLC ± - ANGLES ± - | | PRODUCT SPEC | - | | | | |
| MATERIAL | | APPLICATION SPEC | - | | NAME | WIRE SPLICE, SINGLE SIZE 12, 20/22 ASSEMBLY TJ | |
| FINISH | | WEIGHT | - | | SIZE | A2 | |
| - | | CUSTOMER DRAWING | | SCALE | 4: 1 | CAGE CODE | 00779 |
| | | | | SHEET | 3 | DRAWING NO | C-592583 |
| | | | | REV | B | RESTRICTED TO | - |



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.