




REVISIONS				
P	LTR	DESCRIPTION	DATE	DWN
	A	PRODUCTION RELEASE	13JUN2019	JW


1	CAGE ASSEMBLY: STAINLESS STEEL. HEAT SINK: ALUMINUM/BLACK ANODIZE. HEAT SINK CLIP: STAINLESS STEEL. EMI SPRING: COPPER ALLOY/NICKEL PLATE.				
2	REFERENCE APPLICATION SPECIFICATION 114-32023 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS. BOARD LAYOUT PER THIS PRINT.				
3	DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.				
4	DATE CODE (YYWWD) MARKED APPROXIMATELY AS SHOWN.				
5	MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.				
6	MINIMUM PC BOARD THICKNESS: SINGLE SIDED: 1.45 MIN DOUBLE SIDED: 2.20 MIN				
7	ONLY FOR VERSION WITH REAR EONS				

W/O REAR EONS	23	1-2343988-3
W/O REAR EONS	16	1-2343988-2
W/O REAR EONS	13.7	1-2343988-1
W REAR EONS	23	2343988-3
W REAR EONS	16	2343988-2
W REAR EONS	13.7	2343988-1
VERSION	DIM A	PART NUMBER


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 10OCT2018	TE Connectivity	
DIMENSIONS:		CHK S. HAN 10OCT2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. HAN 10OCT2018	NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD	
mm		PRODUCT SPEC		
0 PLC ±0.25		APPLICATION SPEC	SIZE A2	
1 PLC ±0.25		WEIGHT		
2 PLC ±0.25		CUSTOMER DRAWING	SCALE 1:1	
3 PLC ±				
4 PLC ±			SHEET 1 OF 6	
ANGLES ±				
FINISH			REV A	
-1				

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


D




2343988-2
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1




A MAX
AFTER MODULE
INSERTION




C




2343988-3
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1






AMAX
AFTER MODULE
INSERTION





B




1-2343988-1
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1





1-2343988-2
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-2
SCALE 2:1



A



1-2343988-3
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-3
SCALE 2:1



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

MATERIAL
-

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±0.25
1 PLC	±0.25
2 PLC	±0.25
3 PLC	±-
4 PLC	±-
ANGLES	±-
FINISH	-

-

DWN
J. WANG
100CT2018

CHK
S. HAN
100CT2018

APVD
S. HAN
100CT2018

PRODUCT SPEC
-

APPLICATION SPEC
-

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
CAGE WITH HEATSINK
THRU BEZEL, 1X4, QSFP DD

SIZE
A2

CAGE CODE
-

DRAWING NO
C-2343988

RESTRICTED TO
-

SCALE
1:1

SHEET
2 OF 6

REV
A

D

C

B


A

D


C

B


A




CAGE ASSEMBLY OMITTED FOR CLARITY



SINGLE SIDE MOUNTING




CAGE ASSEMBLY OMITTED FOR CLARITY




BELLY TO BELLY MOUNTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	10OCT2018	TE Connectivity		
		CHK S. HAN	10OCT2018			
		APVD S. HAN	10OCT2018	NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
mm		0 PLC ±0.25		APPLICATION SPEC		
		1 PLC ±0.25		WEIGHT		
		2 PLC ±0.25		CUSTOMER DRAWING		
		3 PLC ±		SCALE 1:1		
		4 PLC ±		SHEET 3 OF 6		
		ANGLES ±		REV A		
MATERIAL		FINISH				
-		-				
-		-				





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	10OCT2018		 TE Connectivity						
		CHK S. HAN	10OCT2018								
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD S. HAN	10OCT2018		NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD					
 0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ±° ±°		PRODUCT SPEC		DRAWING NO -							
		APPLICATION SPEC									
		-									
MATERIAL		FINISH	WEIGHT	-	A2	CAGE CODE	-	DRAWING NO	C-2343988	RESTRICTED TO	-
-	-	-	CUSTOMER DRAWING			SCALE	2:1	SHEET	5 OF 6	REV	A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.