






REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-


D




2343988-2
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1




A MAX
AFTER MODULE
INSERTION




C




2343988-3
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1






AMAX
AFTER MODULE
INSERTION






B





1-2343988-1
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-1
SCALE 2:1



1-2343988-2
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-2
SCALE 2:1



1-2343988-3
WITHOUT REAR EONS
UNMARKED DIMENSIONS SAME AS 2343988-3
SCALE 2:1



A

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	10OCT2018	 TE Connectivity		
		CHK S. HAN	10OCT2018			
		APVD S. HAN	10OCT2018	NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE A2	
		0 PLC ±0.25		APPLICATION SPEC	CAGE CODE -	
		1 PLC ±0.25		WEIGHT	DRAWING NO C-2343988	
		2 PLC ±0.25		CUSTOMER DRAWING	RESTRICTED TO -	
		3 PLC ±-			SCALE 1:1	
		4 PLC ±-			SHEET 2 OF 6	
MATERIAL -		ANGLES FINISH			REV A	

D

C

B


A

D


C

B


A




CAGE ASSEMBLY OMITTED FOR CLARITY



SINGLE SIDE MOUNTING



CAGE ASSEMBLY OMITTED FOR CLARITY




BELLY TO BELLY MOUNTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	10OCT2018	 TE Connectivity		
		CHK S. HAN	10OCT2018			
		APVD S. HAN	10OCT2018	NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD		
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC		
mm		0 PLC ±0.25		APPLICATION SPEC		
		1 PLC ±0.25		WEIGHT		
		2 PLC ±0.25		CUSTOMER DRAWING		
		3 PLC ±		SCALE 1:1		
		4 PLC ±		SHEET 3 OF 6		
MATERIAL		FINISH		REV A		
-		-				
-		-				



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	10OCT2018	 TE Connectivity				
		CHK S. HAN	10OCT2018					
DIMENSIONS: mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ±° ±°	APVD S. HAN	10OCT2018	NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD -				
		PRODUCT SPEC -						
		APPLICATION SPEC -		SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO	
		WEIGHT -		A2	-	C-2343988	-	
MATERIAL - -		FINISH - -		CUSTOMER DRAWING		SCALE 1:1	SHEET 4 OF 6	REV A

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-



RECOMMENDED PCB LAYOUT
BELLY TO BELLY
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.25
1 PLC ±0.25
2 PLC ±0.25
3 PLC ±
4 PLC ±
ANGLES ±
FINISH

MATERIAL

-

DWN J. WANG 10OCT2018
CHK S. HAN 10OCT2018
APVD S. HAN 10OCT2018

PRODUCT SPEC

-

APPLICATION SPEC

-

WEIGHT

-

CUSTOMER DRAWING

TE Connectivity

NAME

CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD

SIZE

A2

CAGE CODE

-

DRAWING NO

C-2343988

RESTRICTED TO

-

SCALE

2:1

SHEET

5 OF 6

REV

A


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D


C

B


A



DETAIL B
SCALE 5:1



DETAIL C
SCALE 5:1



DETAIL D
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	10OCT2018	TE Connectivity		
		CHK S. HAN	10OCT2018			
		APVD S. HAN	10OCT2018	NAME CAGE WITH HEATSINK THRU BEZEL, 1X4, QSFP DD		
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		SIZE A2		
		0 PLC ±0.25 1 PLC ±0.25 2 PLC ±0.25 3 PLC ± 4 PLC ± ANGLES ± FINISH ±		CAGE CODE -		
MATERIAL -				DRAWING NO C-2343988		
				RESTRICTED TO -		
				SCALE 2:1 SHEET 6 OF 6 REV A		
				CUSTOMER DRAWING		

D

C

B

A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.