Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NO.
SEE TABLE









mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date		.X±.3/.XX±.01				
S	N08-0194	SH	09/08/08	linear	.XX±.13/.XXX±.005			projection	title
K	V12666	LP	1/10/02		.XXX±.051/.XXXX±.0020				A-SMT ASSEMBLY VERT 8 POS
L	V21834	LP	12/2/02	angles	0° ±2°				
M	V04-0861	DAI	08/30/04	dr	L.POTTEIGER	12/2/02		MM/INCH	product family MOD JACK / code 213
N	N05-0035	YS	02/18/05	engr	J.KONTOS	12/2/02			size A4 / dwg no 87547 / sheet 1 of 2
P	N05-0142	ZC	6/2/05	chr	J.KONTOS	12/2/02		scale 1:1	
R	N07-0217	WG	09/07/07	appd	J.KONTOS	12/2/02			
sheet index	revision	R	R						
	sheet	1	2						

cage code 22526

PDM: Rev:S STATUS: Released Printed May 15, 2011

ACAD

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire.
Propriete de c FCI. Droits de reproduction FCI.

PRODUCT NO.	
87547-XXXX	87547-XXXXLF

CONTACT PLATING OPTIONS	
1 = GXT .76µm [30µ"]	
2 = GOLD 1.27µm [50µ"]	
3 = PdNi .64µm [25µ"]	NOT TOOLED
4 = GOLD .76µm [30µ"]	

TERMINAL LOADING OPTIONS
1 = FULLY LOADED 8 POSITION
2 = POS. 1,2,7,8 LOADED, 4 POS.
3 = POS. 3,4,5,6 LOADED, 4 POS

COLOR
1 = BLACK
2 = RED

PACKAGE OPTIONS	
1 = BLISTER PACKAGE (TAPE & REEL) LOADED FACE UP	24" REEL
2 = BLISTER PACKAGE (TAPE & REEL) LOADED FACE DOWN	NOT TOOLED
3 = PACKAGED IN TUBES	NOT TOOLED
4 = PACKAGED IN TRAYS	
5 = BLISTER PACKAGE (TAPE & REEL) LOADED FACE UP	15" REEL



RECOMMENDED PC BOARD L/O

NOTES:

1 MATERIAL: HOUSING – THERMOPLASTIC V-0
CONTACT – PHOSPHOR BRONZE

2 PLATING: SOLDER TAILS – FOR 87547-XXXX : 2.54 µm [100 µIN] MIN. TIN LEAD OVER 2.54 µm [100 µIN] NICKEL
FOR 87547-XXXXLF: 2 µm [80 µIN] MIN. PURE MATTE TIN OVER 1.27 µm [50 µIN] MIN. NICKEL
HOLDDOWN – FOR 87547-XXXX: 2.54 µm [100 µIN] MIN TIN LEAD OVER 2.54 µm [100 µIN] NICKEL
FOR 87547-XXXXLF: 2µm [80 µIN] MIN. PURE TIN OVER 1.27 µm [50 µIN] MIN. NICKEL
CONTACT AREA PLATING – SEE CHART ON SHEET 2

③ MAX "TOE UP" AT TIP = 0.127 [0.005]

4 IF LF P/N PACKAGING MEETS GS-14-920 SPECIFICATION.

5 THE HOUSING WILL WITHSTAND EXPOSURE TO 260°C PEAK TEMPERATURE FOR 40 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

6 IF LF P/N THE PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.

7 APPLY THE MYLAR ON THE P/N 87547-XXX1 WITH SUFFIX "C" FOR PICKING UP. FOR INSTANCE 87547-4111CLF .

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date	linear	.X±.3/.XX±.01			
S					.XX±.13/.XXX±.005		projection	title: A-SMT ASSEMBLY VERT 8 POS
					XXX±.051/.XXXX±.0020			
				angles	0° ±2°			
				dr	L.POTTEIGER	12/2/02	MM/INCH	product family: MOD JACK; code: 213
				engr	J.KONTOS	12/2/02		size: A4; dwg no: 87547
				chr	J.KONTOS	12/2/02	scale 1:1	sheet 2 of
				appd	J.KONTOS	12/2/02		
sheet index	revision sheet							

cage code 22526

PDM: Rev:S STATUS: Released Printed: May 13, 2019

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

ACAD

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.