









A-A



coding style table

	style A: for connectors 6-pole
	style B: for connectors from 10 to 14-pole
	style C: for connectors from 16 to 64-pole

further more information
see DS 09181100001

full range of P/N's and
dimensions shown on page 2/2

	All Dimensions in mm Original Size DIN A3	Scale 2:1	Free size tol. IEC 60603-13	Ref. Sub. TB 09185XXX322 / 500000068837 / 2014-05-16
	All rights reserved Department EC PD - DE	Created by STORCK	Inspected by LEHNERT	Standardisation HOFFMANN
HARTING Electronics GmbH D-32339 Espelkamp	Title SEK 18 male low profile straight solder 4.5	Type TB	Number 09185XXX322	Date 2015-12-07
				State Final Release
				Doc-Key / ECM-Nr. 100154466/UGD/006/A 500000094890
				Rev. A
				Page 1/2

1	2	3	4	5	6	7	8		
A								A	
B								B	
C		performance level				dimensions		C	
	no. of contacts	PL3	PL2	S4	insulator colour	A max.	B		E
	06	09 18 506 7322	09 18 506 6322	09 18 506 5322	grey	15,4	12,78		2,54 x 2 = 5,08
	10	09 18 510 7322	09 18 510 6322	09 18 510 5322		20,5	17,86		2,54 x 4 = 10,16
	14	09 18 514 7322	09 18 514 6322	09 18 514 5322		25,6	22,94		2,54 x 6 = 15,24
	16	09 18 516 7322	09 18 516 6322	09 18 516 5322		28,1	25,48		2,54 x 7 = 17,78
	20	09 18 520 7322	09 18 520 6322	09 18 520 5322		33,2	30,56		2,54 x 9 = 22,86
	26	09 18 526 7322	09 18 526 6322	09 18 526 5322		40,8	38,18		2,54 x 12 = 30,48
	30	09 18 530 7322	09 18 530 6322	09 18 530 5322		45,9	43,26		2,54 x 14 = 35,56
	34	09 18 534 7322	09 18 534 6322	09 18 534 5322		51,0	48,34		2,54 x 16 = 40,64
	40	09 18 540 7322	09 18 540 6322	09 18 540 5322		58,6	55,96		2,54 x 19 = 48,26
	50	09 18 550 7322	09 18 550 6322	09 18 550 5322		71,5	68,66		2,54 x 24 = 60,96
	60	09 18 560 7322	09 18 560 6322	09 18 560 5322		84,2	81,36		2,54 x 29 = 73,66
	64	09 18 564 7322	09 18 564 6322	09 18 564 5322		89,3	86,44		2,54 x 31 = 78,74
	06	09 18 506 7322 001	09 18 506 6322 001	09 18 506 5322 001	black	15,4	12,78		2,54 x 2 = 5,08
	10	09 18 510 7322 001	09 18 510 6322 001	09 18 510 5322 001		20,5	17,86		2,54 x 4 = 10,16
	14	09 18 514 7322 001	09 18 514 6322 001	09 18 514 5322 001		25,6	22,94		2,54 x 6 = 15,24
	16	09 18 516 7322 001	09 18 516 6322 001	09 18 516 5322 001		28,1	25,48		2,54 x 7 = 17,78
	20	09 18 520 7322 001	09 18 520 6322 001	09 18 520 5322 001		33,2	30,56		2,54 x 9 = 22,86
	26	09 18 526 7322 001	09 18 526 6322 001	09 18 526 5322 001		40,8	38,18		2,54 x 12 = 30,48
	30	09 18 530 7322 001	09 18 530 6322 001	09 18 530 5322 001		45,9	43,26		2,54 x 14 = 35,56
	34	09 18 534 7322 001	09 18 534 6322 001	09 18 534 5322 001		51,0	48,34		2,54 x 16 = 40,64
	40	09 18 540 7322 001	09 18 540 6322 001	09 18 540 5322 001		58,6	55,96		2,54 x 19 = 48,26
	50	09 18 550 7322 001	09 18 550 6322 001	09 18 550 5322 001		71,5	68,66		2,54 x 24 = 60,96
60	09 18 560 7322 001	09 18 560 6322 001	09 18 560 5322 001	84,2		81,36	2,54 x 29 = 73,66		
64	09 18 564 7322 001	09 18 564 6322 001	09 18 564 5322 001	89,3		86,44	2,54 x 31 = 78,74		
D								D	
E								E	
F								F	
1	2	3	4	5	6	7	8		

	All rights reserved	Created by	Inspected by	Standardisation	Date	State	
	Department EC PD - DE	STORCK	LEHNERT	HOFFMANN	2015-12-07	Final Release	
HARTING Electronics GmbH D-32339 Espelkamp		Title SEK 18 male low profile straight solder 4.5				Doc-Key / ECM-Nr. 100154466/UGD/006/A 500000094890	
		Type TB	Number 09185XXX322			Rev. A	Page 2/2



All rights reserved
Department EC PD - DE



All Dimensions in mm
Original Size DIN A3

Created by
STORCK

Title
SEK 18 male low profile straight solder 4.5

Type
TB

Free size tol.

Inspected by
LEHNERT

Standardisation
HOFFMANN

Number
09185XXX322

Ref.
Sub. TB 09185XXX322 / 500000068837 / 2014-05-16

Date
2015-12-07

State
Final Release

Doc-Key / ECM-Nr.
100154466/UGD/006/A
500000094890

Rev.
A

Page
2/2

HARTING Electronics GmbH
D-32339 Espelkamp

Mouser Electronics

Authorized Distributor

Click to View Pricing, Inventory, Delivery & Lifecycle Information:

HARTING:

[09185065322](#) [09185105322](#) [09185106322](#) [09185146322](#) [09185165322](#) [09185166322](#) [09185167322](#)
[09185206322](#) [09185207322](#) [09185266322](#) [09185345322](#) [09185346322](#) [09185406322](#) [09185407322](#) [09185505322](#)
[09185507322](#) [09185606322](#) [09185647322](#) [09185267322](#) [09185107322](#) [09185347322](#) [09185066322](#)
[09185067322](#) [09185145322](#) [09185147322](#) [09185306322](#) [09185607322](#) [09185205322](#) [09185645322](#) [09185265322](#)
[09185405322](#) [09185605322](#) [09185646322](#) [09185506322](#)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.