




3M™ TEXTTOOL™ OPEN-TOP SOCKETS FOR QFN APPLICATIONS




NOTES:


1. MATERIALS:
- | | | |
|--------------|---------------|---------------|
| SPRINGS | SS | |
| CONTACTS | Be Cu | PLATING : Au |
| IC GUIDES | PES | COLOR : BLACK |
| PRESSURE PAD | PES | COLOR : BLACK |
| COVER | PPS or equiv. | COLOR : BLACK |
| BASE | PES | COLOR : BLACK |
2. SEE THE REGULATORY INFORMATION APPENDIX (RIA) IN THE "RoHS COMPLIANCE" SECTION WWW.3MCONNECTOR.COM FOR COMPLIANCE INFORMATION (RIA E1 & C1 APPLY).
3. FOR PRODUCT SPECIFICATIONS AND WARRANTY INFORMATION SEE: WWW.3MCONNECTOR.COM PN 252-4204-00

DESIGN REFERENCE				NEXT ASSEMBLY				A		37213		INITIAL RELEASE				ARM					
DISTRIBUTION CODES								REV		ECO		ISSUE DATE AND DESCRIPTION				DRFT		CHKD			
								DRFT		DATE				MFG		DATE					
								CHKD		DATE				APPVL				DATE			
DIVISION				DIVISION CODE				3M 3M Center St. Paul, MN 55144				© 3M COPYRIGHT 2012 This document is the copyrighted property of the 3M Company and may not be reproduced without 3M written permission or used for other than 3M authorized purposes.									
DO NOT SCALE DRAWING		SCALE 5 1		TOLERANCES EXCEPT AS NOTED																	
				INCHES				TITLE QFN TEST SOCKET, 0.4mm 52 POS, ODD ROW, 6X6 PKG NO TP													
				.0 ± .1 .00 ± .02 .000 ± .005 .0000 ± .0002																	
THIRD ANGLE PROJECTION				MILLIMETERS																	
INTERPRET PER ASME Y14.5 - 1994				0 ± 0 ± .0 ± .00 ± 0.00 ±																	
MAX SURFACE ROUGHNESS				125 ☐ ALL SURFACES ☒ MARKED ONLY				CAGE NUMBER		SIZE		DRAWING NO.				REV.					
								C				78-5100-2449-6				A					
				MODEL				TEXTOOL - QFN				DET. LISTS		☐ YES ☒ NO		SHT		1 OF 2			

3M™ TEXTTOOL™ OPEN-TOP SOCKETS FOR QFN APPLICATIONS



FOOTPRINT AS VIEWED LOOKING DOWN
FROM TOP OF SOCKET



RECOMMENDED IC (REF.)

DESIGN REFERENCE		NEXT ASSEMBLY		REV	ECO	ISSUE DATE AND DESCRIPTION		DRFT	CHKD
DISTRIBUTION CODES				DRFT		DATE	MFG	DATE	
				CHKD		DATE	APPVL	DATE	
DIVISION		DIVISION CODE		3M		3M Center St. Paul, MN 55144		© 3M COPYRIGHT 2012 This document is the copyrighted property of the 3M Company and may not be reproduced without 3M written permission or used for other than 3M authorized purposes.	
DO NOT SCALE DRAWING	SCALE 5 1	TOLERANCES EXCEPT AS NOTED		TITLE QFN TEST SOCKET, 0.4mm 52 POS, ODD ROW, 6X6 PKG NO TP					
THIRD ANGLE PROJECTION		INCHES .0 ± .1 .00 ± .02 .000 ± .005 .0000 ± .0002		CAGE NUMBER 78-5100-2449-6					
INTERPRET PER ASME Y14.5 - 1994		MILLIMETERS 0 ± .1 .0 ± .005 .00 ± .0002		DRAWING NO. 78-5100-2449-6					
MAX SURFACE ROUGHNESS 125 ✓ ☐ ALL SURFACES ✓ ☒ MARKED ONLY		ANGLES ± 1°		MODEL TEXTTOOL - QFN		DET. LISTS ☐ YES ☒ NO		REV. A	
				SHT 2 OF 2					



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.