

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number:

0797580008

Status:

Active

Overview:

[picoSpox](#)

Description:

Pico-SPOX Female (Sn) 24 AWG,UL1061,150MM



image - Reference only

Series

Documents:

[Drawing \(PDF\)](#)

[RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	Cable Assemblies
Series	79758
Connector to Connector	Pico-SPOX™ Crimp Terminals
Overview	picoSpox
Product Name	Pico-SPOX™

Physical	
Cable Length	0.15m (5.91")
Circuits (Loaded)	1
Gender	Female-Female
Material - Metal	Phosphor Bronze
Material - Plating Mating	Tin
Material - Plating Termination	Tin
Packaging Type	Bag
Single Ended	No
Wire Size AWG	24
Wire/Cable Type	UL 1061

Material Info

Reference - Drawing Numbers	
Sales Drawing	SD-797580001

EU RoHS

ELV and RoHS

Compliant

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Reviewed

China RoHS



Need more information on product environmental compliance?

Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)

Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series


[79758Series](#)

Use With

Pico-SPOX™ Housings [87439](#)

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

ASSY P/N	DESCRIPTION	ITEM A	ITEM A DESCRIPTION	CUT LENGTH (mm)	ITEM B	ITEM B DESCRIPTION
797580001	Micro-Fit Female (Sn) 20 AWG,UL1061,150MM	799442856	Wire 18AWG, UL1061	150 +/- 5	39000038	Mini-Fit Female (Sn)
797580002	Mini-Fit Female (Sn) 18 AWG,UL1061,150MM	799442113	Wire 20AWG, UL1061	150 +/- 5	430300001	Micro-Fit Female (Sn)
797580003	SL Female (Sn) 22 AWG,UL1061,150MM	799442856	Wire 22AWG, UL1061	150 +/- 5	16020086	SL Female (Sn)
797580004	Micro-Fit Female (Au) 20 AWG,UL1061,150MM	799442113	Wire 20AWG, UL1061	150 +/- 5	430300003	Micro-Fit Female (Au)
797580005	Mini-Fit Male Tin (Sn) 18 AWG,UL1061,150MM	799442625	Wire 18AWG, UL1061	150 +/- 5	39000040	Mini-Fit Male Tin (Sn)
797580006	PicoBlade 26 AWG,UL1061,150MM	799442625	Wire 26AWG, UL1061	150 +/- 5	500798000	PicoBlade
797580007	KK Hot Tin (Sn) 22 AWG,UL1061,150MM	799442332	Wire 22AWG, UL1061	150 +/- 5	08500113	KK Hot Tin (Sn)
797580008	Pico-SPOXFemale (Sn)24 AWG,UL1061,150MM	799443305	Wire 24AWG, UL1061	150 +/- 5	874210000	Pico-SPOX Female (Sn)
797580009	Mini-Fit Female (Sn) 18 AWG,UL1061,300MM	799442856	Wire 18AWG, UL1061	300 +/- 5	39000038	Mini-Fit Female (Sn)
797580010	Micro-Fit Female (Sn) 20 AWG,UL1061,300MM	799442113	Wire 20AWG, UL1061	300 +/- 5	430300001	Micro-Fit Female (Sn)
797580011	SL Female (Sn) 22 AWG,UL1061,300MM	799442332	Wire 22AWG, UL1061	300 +/- 5	16020086	SL Female (Sn)
797580012	Micro-Fit Female (Au) 20 AWG,UL1061,300MM	799442113	Wire 20AWG, UL1061	300 +/- 5	430300003	Micro-Fit Female (Au)
797580013	Mini-Fit Male Tin (Sn) 18 AWG,UL1061,300MM	799442856	Wire 18AWG, UL1061	300 +/- 5	39000040	Mini-Fit Male Tin (Sn)
797580014	PicoBlade 26 AWG,UL1061,300MM	799442625	Wire 26AWG, UL1061	300 +/- 5	500798000	PicoBlade
797580015	KK Hot Tin (Sn) 22 AWG,UL1061,300MM	799442332	Wire 22AWG, UL1061	300 +/- 5	08500113	KK Hot Tin (Sn)
797580016	Pico-SPOX Female (Sn)24 AWG,UL1061,300MM	799443305	Wire 24AWG, UL1061	300 +/- 5	874210000	Pico-SPOX Female (Sn)



NOTES :

- 1 THE PRODUCT SPECIFICATION OF HARNESS RELIES ON THE CONNECTOR, TERMINALS AND WIRE SPEC.
- 2 ROHS AND LEAD FREE COMPLIANT
- 3 SPECIAL REQUIEREMENT: N/A

ROHS COMPLIANT

ENTER DESCRIPTION EC NO: MEX2010-0030 DRWN:SMARTINEZ 2010/01/12 CHKD:ACUEVAS 2010/01/12 APPR:ACUEVAS 2010/01/13 REV A	QUALITY SYMBOLS =0 =0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE MM ONLY		SCALE ---	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION		
			mm	INCH	DRAWN BY SMARTINEZ	DATE 2010/01/12	TITLE PRE-CRIMPED LEADS AMERICAS DISTRIBUTION CHANNEL REV : A			
		4 PLACES	± ---	± ---	CHECKED BY ACUEVAS	DATE 2010/01/12				
		3 PLACES	± ---	± ---	APPROVED BY ACUEVAS	DATE 2010/01/12	MOLEX INCORPORATED			
		2 PLACES	± ---	± ---	MATERIAL NO. 79758XXXX					
1 PLACE		± ---	± ---	ANGULAR ±1/2°						
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION								



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.