

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT

ALL RIGHTS RESERVED.

LOC

DIST

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	C1	ECR-15-000199	07JAN2015	GK	HMR

REPLACED BY OCEAN STYLE APPLICATOR PART
NUMBER 2266576-1

FOR REPLACEMENT PARTS FOR APPLICATOR 1385315
REFER TO ADDITIONAL PAGE(S). SPARE PARTS KIT (IF LISTED)
WILL REMAIN AVAILABLE.


THE REPLACEMENT OCEAN STYLE APPLICATOR HAS THE
SAME TERMINATOR/PRESS INTERFACE AS APPLICATOR
1385315

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN Gopalakrishna HV		 TE Connectivity			
DIMENSIONS:		CHK RAGHAVENDRA					
		APVD RAGHAVENDRA		NAME SIDE FEED HDM APPLICATOR			
		PRODUCT SPEC					
		APPLICATION SPEC					
MATERIAL		WEIGHT		SIZE A3	CAGE CODE	DRAWING NO C- 1385315	RESTRICTED TO
FINISH		CUSTOMER DRAWING		SCALE		SHEET 1 OF 2	REV C1

THIS DRAWING IS UNPUBLISHED.

DRAWING MADE IN THIRD ANGLE PROJECTION

PART NUMBER	REV	FIRST USED
1385315-1	C	122500-1
1385315-2	C	565435-5
1385315-3	C	354500-1
1385315-6	C	NON-CUTTING CARRIER
7-1385315-7	C	SPARE PARTS KIT



POST FEED 1 5/8 STROKE	PRE FEED 1 1/8 STROKE	PRE FEED 1 5/8 STROKE
ROTATED 180° B	ROTATED 180° B	ROTATED 180° B
LEADMAKER	K TERMINATOR	G TERMINATOR

1. RECOMMENDED SPARE PARTS.
2. GREASE LIGHTLY.
3. GUARD MUST BE IN PLACE WHEN OPERATING APPLICATOR IN A BENCH MACHINE.
4. LUBRICATE DAILY USING NO. 20 MACHINE OIL.
5. ITEMS WITH QTY OF REF SPECIFIED (EXCEPT ITEMS 78 AND 79) ARE USED ON ITEM 46.

1385315 ⇓ 1385315

TERMINAL NAME: APEX 2.8MM									
AMP PN		MFR PN		FCI TERMINAL		FCI CRIMP SPECS			
286999		54001401		PAD	CRIMP HEIGHT		WIRE SIZE		
				LTR					
				A	.077 ±.002 [1.95 ±0.05mm]		14		
				B	.071 ±.002 [1.8 ±0.05mm]		16		
				C	NOT		USED		
				D	NOT		USED		
				CRIMP	SIZE	TYPE	RANGE		
				WIRE	.120 [3.05mm]	F	16-14		
				INSUL	.140 [3.56mm]	0	.103 MAX		
WIRE STRIP LENGTH		TERM APPL SPEC		FEED		APPL INSTRUCTION		SET UP GAGE	LAYOUT
-		NONE		.600		408-8040		458637-1	L2576

									129
-	2	2	2	2	9-354778-5	PIN, WIRE DISC (.2970)B			128
-	2	2	2	2	8-354778-3	PIN, WIRE DISC (.2910)B			127
-	1	1	1	1	986950-1	WASHER, FLAT PRECISION			125
-	1	1	1	1	217238-1	GENERAL INSTRUCTION PACKAGE			124
-	1	1	1	1	4088040	SF APPL INST 408-8040			123
									122
-	1	1	1	1	4-21028-0	PIN,SLT SPR(ø.093x.75)ST GDE PL			121
-	REF	REF	REF	REF	1-21030-1	PIN,DOWEL (ø.187x.50) LEVER			120
-	REF	REF	REF	REF	1-21030-6	PIN,DOWEL (ø.187x1.25)HOUSING			119
-	REF	REF	REF	REF	21045-3	RING,RET "C" (ø.187)FD FING PIN			118
-	1	1	1	1	21024-5	WASHER, LOCK (#10)ADJ BLOCK			117
-	REF	REF	REF	REF	21024-5	WASHER,LOCK (#10)ADJ PLATE			116
-	REF	REF	REF	REF	21024-5	WASHER,LOCK (#10)FEED GDE ROD			115
-	2	2	2	2	21024-2	WASHER,LOCK (#4)FRONT STP GUIDE			114
-	REF	REF	REF	REF	5-21028-1	PIN,SLT SPR(ø.125x.50)ADJ ROD			113
									112
-	4	4	4	4	21024-4	WASHER,LOCK (#8)STRIPPER			111
-	REF	REF	REF	REF	21899-4	WASHER,FLAT (ø5/16) SCREW ADJ			110
									109
-	1	1	1	1	21018-5	NUT, HEX (NO.6)FLDDOWN			108
-	REF	REF	REF	REF	21068-5	NUT, HEX (6-32)FEED ADJ			107
									106
-	1	1	1	1	22353-8	SCR,SHLD (ø.187x.25)DRAG LEVER			105
									104
-	1	1	1	1	21009-2	SCR,SKT SET (1/4-20x.25 LW) RAM			103
-	2	2	2	2	21017-2	SCR,DRIVE (#2x.19) ID PLATE			102
-	REF	REF	REF	REF	6-23715-5	SCR,PAN HD (6-32x1.50)FEED ADJ			101
-	1	1	1	1	461264-1	PLATE, IDENTIFICATION			100
-	2	2	2	2	5-21006-6	SCR,SET (10-32x.75)DRAG			99
-	1	1	1	1	22733-8	SCR,BHC (8-32x.38 LW)ANVIL			98
-	REF	REF	REF	REF	2-21002-9	SCR,BHC (10-32x.75)CAP			97
-	REF	REF	REF	REF	SCR,BHC (1/4-20x.62)FD HOUSING				96
-	REF	REF	REF	REF	2-21002-7	SCR,BHC (10-32x.50)SG ADJ BLOCK			95
-	4	4	4	4	2-21002-2	SCR,BHC (8-32x.50)TERM H DWN			94
-	2	2	2	2	2-21002-3	SCR,BHC (8-32x.62)R STP GDE			93
									92
-	1	1	1	1	1-21002-7	SCR,BHC (6-32x.38)CAM			91
									90
									89
									88
-	2	2	2	2	3-21000-0	SCR,SHC (8-32x.44)DEP-HOLD			87
-	1	1	1	1	2-22603-0	SCR,HEX HD (8-32x.31)FEED FINGER			86
-	2	2	2	2	1-21000-3	SCR,SHC (4-40x.25)F ST GUIDE			85
-	1	1	1	1	2-21000-7	SCR,SHC (8-32x.50)STRIPPER			84
-	REF	REF	REF	REF	3-21000-7	SCR,SHC (10-32x.75)FEED ROD GD			83
-	REF	REF	REF	REF	3-21000-6	SCR,SHC (10-32x.62)FD ADJ BLK			82
-	1	1	1	1	3-21000-4	SCR,SHC (10-32x.38)SG ADJ BL			81
-	REF	REF	REF	REF	3-21000-4	SCR,SHC (10-32x.38)PIVOT BLK			80
-	-	-	REF	-	455749-1	GUARD, WINDOW			79
-	-	REF	-	-	679532-1	INSERT, GUARD			78
									77
									76
									75
-	1	1	1	1	690603-1	SPRING, ASSIST			74
-	1	1	1	1	23030-1	SCR,SHC (6-32x.25 SL)INS DISC			73
-	REF	REF	REF	REF	458109-1	WASHER, SPECIAL			72
-	REF	REF	REF	REF	690517-1	SPACER			71
-77	-6	-3	-2	-1	PART NO	DESCRIPTION			ITEM NO
					</				

-1	LEADMAKER			MECH POST FEED	-6	NON-CUT	MECH POST FEED
-2	BENCH MODEL	K	MECH PRE FEED	-77	SPARE PARTS		
-3	BENCH MODEL	G	MECH PRE FEED				
-	REF	REF	REF	REF	22594-8	NUT, HEX (1/2-20)	70
-	REF	REF	REF	REF	240628-1	PLATE, ADJUSTMENT	69
-	REF	REF	REF	REF	240626-1	SHAFT, PIVOT	67
-	REF	REF	REF	REF	240633-1	BUSHING	68
-	REF	REF	REF	REF	455680-1	LEVER, INTERMEDIATE	66
-	REF	REF	REF	REF	240629-1	BLOCK, PIVOT	65
-	REF	REF	REF	REF	240632-2	SCREW, ADJ FEED ROD	64
-	REF	REF	REF	REF	240659-3	PIN, CAM ROLLER	63
-	REF	REF	REF	REF	240658-1	ROLLER, CAM	62
-	REF	REF	REF	REF	454398-2	ROD, FEED	61
-	REF	REF	REF	REF	454178-1	GUIDE, FEED ROD	60
-	REF	REF	REF	REF	454220-1	CAP, RAM	59
-	REF	REF	REF	REF	454485-1	HOUSING	58
							57
-	1	1	1	1	458537-2	PAWL, FEED	56
-	REF	REF	REF	REF	240624-1	PIN, FEED FINGER	55
-	REF	REF	REF	REF	691499-1	SPRING, FEED FINGER	54
-	REF	REF	REF	REF	690541-1	HOLDER, FEED FINGER	53
-	REF	REF	REF	REF	455679-2	LEVER, TERMINAL FEED ARM	52
-	1	1	1	1	811242-2	BUMPER, HOLDDOWN	51
-	1	1	1	1	690753-1	SPACER, TONKER	50
-	-	1	-	-	690602-6	CAM, PRE-FEED 1 5/8 ST	49
-	-	-	1	-	690602-5	CAM, PRE-FEED 1 1/8 ST	48
-	1	-	-	1	690501-4	CAM, POST-FEED 1 5/8 ST	47
-	1	1	1	1	459456-2	APPLICATOR, BASIC (SUBASSY)	46
-	1	1	1	1	690191-1	PLUG, NYLON	45
-	1	1	1	1	455673-1	RAM	44
-	1	1	1	1	690125-1	WASHER, LAMINATED	43
-	1	1	1	1	690124-1	WASHER, RAM	42
-	1	1	1	1	7-21002-9	BOLT, CRIMPER (5/16x1.00)	41
-	1	1	1	1	23241-6	BALL, STEEL	40
-	1	1	1	1	690170-1	SPRING, COMPRESSION	39
-	1	1	1	1	690142-1	DISC, INSULATION	38
-	1	1	1	1	354777-1	WIRE DISC, PLASTIC	37
-	1	1	1	1	22480-5	WASHER, SPRING	36
-	1	1	1	1	690212-1	POST, RAM	35
-	1	1	1	1	1-690786-4	SUPPORT, TERMINAL	34
-	REF	REF	REF	REF	455675-1	PLATE, BASE	33
-	1	1	1	1	690432-3	SCREW, ADJUSTMENT	32
-	1	1	1	1	5-240641-7	SPACER, SLUG BLADE	31
-	REF	REF	REF	REF	455689-1	BLOCK, STRIP GUIDE ADJ	30
-	1	1	1	1	458144-1	PLATE, STRIP GUIDE	29
-	1	1	1	1	1-455888-9	SPACER, FRONT SHEAR DEP	28
-	2	2	2	2	1-22284-0	SPRING, DRAG	27
-	1	1	1	1	356835-1	LEVER, DRAG RELEASE	26
-	1	1	1	1	240792-1	DRAG, TERMINAL	25
-	1	1	1	1	3-90765-8	GUIDE, STRIP (REAR)	24
-	1	1	1	1	690438-1	GUIDE, STRIP (FRONT)	23
-	1	-	-	1	690472-2	STRIPPER	22
-	REF	REF	REF	REF	4-22284-9	SPRING, FEED RETURN	21
							20
-	-	1	1	-	691353-1	STRIPPER	19
							18
-	1	1	1	1	679625-1	HOLDER, SHEAR, FRONT (NON-CUT)	17
-	1	1	1	1	318563-1	GUARD, CHIP, FRONT	16
							15
							14
							13
-	1	1	1	1	3-22280-3	SPRING, SHEAR	12
-	1	1	1	1	690461-1	STOP, SHEAR	11
-	1	1	1	1	690459-1	HOLDER, SHEAR (FRONT)	10
-	1	1	1	1	454276-2	SHEAR, FLOAT (FRONT)	9

```
/home/us014442/dm.tecmob
```

1385315

D

C

B

A



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.