

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0543325001](#)
Status: **Active**
Description: CRC™ Shielded Rectangular I/O Plug Assembly Set, Female Terminal, With Shield Cover, Signal, 50 Circuits, Polarization Type Standard

Documents:
[Drawing \(PDF\)](#)
[Product Specification PS-51238-016 \(PDF\)](#)
[Product Specification PS-51238-017 \(PDF\)](#)
[RoHS Certificate of Compliance \(PDF\)](#)

General	
Product Family	I/O Connectors
Series	54332
Application	Wire-to-Wire
Component Type	Kit
Product Name	CRC™
Type	N/A
Physical	
Boot Color	N/A
Circuits (Loaded)	N/A
Circuits (maximum)	50
Color - Resin	Gray
Gender	Plug
Keying to Mating Part	Yes
Lock to Mating Part	Yes
Material - Metal	Phosphor Bronze, Stainless Steel, Zinc Alloy
Material - Plating Mating	n/a
Material - Resin	Polyester
Number of Rows	4
Orientation	Vertical
PCB Locator	No
Packaging Type	Bag
Panel Mount	No
Pitch - Mating Interface (in)	0.118 In
Pitch - Mating Interface (mm)	3.00 mm
Pitch - Term. Interface (in)	0.118 In
Pitch - Term. Interface (mm)	3.00 mm
Polarized to Mating Part	Yes
Ports	1
Surface Mount Compatible (SMC)	No
Temperature Range - Operating	-40°C to +105°C
Termination Interface: Style	N/A
Waterproof / Dustproof	No

Electrical	
Current - Maximum per Contact	2A, 3A, 4A, 5A, 7A
Shield Type	Full Shield
Shielded	Yes
Voltage - Maximum	250V AC (RMS)/DC

Material Info

Reference - Drawing Numbers	
Product Specification	PS-51238-016, PS-51238-017
Sales Drawing	SD-54332-005



image - Reference only **Series**

EU RoHS
ELV and RoHS
Compliant
REACH SVHC
Not Reviewed
Halogen-Free
Status
Not Reviewed

China RoHS



Need more information on product environmental compliance?
Email productcompliance@molex.com
For a multiple part number RoHS Certificate of Compliance, [click here](#)
Please visit the [Contact Us](#) section for any non-product compliance questions.

Search Parts in this Series
[54332Series](#)

Mates With
[51233-5011](#) receptacle housing,
[55837-5001](#) receptacle assembly set,
[55838-5001](#) receptacle assembly set

This document was generated on 04/02/2010

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

DWG. NO. SD-54332-005

F

D

C

B

DO NOT SCALE DRAWING

8	7	6	5	4	3	2	1																																																																																
<table><tr><td>PLUG COVER B</td><td>I</td><td colspan="6">59588-5000</td></tr><tr><td>PLUG COVER A</td><td>I</td><td colspan="6">59587-5010</td></tr><tr><td>CROSS RECESSED HEAD SCREW (M3)</td><td>2</td><td colspan="6">58203-0030</td></tr><tr><td>CROSS RECESSED HEAD SCREW (M2.5)</td><td>2</td><td colspan="6">58203-0020</td></tr><tr><td>CABLE CLAMP</td><td>I</td><td colspan="6">59589-5000</td></tr><tr><td>PLUG SOCKET HS'G ASS'Y</td><td>I</td><td>51239-5011</td><td>51239-5012</td><td>51239-5013</td><td>51239-5014</td><td colspan="2">51239-5015</td></tr><tr><td>部品名称 PART NAME</td><td>数量 QUAN.</td><td colspan="6">部品型番 PART NO.</td></tr><tr><td colspan="2">極数 CIRCUIT</td><td colspan="6">50</td></tr><tr><td colspan="2">セット型番 SET NO.</td><td>54332-5001</td><td>54332-5002</td><td>54332-5003</td><td>54332-5004</td><td colspan="2">54332-5005</td></tr><tr><td colspan="2">タイプ TYPE</td><td>STANDARD TYPE</td><td>A TYPE</td><td>B TYPE</td><td>C TYPE</td><td colspan="2">D TYPE</td></tr></table>								PLUG COVER B	I	59588-5000						PLUG COVER A	I	59587-5010						CROSS RECESSED HEAD SCREW (M3)	2	58203-0030						CROSS RECESSED HEAD SCREW (M2.5)	2	58203-0020						CABLE CLAMP	I	59589-5000						PLUG SOCKET HS'G ASS'Y	I	51239-5011	51239-5012	51239-5013	51239-5014	51239-5015		部品名称 PART NAME	数量 QUAN.	部品型番 PART NO.						極数 CIRCUIT		50						セット型番 SET NO.		54332-5001	54332-5002	54332-5003	54332-5004	54332-5005		タイプ TYPE		STANDARD TYPE	A TYPE	B TYPE	C TYPE	D TYPE	
PLUG COVER B	I	59588-5000																																																																																					
PLUG COVER A	I	59587-5010																																																																																					
CROSS RECESSED HEAD SCREW (M3)	2	58203-0030																																																																																					
CROSS RECESSED HEAD SCREW (M2.5)	2	58203-0020																																																																																					
CABLE CLAMP	I	59589-5000																																																																																					
PLUG SOCKET HS'G ASS'Y	I	51239-5011	51239-5012	51239-5013	51239-5014	51239-5015																																																																																	
部品名称 PART NAME	数量 QUAN.	部品型番 PART NO.																																																																																					
極数 CIRCUIT		50																																																																																					
セット型番 SET NO.		54332-5001	54332-5002	54332-5003	54332-5004	54332-5005																																																																																	
タイプ TYPE		STANDARD TYPE	A TYPE	B TYPE	C TYPE	D TYPE																																																																																	
<table><tr><td colspan="2">54332-5005</td><td colspan="2" rowspan="5">54332-500*</td></tr><tr><td colspan="2">54332-5004</td></tr><tr><td colspan="2">54332-5003</td></tr><tr><td colspan="2">54332-5002</td></tr><tr><td colspan="2">54332-5001</td></tr><tr><td colspan="2">MATERIAL NO.</td><td colspan="2">MODEL NO.</td></tr></table>								54332-5005		54332-500*		54332-5004		54332-5003		54332-5002		54332-5001		MATERIAL NO.		MODEL NO.																																																																	
54332-5005		54332-500*																																																																																					
54332-5004																																																																																							
54332-5003																																																																																							
54332-5002																																																																																							
54332-5001																																																																																							
MATERIAL NO.		MODEL NO.																																																																																					
<table><tr><td rowspan="4">104NO. DRWN: CHK: APPR:</td><td rowspan="4">103NO. DRWN: CHK: APPR:</td><td rowspan="4">102NO. DRWN: CHK: APPR:</td><td rowspan="4">101NO. DRWN: CHK: APPR:</td><td rowspan="4">RELEASED '02/02/04 J2002-1828 DRWN: SAKIYAMA CHK: JMIYAZAWA APPR: YO.ITO</td><td rowspan="4">DESCRIPTION</td><td>MATERIAL 材料</td><td>GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差</td><td>SCALE</td><td>DESIGN UNITS</td><td rowspan="4"> THIRD ANGLE PROJECTION</td><td rowspan="4">TITLE: COMPACT ROBOT CONN. 50CKT. PLUG SOCKET SET</td></tr><tr><td rowspan="3">FINISH 仕上げ</td><td>10 UNDER 未満</td><td>±0.2</td><td>DRAWN BY & DATE <i>S. Miyama</i> '02/01/22</td></tr><tr><td>10 OVER 30 UNDER 以上 未満</td><td>±0.25</td><td>CHECKED BY & DATE <i>Y. Ito</i> '02/02/04</td></tr><tr><td>30 OVER 以上</td><td>±0.3</td><td>APPROVED BY & DATE <i>Y. Ito</i> '02/02/04</td></tr><tr><td colspan="6">WIRE RANGE 適用電線範囲</td><td>ANGLE 角度</td><td>±3°</td><td>CAD FILENAME 54332005.S01</td><td>MATERIAL NO. SEE CHART</td><td>DRAWING NO. SD-54332-005</td><td>SHEET NO. 1 OF 1</td></tr><tr><td colspan="6">REV</td><td>INS. RANGE 被覆外径</td><td colspan="4">THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.</td><td>SIZE B</td></tr></table>								104NO. DRWN: CHK: APPR:	103NO. DRWN: CHK: APPR:	102NO. DRWN: CHK: APPR:	101NO. DRWN: CHK: APPR:	RELEASED '02/02/04 J2002-1828 DRWN: SAKIYAMA CHK: JMIYAZAWA APPR: YO.ITO	DESCRIPTION	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差	SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE: COMPACT ROBOT CONN. 50CKT. PLUG SOCKET SET	FINISH 仕上げ	10 UNDER 未満	±0.2	DRAWN BY & DATE <i>S. Miyama</i> '02/01/22	10 OVER 30 UNDER 以上 未満	±0.25	CHECKED BY & DATE <i>Y. Ito</i> '02/02/04	30 OVER 以上	±0.3	APPROVED BY & DATE <i>Y. Ito</i> '02/02/04	WIRE RANGE 適用電線範囲						ANGLE 角度	±3°	CAD FILENAME 54332005.S01	MATERIAL NO. SEE CHART	DRAWING NO. SD-54332-005	SHEET NO. 1 OF 1	REV						INS. RANGE 被覆外径	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				SIZE B																																		
104NO. DRWN: CHK: APPR:	103NO. DRWN: CHK: APPR:	102NO. DRWN: CHK: APPR:	101NO. DRWN: CHK: APPR:	RELEASED '02/02/04 J2002-1828 DRWN: SAKIYAMA CHK: JMIYAZAWA APPR: YO.ITO	DESCRIPTION	MATERIAL 材料	GENERAL TOLERANCES: (UNLESS SPECIFIED) 一般公差							SCALE	DESIGN UNITS	 THIRD ANGLE PROJECTION	TITLE: COMPACT ROBOT CONN. 50CKT. PLUG SOCKET SET																																																																						
						FINISH 仕上げ	10 UNDER 未満							±0.2	DRAWN BY & DATE <i>S. Miyama</i> '02/01/22																																																																								
							10 OVER 30 UNDER 以上 未満							±0.25	CHECKED BY & DATE <i>Y. Ito</i> '02/02/04																																																																								
							30 OVER 以上	±0.3	APPROVED BY & DATE <i>Y. Ito</i> '02/02/04																																																																														
WIRE RANGE 適用電線範囲						ANGLE 角度	±3°	CAD FILENAME 54332005.S01	MATERIAL NO. SEE CHART	DRAWING NO. SD-54332-005	SHEET NO. 1 OF 1																																																																												
REV						INS. RANGE 被覆外径	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION.				SIZE B																																																																												
8	7	6	5	4	3	2	1																																																																																

F

E

D

C

B

A

54332005.S01



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.