

8

7

6

5

4

3

2

1

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

© COPYRIGHT 20

BY -

ALL RIGHTS RESERVED.

LOC

1

IN

DIST

00

REV

0

DATE

26OCT2012

BY

KP

APPV

LV

REV

1

DATE

12FEB2013

BY

KP

APPV

LV

REV

2

DATE

BY

APPV

1

15.07 MAX

11.94 MAX

1

26.66 MAX

ISOMETRIC VIEW

SCALE 2:1

COAX CABLE

SUPPLIED BY CUSTOMER

DETAIL X

SCALE 5:1

1

20.27 MAX

12.13 MAX

1

27.51 MAX

ISOMETRIC VIEW

SCALE 2:1

COAX CABLE

SUPPLIED BY CUSTOMER

DETAIL Y

SCALE 5:1

1

PLUG ACCEPTS JACKS MEETING DIN 72594-1,
ROAD VEHICLES - RADIO FREQUENCY INTERFACE - DIMENSIONS AND ELECTRICAL
REQUIREMENTS.

2.

PLUG SUBASSEMBLY WILL ACCEPT M17/28-RG58 COAXIAL CABLE PER MIL-C-17 AND
LOW LOSS RG58 TYPE ANDREW CORPORATION PART NUMBER 910046A000.
ALSO, ACCEPTS MINI 59 TYPE CABLE.

3.

SEE INSTRUCTION SHEET 408-10028.

4.

SOCKET CONTACT 1438896-2 MUST BE PURCHASED SEPARATELY FOR USE WITH RG58 AND
RG58LL CABLE. SOCKET CONTACT 1438896-4 MUST BE PURCHASED SEPARATELY FOR USE
WITH MINI 59 CABLE.

3.11

7.28

1.64

RECOMMENDED STRIP LENGTH DIMENSIONS

SCALE: NTS

PLUG HOUSING

PART NUMBER: SEE TABLE

LOCK

1438888-1

SEE TABLE

LOCK

WITH BODY CLIP SLOT

1438894-2

SEE TABLE

FERRULE

1488499-3

PLUG SUBASSEMBLY

1438918-1

PER DETAIL Y

PER DETAIL M

M

GRAY

1438894-2

PASTEL ORANGE

1-1438893-2

6-1438919-2

PER DETAIL Y

PER DETAIL K

K

GRAY

1438894-2

CURRY

1-1438893-0

6-1438919-0

PER DETAIL Y

PER DETAIL H

H

GRAY

1438894-2

HEATHER VIOLET

1438893-8

5-1438919-8

PER DETAIL Y

PER DETAIL G

G

GRAY

1438894-2

BLUE GREY

1438893-7

5-1438919-7

PER DETAIL Y

PER DETAIL F

F

GRAY

1438894-2

NUT BROWN

1438893-6

5-1438919-6

PER DETAIL Y

PER DETAIL E

E

GRAY

1438894-2

LEAF GREEN

1438893-5

5-1438919-5

PER DETAIL Y

PER DETAIL D

D

GRAY

1438894-2

CLARET VIOLET

1438893-4

5-1438919-4

PER DETAIL Y

PER DETAIL C

C

GRAY

1438894-2

SIGNAL BLUE

1438893-3

5-1438919-3

PER DETAIL Y

PER DETAIL B

B

GRAY

1438894-2

SIGNAL WHITE

1438893-2

5-1438919-2

PER DETAIL Y

PER DETAIL A

A

GRAY

1438894-2

JET BLACK

1438893-1

5-1438919-1

PER DETAIL X

PER DETAIL M

M

RED

1438888-1

PASTEL ORANGE

1-1438893-2

1-1438919-2

PER DETAIL X

PER DETAIL K

K

RED

1438888-1

CURRY

1-1438893-0

1-1438919-0

PER DETAIL X

PER DETAIL H

H

RED

1438888-1

HEATHER VIOLET

1438893-8

1438919-8

PER DETAIL X

PER DETAIL G

G

RED

1438888-1

BLUE GREY

1438893-7

1438919-7

PER DETAIL X

PER DETAIL F

F

RED

1438888-1

NUT BROWN

1438893-6

1438919-6

PER DETAIL X

PER DETAIL E

E

RED

1438888-1

LEAF GREEN

1438893-5

1438919-5

PER DETAIL X

PER DETAIL D

D

RED

1438888-1

CLARET VIOLET

1438893-4

1438919-4

PER DETAIL X

PER DETAIL C

C

RED

1438888-1

SIGNAL BLUE

1438893-3

1438919-3

PER DETAIL X

PER DETAIL B

B

RED

1438888-1

SIGNAL WHITE

1438893-2

1438919-2

PER DETAIL X

PER DETAIL A

A

RED

1438888-1

JET BLACK

1438893-1

1438919-1

ASSEMBLY

KEYING

CODING

LOCK
COLOR

LOCK
PART NUMBER

HOUSING
COLOR

PLUG HOUSING
PART NUMBER

PART
NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.

OWN

D. J. HARDY

04JAN2005

CHK

J. W. HALL

27JAN2005

APVD

J. W. HALL

27JAN2005

DIMENSIONS:

mm

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±

2 PLC ±0.25

3 PLC ±

4 PLC ±

ANGLES ±

FINISH

MATERIAL

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

NAME

PLUG KIT, UNASSEMBLED, 1 POSITION,
MINI 59, RG-58 OR RG-58 LL,
180 DEGREE, FAKRA, SMB

APPLIC

114-13157

1438919

SCALE

5:1

SHEET

1

OF

2

REV


F2

CUSTOMER DRAWING


TE Connectivity

4805 (3/11)


LOC	DIST	REVISIONS					
1N	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET 1	-	-	-




DETAIL A
SCALE 5:1




DETAIL B
SCALE 5:1




DETAIL C
SCALE 5:1




DETAIL D
SCALE 5:1




DETAIL E
SCALE 5:1




DETAIL F
SCALE 5:1




DETAIL G
SCALE 5:1



DETAIL H
SCALE 5:1



DETAIL K
SCALE 5:1



DETAIL M
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN D.J.HARDY 04JAN2005	TE Connectivity	
		CHK J.W.HALL 27JAN2005		
DIMENSIONS:		APVD J.W.HALL 27JAN2005	NAME	
mm		PRODUCT SPEC	PLUG KIT, UNASSEMBLED, 1 POSITION, MINI 59, RG-58 OR RG-58 LL, 180 DEGREE, FAKRA, SMB	
		APPLICATION SPEC		
		SIZE	CAGE CODE	DRAWING NO
		114-13157		
MATERIAL		WEIGHT	A100779C=1438919	
		CUSTOMER DRAWING	RESTRICTED TO	
		SCALE	5:1	SHEET 2 OF 2
				REV F2



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.