



PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89038-X01/X01LF	1.6	2.90
89038-X11/X11LF	2.4	3.53










PRODUCT AFTER PC BOARD APPLICATION.



RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

NOTES:
1. BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FILLED, FLAME RETARDANT ACC. UL 94-V0
2. TERMINAL MATERIAL: PHOSPHOR BRONZE.
3. INDICATED HOLES ARE UNPLATED.
4. FOR PLATING SPEC, REFER TO DRAWING 10097866.
5. PRODUCTMARKING: PARTNUMBER & BATCH ID.
6. DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH T. SIDES OF PRODUC
7. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED INGS-22-008 .
8. THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

ltr	ecn no	dr	date
J	DG04-0104	CLu	041221
K	DG06-0478	Cenh	11/23/06
L	DG07-0171	Cenh	05/25/07
M	DG08-0171	TER	8/26/08
N	DG09-0068	Cenh	03/03/09
H	V00847	LLA	000530

sheet	revision	N	N	N
index	sheet	1	2	3

mat'l. code

tolerances unless otherwise specified
linear
angles

dr	H.Bouwknegt	930202
engr	H. Bouwknegt	940311
chr	S.Lee	930203
appd	J.Wintjes	930203

CUSTOMER COPY
projection
mm
scale 5:1


www.fciconnect.com


title: RA FEMALE SIGNAL 96 mm PRESS PEG
product family: METRAL(tm)
code: 213
size: A2
dwg no: 89038
sheet: 1 of 3


PDM: Rev:N STATUS: Released Printed: May 19, 2011


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of F C I b.v. @ F C I b.v.
Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de F C I b.v. @ F C I b.v.


PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89038-X02/X02LF	1.6	2.90
89038-X12/X12LF	2.4	3.53














RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

NOTES:
1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
3 INDICATED HOLES ARE UNPLATED.
4 FOR PLATING SPEC, REFER TO DRAWING 10097866.
5 PRODUCTMARKING: PARTNUMBER & BATCH ID.
6 SET BACK FOR PRESS BLOCK.
7 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
8 TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD
9 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008 .
10 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
−1YY/1YYLF	TELCORDIA CO
−2YY/2YYLF	CUSTOMER SPECIAL
−3YY/3YYLF	CUSTOMER SPECIAL


mat'l. code				tolerances unless otherwise specified				CUSTOMER COPY	www.fciconnect.com
ltr	ecn	nodr	date	linear				projection	title: RA FEMALE SIGNAL 96 mm PRESS PEG
N				angles				mm	product family: METRAL(tm)
				dr	D. de Bil	970529			code: 213
				engr	P. Schalk	970529		scale 5:1	size: A2 dwg no: 89038
				chr	P. Schalk	970529			sheet: 2 of-
				appd	H. Cooljmans	970529			
sheet index	revision sheet								


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of F C I b.v. @ F C I b.v.
Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de F C I b.v. @ F C I b.v.


form: A2


PDM: Rev:N STATUS: Released Printed: May 19, 2011

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89038-X03/X03LF	1.6	2.90
89038-X13/X13LF	2.4	3.53










PRODUCT AFTER PC BOARD APPLICATION.



RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

NOTES:
1. BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
2. TERMINAL MATERIAL: PHOSPHOR BRONZE.
3. INDICATED HOLES ARE UNPLATED.
4. FOR PLATING SPEC, REFER TO DRAWING 10097866.
5. PRODUCTMARKING: PARTNUMBER & BATCH ID.
6. DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
7. THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008 .
8. THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code

ltr	ecn	ndr	date
N			

tolerances unless otherwise specified
linear
angles

dr	Heaven Cen	11/23/06
engr	Collins Lu	11/23/06
chr	Beer Fu	11/23/06
appd	Joseph Hsia	11/23/06

CUSTOMER COPY
projection
mm
scale 5:1

www.fciconnect.com
title: RA FEMALE SIGNAL 96 mm PRESS PEG
product family: METRAL(tm)
code: 213
size: A2
dwg no: 89038
sheet: 3 of-

sheet revision
index sheet

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de F C I b.v. @ F C I b.v.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of F C I b.v. @ F C I b.v.

form: A2

PDM: Rev:N STATUS: Released Printed: May 19, 2011


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.