



PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89036-X01/X01LF	1.6	2.90
89036-X11/X11LF	2.4	3.53










PRODUCT AFTER PC BOARD APPLICATION.



RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

NOTES:
1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
3 PLATING SOLDERTAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn
4 INDICATED HOLES ARE UNPLATED.
5 PRODUCTMARKING: PARTNUMBER & BATCH ID.
6 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
7 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008 .
8 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

ltr	ecn no	dr	date
J	DG04-0104	CLu	041221
K	DG06-0478	Cenh	11/23/06
L	DG07-0171	Cenh	05/25/07
M	DG08-0171	TER	8/26/08
N	DG09-0068	Cenh	06/06/09

mat'l. code

tolerances unless otherwise specified: linear, angles

dr	H.Bouwknegt	930202
engr	H. Bouwknegt	940311
chr	S.Lee	930203
appd	J.Wintjes	930203

CUSTOMER COPY

projection

mm

scale 5:1

www.fciconnect.com

title: RA FEMALE SIGNAL 24 mm PRESS PEG

product family METRAL(tm)

code 213

size A2 dwg no 89036

sheet 1 of3

sheet	revision	N	N	N
index	sheet	1	2	3


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of F C I b.v. @ F C I b.v.


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de F C I b.v. @ F C I b.v.


form: A2


PDM: Rev:N STATUS: Released Printed: May 19, 2011


PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89036-X02/X02LF	1.6	2.90
89036-X12/X12LF	2.4	3.53














RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

NOTES:
1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
3 PLATING SOLDERTAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn
4 INDICATED HOLES ARE UNPLATED.
5 PRODUCTMARKING: PARTNUMBER & BATCH ID.
6 SET BACK FOR PRESS BLOCK.
7 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
8 TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD
9 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008 .
10 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code

ltr	ecn	nodr	date
N			

tolerances unless otherwise specified
linear
angles

dr	D. de Bil	970529	
engr	P. Schalk	970529	
chr	P. Schalk	970529	
appd	H. Cooljmans	970529	

CUSTOMER COPY
projection
mm
scale 5:1

www.fciconnect.com
title: RA FEMALE SIGNAL 24 mm PRESS PEG
product family: METRAL(tm)
code: 213
size: A2
dwg no: 89036
sheet: 2 of-

sheet revision
index sheet


form: A2


Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propietaire. Propriete de F C I b.v. @ F C I b.v.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of F C I b.v. @ F C I b.v.


PDM: Rev:N STATUS: Released Printed: May 19, 2011


PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
89036-X03/X03LF	1.6	2.90
89036-X13/X13LF	2.4	3.53






PRODUCT AFTER PC BOARD APPLICATION.







RECOMMENDED HOLE PATTERN,
COMPONENT SIDE.

NOTES:
1 BODY MAT'L: LIQUID CRYSTAL POLYMER 30% GLASS FLAME RETARDANT ACC. UL 94-V0
2 TERMINAL MATERIAL: PHOSPHOR BRONZE.
3 PLATING SOLDERTAILS 2-8 um SnPb 90-97 OR 2-8 um PURE Sn
4 INDICATED HOLES ARE UNPLATED.
5 PRODUCTMARKING: PARTNUMBER & BATCH ID.
6 DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
7 THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008 .
8 THE HOUSING WILL WITHSTAND EXPOSURE TO 260DEGREE PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.

PLATING CONTACT AREA:	
DASH NR:	PERFORMANCE LEVEL
-1YY/1YYLF	TELCORDIA CO
-2YY/2YYLF	CUSTOMER SPECIAL
-3YY/3YYLF	CUSTOMER SPECIAL

mat'l. code				tolerances unless otherwise specified			CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn	nodr	date					
N				linear			projection	title RA FEMALE SIGNAL 24 mm PRESS PEG
				angles				
				dr	Heaven Cen	11/23/06	mm	product family METRAL(tm) code
				engr	Collins Lu	11/23/06		size dwg no 213
				chr	Beer Fu	11/23/06	scale 5:1	A2 89036 sheet 3 of-
				appd	Joseph Hsia	11/23/06		
sheet	revision							
index	sheet							

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de F C I b.v. @ F C I b.v.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of F C I b.v. @ F C I b.v.

form A2

PDM: Rev:N STATUS: Released Printed: May 19, 2011


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.