

THIS DRAWING IS UNPUBLISHED.	RELEASED FOR PUBLICATION	- , -
© COPYRIGHT - By -	ALL RIGHTS RESERVED.	


LOC	DIST	REVISIONS					
AD	39	P	LTR	DESCRIPTION	DATE	OWN	APVD
			U3	REVISED PER ECO-11-004587	11MAR11	RK	HMR

D

7	OBSOLETE	ALL	63.63 [2.505]	30.48 [1.200]	30.48 [1.200]	25	4-87499-7
	OBSOLETE	-	61.09 [2.405]	27.94 [1.100]	30.48 [1.200]	24	4-87499-6
	OBSOLETE	ALL	61.09 [2.405]	27.94 [1.100]	30.48 [1.200]	24	4-87499-5
	OBSOLETE	-	58.55 [2.305]	27.94 [1.100]	27.94 [1.100]	23	4-87499-4
	OBSOLETE	ALL	58.55 [2.305]	27.94 [1.100]	27.94 [1.100]	23	4-87499-3
SUPERSEDED BY 4-87499-2	-	-	56.01 [2.205]	25.40 [1.000]	27.94 [1.100]	22	4-87499-2
	OBSOLETE	ALL	56.01 [2.205]	25.40 [1.000]	27.94 [1.100]	22	4-87499-1
	-	-	53.47 [2.105]	25.40 [1.000]	25.40 [1.000]	21	4-87499-0
	OBSOLETE	ALL	53.47 [2.105]	25.40 [1.000]	25.40 [1.000]	21	3-87499-9
	-	-	50.93 [2.005]	22.86 [0.900]	25.40 [1.000]	20	3-87499-8
7	OBSOLETE	ALL	50.93 [2.005]	22.86 [0.900]	25.40 [1.000]	20	3-87499-7
	OBSOLETE	-	48.39 [1.905]	22.86 [0.900]	22.86 [0.900]	19	3-87499-6
	OBSOLETE	ALL	48.39 [1.905]	22.86 [0.900]	22.86 [0.900]	19	3-87499-5
	-	-	45.85 [1.805]	20.32 [0.800]	22.86 [0.900]	18	3-87499-4
	SUPERSEDED BY 3-87499-4	ALL	45.85 [1.805]	20.32 [0.800]	22.86 [0.900]	18	3-87499-3
OBSOLETE	-	-	43.31 [1.705]	20.32 [0.800]	20.32 [0.800]	17	3-87499-2
	OBSOLETE	ALL	43.31 [1.705]	20.32 [0.800]	20.32 [0.800]	17	3-87499-1
	-	-	40.77 [1.605]	17.78 [0.700]	20.32 [0.800]	16	3-87499-0
	OBSOLETE	ALL	40.77 [1.605]	17.78 [0.700]	20.32 [0.800]	16	2-87499-9
	-	-	38.23 [1.505]	17.78 [0.700]	17.78 [0.700]	15	2-87499-8
ALL	OBSOLETE	ALL	38.23 [1.505]	17.78 [0.700]	17.78 [0.700]	15	2-87499-7
	-	-	35.69 [1.405]	15.24 [0.600]	17.78 [0.700]	14	2-87499-6
	OBSOLETE	ALL	35.69 [1.405]	15.24 [0.600]	17.78 [0.700]	14	2-87499-5
	-	-	33.15 [1.305]	15.24 [0.600]	15.24 [0.600]	13	2-87499-4
	OBSOLETE	ALL	33.15 [1.305]	15.24 [0.600]	15.24 [0.600]	13	2-87499-3
ALL	-	-	30.61 [1.205]	12.70 [0.500]	15.24 [0.600]	12	2-87499-2
	OBSOLETE	ALL	30.61 [1.205]	12.70 [0.500]	15.24 [0.600]	12	2-87499-1
	-	-	28.07 [1.105]	12.70 [0.500]	12.70 [0.500]	11	2-87499-0
	OBSOLETE	ALL	28.07 [1.105]	12.70 [0.500]	12.70 [0.500]	11	1-87499-9
	-	-	25.53 [1.005]	10.16 [0.400]	12.70 [0.500]	10	1-87499-8
ALL	OBSOLETE	ALL	25.53 [1.005]	10.16 [0.400]	12.70 [0.500]	10	1-87499-7
	-	-	22.99 [0.905]	10.16 [0.400]	10.16 [0.400]	9	1-87499-6
	OBSOLETE	ALL	22.99 [0.905]	10.16 [0.400]	10.16 [0.400]	9	1-87499-5
	-	-	20.45 [0.805]	7.62 [0.300]	10.16 [0.400]	8	1-87499-4
	OBSOLETE	ALL	20.45 [0.805]	7.62 [0.300]	10.16 [0.400]	8	1-87499-3
ALL	-	-	15.37 [0.605]	5.08 [0.200]	7.62 [0.300]	6	1-87499-2
	OBSOLETE	ALL	15.37 [0.605]	5.08 [0.200]	7.62 [0.300]	6	1-87499-1
	-	-	12.83 [0.505]	5.08 [0.200]	5.08 [0.200]	5	1-87499-0
	OBSOLETE	ALL	12.83 [0.505]	5.08 [0.200]	5.08 [0.200]	5	87499-9
	-	-	10.29 [0.405]	2.54 [0.100]	5.08 [0.200]	4	87499-8
ALL	OBSOLETE	ALL	10.29 [0.405]	2.54 [0.100]	5.08 [0.200]	4	87499-7
	-	-	7.75 [0.305]	2.54 [0.100]	2.54 [0.100]	3	87499-6
	OBSOLETE	ALL	7.75 [0.305]	2.54 [0.100]	2.54 [0.100]	3	87499-5
	-	-	5.21 [0.205]	-	2.54 [0.100]	2	87499-4
	OBSOLETE	ALL	5.21 [0.205]	-	2.54 [0.100]	2	87499-3
ALL	-	-	17.91 [0.705]	7.62 [0.300]	7.62 [0.300]	7	87499-2
	OBSOLETE	ALL	17.91 [0.705]	7.62 [0.300]	7.62 [0.300]	7	87499-1
	MARKING	C	B	A	NO OF POSN	PART NUMBER	

SUPERSEDED BY 3-87499-4		5	-	45.85	[1.805]	20.32	[.800]	22.86	[.900]	18	8-87499-9
SUPERSEDED BY 3-87499-2		5	-	43.31	[1.705]	20.32	[.800]	20.32	[.800]	17	8-87499-8
SUPERSEDED BY 3-87499-0		5	-	40.77	[1.605]	17.78	[.700]	20.32	[.800]	16	8-87499-7
SUPERSEDED BY 2-87499-8		5	-	38.23	[1.505]	17.78	[.700]	17.78	[.700]	15	8-87499-6
SUPERSEDED BY 2-87499-6		5	-	35.69	[1.405]	15.24	[.600]	17.78	[.700]	14	8-87499-5
SUPERSEDED BY 2-87499-4		5	-	33.15	[1.305]	15.24	[.600]	15.24	[.600]	13	8-87499-4
SUPERSEDED BY 2-87499-2		5	-	30.61	[1.205]	12.70	[.500]	15.24	[.600]	12	8-87499-3
SUPERSEDED BY 2-87499-0		5	-	28.07	[1.105]	12.70	[.500]	12.70	[.500]	11	8-87499-2
SUPERSEDED BY 1-87499-8		5	-	25.53	[1.005]	10.16	[.400]	12.70	[.500]	10	8-87499-1
SUPERSEDED BY 1-87499-6		5	-	22.99	[.905]	10.16	[.400]	10.16	[.400]	9	8-87499-0
OBSOLETE		5	-	20.45	[.805]	7.62	[.300]	10.16	[.400]	8	7-87499-9
SUPERSEDED BY 87499-2		5	-	17.91	[.705]	7.62	[.300]	7.62	[.300]	7	7-87499-8
SUPERSEDED BY 1-87499-2		5	-	15.37	[.605]	5.08	[.200]	7.62	[.300]	6	7-87499-7
SUPERSEDED BY 1-87499-0		5	-	12.83	[.505]	5.08	[.200]	5.08	[.200]	5	7-87499-6
SUPERSEDED BY 87499-8		5	-	10.29	[.405]	2.54	[.100]	5.08	[.200]	4	7-87499-5
SUPERSEDED BY 87499-6		5	-	7.75	[.305]	2.54	[.100]	2.54	[.100]	3	7-87499-4
SUPERSEDED BY 87499-4		5	-	5.21	[.205]	-	-	2.54	[.100]	2	7-87499-3
		-	-	2.67	[.105]	-	-	-	-	1	7-87499-2
SUPERSEDED BY 7-87499-2		-	ALL	2.67	[.105]	-	-	-	-	1	7-87499-1
		-	-	91.57	[3.605]	43.18	[1.700]	45.72	[1.800]	36	7-87499-0
7	OBSOLETE	-	ALL	91.57	[3.605]	43.18	[1.700]	45.72	[1.800]	36	6-87499-9
	OBSOLETE	-	-	89.03	[3.505]	43.18	[1.700]	43.18	[1.700]	35	6-87499-8
7	OBSOLETE	-	ALL	89.03	[3.505]	43.18	[1.700]	43.18	[1.700]	35	6-87499-7
	OBSOLETE	-	-	86.49	[3.405]	40.64	[1.600]	43.18	[1.700]	34	6-87499-6
7	OBSOLETE	-	ALL	86.49	[3.405]	40.64	[1.600]	43.18	[1.700]	34	6-87499-5
	OBSOLETE	-	-	83.95	[3.305]	40.64	[1.600]	40.64	[1.600]	33	6-87499-4
7	OBSOLETE	-	ALL	83.95	[3.305]	40.64	[1.600]	40.64	[1.600]	33	6-87499-3
	OBSOLETE	-	-	81.41	[3.205]	38.10	[1.500]	40.64	[1.600]	32	6-87499-2
7	OBSOLETE	-	ALL	81.41	[3.205]	38.10	[1.500]	40.64	[1.600]	32	6-87499-1
	OBSOLETE	-	-	78.87	[3.105]	38.10	[1.500]	38.10	[1.500]	31	6-87499-0
	OBSOLETE	-	ALL	78.87	[3.105]	38.10	[1.500]	38.10	[1.500]	31	5-87499-9
		-	-	76.33	[3.005]	35.56	[1.400]	38.10	[1.500]	30	5-87499-8
7	OBSOLETE	-	ALL	76.33	[3.005]	35.56	[1.400]	38.10	[1.500]	30	5-87499-7
	OBSOLETE	-	-	73.79	[2.905]	35.56	[1.400]	35.56	[1.400]	29	5-87499-6
	OBSOLETE	-	ALL	73.79	[2.905]	35.56	[1.400]	35.56	[1.400]	29	5-87499-5
		-	-	71.25	[2.805]	33.02	[1.300]	35.56	[1.400]	28	5-87499-4
7	OBSOLETE	-	ALL	71.25	[2.805]	33.02	[1.300]	35.56	[1.400]	28	5-87499-3
	OBSOLETE	-	-	68.71	[2.705]	33.02	[1.300]	33.02	[1.300]	27	5-87499-2
7	OBSOLETE	-	ALL	68.71	[2.705]	33.02	[1.300]	33.02	[1.300]	27	5-87499-1
	OBSOLETE	-	-	66.17	[2.605]	30.48	[1.200]	33.02	[1.300]	26	5-87499-0
7	OBSOLETE	-	ALL	66.17	[2.605]	30.48	[1.200]	33.02	[1.300]	26	4-87499-9
	OBSOLETE	-	-	63.63	[2.505]	30.48	[1.200]	30.48	[1.200]	25	4-87499-8
		NOTES	MARKING	C		B		A		NO OF POSN	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 21-JUN-95 E. BRANDBERG CHK 21-JUN-95 S. SHUEY		 TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME HOUSING, MOD IV, SINGLE ROW, .100 CL, CRIMP SNAP-IN —	
		APVD 21-JUN-95 D. DUPLER PRODUCT SPEC —			
0 PLC ± — 1 PLC ± — 2 PLC ± 0.13[.005] 3 PLC ± — 4 PLC ± — ANGLES ± —		APPLICATION SPEC —			
MATERIAL FLAME RETARDANT		FINISH —			
		WEIGHT —		SIZE A2 GAGE CODE 00779 DRAWING NO C-87499 RESTRICTED TO —	
CUSTOMER DRAWING		SCALE 4:1		SHEET 1 of 2 REV U3	



LOC		DIST		REVISIONS					
AD		39		P	LTR	DESCRIPTION			DATE
						SEE SHEET 1			DWN
									APVD

DOCUMENT.	DWN	21-JUN-95	 TE Connectivity										
	CHK	21-JUN-95											
UNLESS SPECIFIED:	APVD	21-JUN-95	NAME HOUSING, MOD IV, SINGLE ROW, .100 CL, CRIMP SNAP-IN —										
	D. DUPLER												
	PRODUCT SPEC												
	—												
3[.005]	APPLICATION SPEC	—	SIZE				CAGE CODE	DRAWING NO		RESTRICTED TO			
	—	—	A2				00779	C=87499		—			
—	WEIGHT	—											
	CUSTOMER DRAWING								SCALE	4:1	SHEET	2 OF 2	REV

- 1 PART NO & DATE CODE MARKED (WHITE), .062±.015 HIGH CHARS. IN APPROX. AREA SHOWN WHEN HOUSING SIZE PERMITS.
- 2 CAVITY IDENT. MARKED (WHITE), .046±.015 HIGH CHARS., FIRST & EVERY FIFTH CAVITY, ONE SIDE AS SHOWN.
- 3 TOLERANCE NON-CUMULATIVE.
- 4. USE EXTRACTION TOOL 91052-1 TO REMOVE RECEPTACLE CONTACTS.
- 5 AMP LOGO MOLDED IN TEXTURED AREA AS SHOWN.
- 6 FLASH ALLOWED TO BE .015 IN THIS AREA.
- 7 OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.