




LOC	DIST	REVISIONS					
DF	A5	P	LTR	DESCRIPTION	DATE	DWN	APVD
			F	REVISED PER ECO-08-029679	23DEC2008	SK	DM




PERIPHERAL GASKET
MATL: SILICONE
RUBBER
COLOR: RED




OLIVE DRAB	SOLD SEPARATELY	B	1-1811927-5
OLIVE DRAB	SOLD SEPARATELY	A	1-1811927-4
OLIVE DRAB	SOLD SEPARATELY	N	1-1811927-3
OLIVE DRAB	PROVIDED UN-ASSEMBLED	B	1-1811927-2
OLIVE DRAB	PROVIDED UN-ASSEMBLED	A	1-1811927-1
OLIVE DRAB	PROVIDED UN-ASSEMBLED	N	1-1811927-0
NICKEL	SOLD SEPARATELY	B	1811927-9
NICKEL	SOLD SEPARATELY	A	1811927-8
NICKEL	SOLD SEPARATELY	N	1811927-7
NICKEL	PROVIDED UN-ASSEMBLED	B	1811927-3
NICKEL	PROVIDED UN-ASSEMBLED	A	1811927-2
NICKEL	PROVIDED UN-ASSEMBLED	N	1811927-1
FINISH	QUADRAX CONTACT 1445692-3 QTY=8	SHELL KEYING ARRANGEMENT	PART NUMBER


1. -1, -2, -3, -10, -11 AND -12 CONNECTOR KIT INCLUDES
TYCO ELECTRONICS QUADRAX PIN ASSEMBLY; PART NUMBER 1445692-3.
QTY = 8 PER KIT.
2. PART IS MARKED WITH TYCO ELECTRONICS PART NO. (SEE TABLE),
TYCO ELECTRONICS LOGO OR TE. AND DATE CODE.
3. OPERATING TEMPERATURE RANGE: -65°C TO +125°C (-85°F TO +257°F).
4. THE CONNECTOR QUALIFICATION WAS COMPLETED PER TYCO ELECTRONICS
108-2199. THE QUADRAX CONTACTS ARE QUALIFIED PER TYCO ELECTRONICS 108-2131.
THE REFERENCE TEST REPORTS ARE TYCO ELECTRONICS 501-660 FOR THE CONNECTOR
AND 501-574 FOR THE CONTACTS WHICH ARE SAME AS ARINC 600-13, DRAFT 2 OF
SUPPLEMENT 14 (AIR TRANSPORT AVIONICS EQUIPMENT INTERFACES).

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 05APR2005 Brent D. John		 Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: IN		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME ASSY., RECEPTACLE, SIZE 25,8Q8, M38999 STYLE	
		CHK L.S.OH 05APR2005			
		APVD L.S.OH 05APR2005			
		PRODUCT SPEC			
MATERIAL		APPLICATION SPEC		SIZE	
		-		CAGE CODE	
		-		DRAWING NO	
FINISH		WEIGHT		RESTRICTED TO	
-		-		-	
CUSTOMER DRAWING				SCALE 2:1	
				SHEET 1 OF 2	
				REV F	


LOC	DIST	REVISIONS					
DF	A5	P	LTR	DESCRIPTION	DATE	DWN	APVD
			-	SEE SHEET I	-	-	-



1811927-1
"N" KEY POLARIZATION



1811927-2
"A" KEY POLARIZATION



1811927-3
"B" KEY POLARIZATION

THIS DRAWING IS A CONTROLLED DOCUMENT FOR TYCO ELECTRONICS CORPORATION IT IS SUBJECT TO CHANGE AND THE CONTROLLING ENGINEERING ORGANIZATION SHOULD BE CONTACTED FOR THE LATEST REVISION.		DWN 05APR2005 BRENT D. JOHNS		tyco Electronics		Tyco Electronics Harrisburg, PA 17105-3608	
DIMENSIONS: IN		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±.1 1 PLC ±.01 2 PLC ±.005 4 PLC ±.0020 ANGLES ±.		CHK 05APR2005 L.S.OH APVD 05APR2005 L.S.OH		NAME ASSY., RECEPTACLE, SIZE 25,8Q8, M38999 STYLE	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE A200779		CAGE CODE C-1811927	
MATERIAL -		WEIGHT -		DRAWING NO C-1811927		RESTRICTED TO -	
FINISH -		CUSTOMER DRAWING		SCALE 2:1		SHEET 2 OF 2 REV E	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.