# Military Qualified Product Listing

## MIL-F-15160 Fuses - Instruments, Power and Telephone

### Military Standard MIL-F-15160/01 ¼" x 1" Fuses

F01A125V6/10A*
F01A125V3/4A
F01A125V8/10A
F01A125V1A
F01A125V1 1/4A
F01A125V1 1/2A
F01A125V1 6/10A*
F01A125V2A
F01A125V2 1/2A
F01A125V3A
F01A125V3 2/10A
F01A125V4A
F01A125V5A
F01A250V1/2A

*** Commercial version is AGX Series. See Data Sheet 2041 for more information.

### Military Standard MIL-F-15160/03 ¼"x 1¼" Fuses

F03B125V4A
F03B125V5A
F03B125V6 1/4A
F03B125V7A
F03B125V8A
F03B125V10A
F03B125V12A
F03B125V15A
F03B125V20A
F03B125V25A
F03B125V30A
F03B250V1/10A
F03B250V1/8A
F03B250V15/100A
F03B250V3/16A
F03B250V1/4A
F03B250V3/10A*
F03B250V3/8A
F03B250V1/2A
F03B250V6/10A
F03B250V3/4A
F03B250V8/10A*
F03B250V1A
F03B250V1 1/4A
F03B250V1 1/2A
F03B250V1 6/10A
F03B250V2A
F03B250V21/2A*
F03B250V2 8/10A*
F03B250V3A
F03B250V3 2/10A

*** Commercial version is MDA Series. See Data Sheet 2002 for more information.

### Military Standard MIL-F-15160/02 ¼" x 1¼" Fuses

F02A32V15A
F02A32V20A
F02A32V25A
F02A32V30A
F02B32V8A
F02B32V10A
F02B32V12A
F02B32V15A
F02A125V8A
F02A125V10A
F02A250V1/2A
F02A250V6/10AS**
F02A250V3/4A
F02A250V1A
F02A250V1 1/4A
F02A250V1 1/2A
F02A250V1 6/10A
F02A250V2A
F02A250V2 1/2A
F02A250V3A
F02A250V4A
F02A250V5A
F02A250V6A

*** Commercial version is AGC Series. See Data Sheet 2001 for more information.

### Military Standard MIL-F-15160/09 13/32" x 1½" Fuses

F09A250V1A
F09A250V2A
F09A250V3A
F09A250V3 1/2A
F09A250V4AS**
F09A250V5A
F09A250V6A
F09A250V6 1/4AS**
F09A250V7A
F09A250V8A
F09A250V10A
F09A250V15A
F09A250V20A
F09A250V25A
F09A250V30A

*** Commercial version is BAN Series. See Data Sheet 2046 for more information.

### Military Standard MIL-F-15160/02 ¼" x 1¼" Fuses

F02B125V4A
F02B125V5A
F02B125V6 1/4A
F02B125V7A
F02B250V15/100A
F02B250V3/16A
F02B250V2/10A
F02B250V1/4A
F02B250V3/10A
F02B250V3/8A
F02B250V4/10A*
F02B250V1/2A
F02B250V6/10A
F02B250V7/10A
F02B250V3/4A
F02B250V8/10A
F02B250V1A
F02B250V1 1/4A
F02B250V1 1/2A
F02B250V1 6/10A
F02B250V2A
F02B250V2 1/2A
F02B250V2 8/10S**
F02B250V3A
F02B250V3 2/10A*

*** Commercial version is MDL Series. See Data Sheet 2004 for more information.

### Military Standard MIL-F-15160/05

F05A and F05B series cancelled without replacement on January 1976.

### Military Standard MIL-F-15160/06

F06A and F06B series are inactive for new design after January 1970. Non-military equivalent is ABS Series.

### Military Standard MIL-F-15160/07

F07A and F07B series are inactive for new design after January 1970. Non-military equivalent is AGU Series.

### Military Standard MIL-F-15160/03 ¼" x 1¼" Fuses

F03A125V20A
F03A125V25A
F03A125V30A
F03A250V1A
F03A250V1 1/4A
F03A250V1 1/2A
F03A250V2A
F03A250V3A
F03A250V4A
F03A250V5A
F03A250V6A
F03A250V8A
F03A250V10A
F03A250V12A
F03A250V15A

*** Commercial version is ABC Series. See Data Sheet 2000 for more information.

### Military Standard MIL-F-15160/09 13/32" x 1½" Fuses

F09B32V20A*
F09B32V25A
F09B32V30A
F09B125V15A
F09B250V1/10A**
F09B250V15/100A
F09B250V2/10A
F09B250V3/10A
F09B250V4/10A*
F09B250V1/2A*
F09B250V8/10A
F09B250V1A
F09B250V1 1/4A
F09B250V1 6/10A
F09B250V2A
F09B250V2 1/2A
F09B250V2 8/10S**
F09B250V3 2/10A
F09B250V3 1/2AS**
F09B250V4A
F09B250V5A
F09B250V5 6/10A
F09B250V6 1/4A
F09B250V8A
F09B250V10A

*** Commercial version is FNM Series. See Data Sheet 2028 for more information.

Note: When silver-plated fuse caps are required, simply suffix the letter "S" to the Type Designation Number; i.e., "F02A250V1/2AS."
*Indicates a product not available with silver-plated caps.
**Indicates a product available only with silver-plated caps.
*** Commercial equivalent part number is for basic design reference only. Not intended to be used as a substitute for the military part number.

# Military Qualified Product Listing

## MIL-F-15160 Fuses - Instruments, Power and Telephone

**Military Standard MIL-F-15160/10**
**13/32" x 1½" Fuses**

F10A250V1A
F10A250V2A
F10A250V3A
F10A250V4AS**
F10A250V5A
F10A250V6AS**
F10A250V8AS**
F10A250V10A
F10A250V15A
F10A125V20AS**
F10A125V30A*

***** Commercial version is MIN Series. See Data Sheet 2047 for more information.**

**Military Standard MIL-F-15160/15**
**9/16" x 2" Fuses**

F15A250V1A
F15A250V3A
F15A250V6A
F15A250V10A
F15A250V15A
F15A250V20A
F15A250V25A
F15A250V30A

**Military Standard MIL-F-15160/15**
**9/16" x 2" Fuses**

F15BR250V1A
F15BR250V1 6/10A
F15BR250V2A
F15BR250V2½A
F15BR250V3 2/10AS**
F15BR250V4AS**
F15BR250V5A
F15BR250V6¼A*
F15BR250V8A
F15BR250V10A
F15BR250V12A
F15BR250V20A
F15BR250V25A
F15BR250V30A

**F15BR replaced F15B in October 1990.**

***** Commercial version is FRN-R Series. See Data Sheet 1019 for more information.**

**Military Standard MIL-F-15160/16**
**13/16" x 3" Fuses**

F16A250V35A
F16A250V40A
F16A250V45A*
F16A250V50A
F16A250V60A

**Military Standard MIL-F-15160/16**
**13/16" x 3" Fuses**

F16BR250V35A
F16BR250V40A
F16BR250V45A
F16BR250V50A
F16BR250V60A

**F16BR replaced F16B in October 1990.**

***** Commercial version is FRN-R Series. See Data Sheet 1019 for more information.**

**Military Standard MIL-F-15160/19**
**1" x 5⅞" Fuses**

F19BR250V70A
F19BR250V80A
F19BR250V90A
F19BR250V100A

**F19BR replaced F19B in October 1990.**

***** Commercial version is FRN-R Series. See Data Sheet 1020 for more information.**

**Military Standard MIL-F-15160/20**
**1½" x 7⅛"Fuses**

F20BR250V110A
F20BR250V125A
F20BR250V150A
F20BR250V175A
F20BR250V200A

**F20BR replaced F20B in October 1990.**

***** Commercial version is FRN-R Series. See Data Sheet 1020 for more information.**

**Military Standard MIL-F-15160/27**

F27A Series is inactive for new design after December 1990.

**Military Standard MIL-F-15160/28**

F28A Series is inactive for new design after December 1990.

**Military Standard MIL-F-15160/29**

F29A Series is inactive for new design after December 1990.

**Military Standard MIL-F-15160/30**

F30A Series is inactive for new design after December 1990.

**Military Standard MIL-F-15160/36**

F36A and F36B Series are inactive for new design after December 1990.

**Military Standard MIL-F-15160/37**

F37A and F37B Series are inactive for new design after December 1990.

**Military Standard MIL-F-15160/38**

F38A and F38B Series are inactive for new design after December 1990.

Note: When silver-plated fuse caps are required, simply suffix the letter "S" to the Type Designation Number; i.e., "F02A250V½AS."
*Indicates a product not available with silver-plated caps.
**Indicates a product available only with silver-plated caps.
*** Commercial equivalent part number is for basic design reference only. Not intended to be used as a substitute for the military part number.

# Military Qualified Product Listing

## MIL-F-15160 Fuses - Instruments, Power and Telephone

**Military Standard MIL-F-15160/39**

F39A and F39B Series are inactive for new design after December 1990.

**Military Standard MIL-F-15160/40**

F40A and F40B Series are inactive for new design after December 1990.

**Military Standard MIL-F-15160/50**

F50A Series was cancelled without replacement on June 2000.

**Military Standard MIL-F-15160/52**

F52A Series was cancelled without replacement on January 1990.

| Military Standard MIL-F-15160/60 13/32" x 1½" Fuses |
|---|
| F60C500V⅛A |
| F60C500V¼A |
| F60C500V⅜A |
| F60C500V½A |
| F60C500V¾A |
| F60C500V1A |
| F60C500V2A |
| F60C500V3A |
| F60C500V5A |
| F60C500V6A |
| F60C500V8A |
| F60C500V10A |
| F60C500V15A |
| F60C500V20A |
| F60C500V25A |
| F60C500V30A |
| ***** Commercial version is KLM Series. See Data Sheet 2020 for more information.** |

| Military Standard MIL-F-15160/61 9/16" x 2" Fuses |
|---|
| F61C500V1A |
| F61C500V2A |
| F61C500V3A |
| F61C500V5A |
| F61C500V6A |
| F61C500V8A |
| F61C500V10A |
| F61C500V15A |
| F61C500V20A |
| F61C500V25A |
| F61C500V30A |
| ***** Commercial version is KLC Series.** |

| Military Standard MIL-F-15160/62 13/16" x 3" Fuses |
|---|
| F62C500V35A |
| F62C500V40A |
| F62C500V45A |
| F62C500V50A |
| F62C500V60A |
| ***** Commercial version is KLC Series.** |

| Military Standard MIL-F-15160/63 1" x 5⅞" Fuses |
|---|
| F63C500V70A |
| F63C500V80A |
| F63C500V90A |
| F63C500V100A |

| Military Standard MIL-F-15160/64 1½" x 7⅛" Fuses |
|---|
| F64C500V110A |
| F64C500V125A |
| F64C500V150A |
| F64C500V175A |
| F64C500V200A |

| Military Standard MIL-F-15160/65 2" x 8⅝" Fuses |
|---|
| F65C500V225A |
| F65C500V250A |
| F65C500V300A |
| F65C500V350A |
| F65C500V400A |

| Military Standard MIL-F-15160/66 2½" x 11⅝"Fuses |
|---|
| F66C500V450A |
| F66C500V500A |
| F66C500V600A |

**Military Standard MIL-F-15160/67**

F67A Series was cancelled without replacement on October 1986.

**Military Standard MIL-F-15160/70**

F70A Series was cancelled without replacement on October 1990.

**Military Standard MIL-F-15160/71**

F71A Series was cancelled without replacement on October 1990.

**Military Standard MIL-F-15160/72**

F72A Series was cancelled without replacement on January 1990.

**Military Standard MIL-F-15160/73**

F73A Series was cancelled without replacement on January 1990.

**Military Standard MIL-F-15160/74**

F74A Series was cancelled without replacement on January 1990.

**Military Standard MIL-F-15160/76**

F76A Series was cancelled without replacement on January 1990.

**Military Standard MIL-F-15160/77**

F77A Series was cancelled without replacement on June 2000.

Note: When silver-plated fuse caps are required, simply suffix the letter "S" to the Type Designation Number; i.e., "F02A250V½AS."
*Indicates a product not available with silver-plated caps.
**Indicates a product available only with silver-plated caps.
*** Commercial equivalent part number is for basic design reference only. Not intended to be used as a substitute for the military part number.

The only controlled copy of this Data Sheet is the electronic read-only version located on the Cooper Bussmann Network Drive. All other copies of this document are by definition uncontrolled. This bulletin is intended to clearly present comprehensive product data and provide technical information that will help the end user with design applications. Cooper Bussmann reserves the right, without notice, to change design or construction of any products and to discontinue or limit distribution of any products. Cooper Bussmann also reserves the right to change or update, without notice, any technical information contained in this bulletin. Once a product has been selected, it should be tested by the user in all possible applications.

© 2008 Cooper Bussmann
St. Louis, MO 63178
www.cooperbussmann.com

Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.

**Как с нами связаться**

**Телефон:** 8 (812) 309 58 32 (многоканальный)
**Факс:** 8 (812) 320-02-42
**Электронная почта:** org@eplast1.ru
**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.