



LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
		A			03MAR2016	TX	SH	



1. MATERIALS:
CAGE ASSEMBLY- NICKEL SILVER ALLOY PER ASTM B 122.
EMI SPRING- COPPER ALLOY, NICKEL PLATED.
HOUSING- POLYESTER LCP WITH 94 V-0
CHICKLET- POLYESTER LCP WITH 94 V-0
CONTACT- COPPER ALLOY.
LIGHTPIPE- POLYCARBONATE

2. CONTACT FINISH: 0.76µm GOLD ON MATING END, 1.25µm TIN ON SOLDER TAIL, ALL OVER 1.27µm NICKEL.
3. DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.

4. MINIMUM PCB THICKNESS OF 1.57.
5. THE ENTIRE AREA OF THE CONNECTOR FOOTPRINT, INDICATED BY THE DASHED LINE, TO BE CONSIDERED THE KEEPOUT AREA FOR COMPONENTS.

6. CROSS-HATCHED AREAS REPRESENT ZONES ON THE PCB THAT COME IN CONTACT WITH OR BE IN CLOSE PROXIMITY TO THE PLASTIC HOUSING OR THE CONNECTOR CAGE. INDICATED AREAS TO BE CONSIDERED TRACE FREE.

7. PART NUMBER AND DATE CODE MAKED IN APPROXIMATE AREA SHOWN.

8. CONTACT FINISH: 0.08µm MINIMUM GOLD OVER 0.68µm PALLADIUM-NICKEL ON MATING END, 1.25µm TIN ON SOLDER TAIL, ALL OVER 1.27µm NICKEL.


9. REMOVE THE PCB HOLES FOR 1-2227671-0 FOR BELLY TO BELLY APPLICATION

10. HATCHED AREA IS PLACEMENT ZONE FOR LED. LED SHOULD BE CENTERED WITHIN ZONE. RECOMMEND 0805 PACKAGE


2	ALL INDICATOR DOWN, 4 LP	1-2227671-2
2	DUAL LEFT INDICATOR UP, 4 LP	1-2227671-1
2	LEFT INDICATOR UP, 2 LP	1-2227671-0
2	LEFT INDICATOR DOWN, 4 LP	2227671-9
2	LEFT INDICATOR UP, 4 LP	2227671-8
2	ALL INDICATOR UP, 4 LP	2227671-7
8	LEFT INDICATOR DOWN	2227671-6
8	LEFT INDICATOR UP	2227671-5
8	NO LIGHTPIPE	2227671-4
2	LEFT INDICATOR DOWN	2227671-3
2	LEFT INDICATOR UP	2227671-2
2	NO LIGHTPIPE	2227671-1
CONTACT FINISH		PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 18JAN2013	TE Connectivity	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		CHK D. SZCZESNY 18JAN2013		
DIMENSIONS:	mm	PRODUCT SPEC 108-60102	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSF+ STACKED	
	0 PLC ± 1 PLC ±0.25 2 PLC ±0.15 3 PLC ± 4 PLC ± ANGLES ± FINISH ±	APPLICATION SPEC 114-60015	SIZE A100779	
	MATERIAL SEE NOTE 1	WEIGHT -	CAGE CODE C=2227671	
SEE NOTE 2		CUSTOMER DRAWING	SCALE 4:1	SHEET 1 OF 6


LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	




RECOMMENDED PANEL CUTOUT
AND PC BOARD, PANEL POSITION
SCALE 3:1




SECTION U-U




VIEW Y-Y




SECTION V-V
SCALE 3:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 18JAN2013	 TE Connectivity	
		CHK D. SZCZESNY 18JAN2013		
DIMENSIONS:		APVD -	NAME CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSFP+ STACKED	
mm		PRODUCT SPEC 108-60102		SIZE A100779
		APPLICATION SPEC 114-60015		
MATERIAL -		WEIGHT -		RESTRICTED TO -
SEE NOTE 1		CUSTOMER DRAWING		
SEE NOTE 2		SCALE 4:1		SHEET 1 OF 6
				REV A


LOC		DIST		REVISIONS			
P		LYR		DESCRIPTION		DATE	OWN
-		-		SEE SHEET 1		-	-




2227671-1/4
NO LIGHTPIPE IN ASSEMBLY
SCALE 5:2




2227671-2/5
LEFT LIGHTPIPE INDICATOR
POINTING TO UPPER PORT
SCALE 5:2




2227671-3/6
LEFT LIGHTPIPE INDICATOR
POINTING TO LOWER PORT
SCALE 5:2




1-2227671-0
LEFT INDICATOR UP, 2LP
SCALE 5:2




2227671-7
ALL INDICATOR UP, 4LP
SCALE 5:2




2227671-8
LEFT INDICATOR UP, 4LP
SCALE 5:2




2227671-9
LEFT INDICATOR DOWN, 4LP
SCALE 5:2




1-2227671-1
DUAL LEFT INDICATOR UP, 4 LP
SCALE 5:2




1-2227671-2
ALL INDICATOR DOWN, 4 LP
SCALE 5:2





ONLY 1-2227671-0 AS SHOWN WITHOUT CRESCENT PINS
SCALE 2:1




2227671-1 TO 2227671-9, 1-2227671-1
AND 1-2227671-2 AS SHOWN WITH CRESCENT PINS
SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.				OWN	M. SHIRK	18JAN2013	 TE Connectivity									
				CHK	D. SZCZESNY	18JAN2013										
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:			APVD	-	NAME	CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSFP+ STACKED								
mm					PRODUCT SPEC											
		0 PLC	±	108-60102	SIZE				CAGE CODE		DRAWING NO		RESTRICTED TO			
		1 PLC	±0.25	APPLICATION SPEC												
		2 PLC	±0.15	114-60015	WEIGHT											
		3 PLC	±													
MATERIAL		FINISH	-	CUSTOMER DRAWING			A100779C=2227671		SCALE		4:1		SHEET 1 OF 6		REV A	
SEE NOTE 1		SEE NOTE 2														


LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-




THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 18JAN2013	TE Connectivity	
		CHK D. SZCZESNY 18JAN2013		
DIMENSIONS:		APVD	NAME	
mm			CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSFP+ STACKED	
			PRODUCT SPEC	
			108-60102	
			APPLICATION SPEC	
			114-60015	
MATERIAL		FINISH	WEIGHT	RESTRICTED TO
SEE NOTE 1		SEE NOTE 2	CUSTOMER DRAWING	-
			SCALE 4:1	SHEET 1 OF 6
				REV A




KEEPOUT AREAS COMPONENT
SIDE OF BOARD FOR 2 LP
SCALE 5:1




DETAIL H
SCALE 10:1



DETAIL J
LED PADS
SCALE 10:1




DETAIL L
SCALE 10:1








DETAIL K
SCALE 10:1

LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	-

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN M. SHIRK 18JAN2013		
DIMENSIONS:		CHK D. SZCZESNY 18JAN2013		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD	PRODUCT SPEC	NAME
	0 PLC ±0.25		108-60102	CAGE AND CONNECTOR ASSEMBLY,
	1 PLC ±0.15		APPLICATION SPEC	WITH EMI SPRING, THRU BEZEL, 2X3,
	2 PLC ±		114-60015	ZQSFP+ STACKED
	3 PLC ±		SIZE	CAGE CODE
	4 PLC ±		100779	DRAWING NO
	ANGLES		SCALE	4:1
	FINISH		SHEET	1
MATERIAL			OF	6
SEE NOTE 1	SEE NOTE 2	CUSTOMER DRAWING	REV	A



LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN M. SHIRK 18JAN2013	 TE Connectivity		
TOLERANCES UNLESS OTHERWISE SPECIFIED:				CHK D. SZCZESNY 18JAN2013			
DIMENSIONS:		mm		PRODUCT SPEC		NAME	
				108-60102		CAGE AND CONNECTOR ASSEMBLY, WITH EMI SPRING, THRU BEZEL, 2X3, ZQSPF+ STACKED	
				APPLICATION SPEC		SIZE	
				114-60015		A100779C=2227671	
MATERIAL		FINISH		WEIGHT		RESTRICTED TO	
SEE NOTE 1		SEE NOTE 2		CUSTOMER DRAWING		SCALE 4:1 SHEET 1 OF 6 REV A	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.