
THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION , .
© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	E	REVISED ECR-10-010197	17JUN11	T.Q	S.Y

AS SHOWN : 1612257-7





PANEL CUTOUT DIMENSION

NOTES:
1. USE WITH MINI CT MT TYPE P/N : X-353293-X (ASSY)
   CRIMP TYPE P/N : 353907-1 (CONTACT)
   353907-1(L/P) (CONTACT)
   X-353908-X (HOUSING)
2. MATERIAL HOUSING :PBT G.F. UL94 V-0, COLOR: BLACK
   CONTACT :COPPER ALLOY
3. FINISH CONTACT : NICKEL UNDER PLATED ALL OVER
   CONTACT AREA : GOLD PLATED
   POST AREA : Sn 100% PLATED
4. THE PANEL SHOULD BE PUNCHED SO THAT THE HOUSING ENTERS THE PANEL IN THE SAME DIRECTION AS PUNCH.
5. FLOATING DIMENSION : 0.5 MAX
   (INCLUDE THE AMOUND OF AXIAL GAPS)
6. DIMENSION BETWEEN PANELS MUST BE SET 21.8-22.8mm.
   (INCLUDE THE CLEARANCE BETWEEN CONNECTOR AND PANEL)
7. GENERAL TOLERANCE
   10>:±0.2
   30> >10:±25
   100> >30:±0.3
   ANGLES: ±3°
8. SEQUENTIAL CIRCUIT NO. IS REFERRED CUSTOMER DRAWING : 1612256.

COUNTER MATING CONNECTOR P/N	G DIMENSION BETWEEN PANELS	F APPLIED PANEL THECKNESS	E	D	C	B	A	POS.	P/N
				DIMENSIONS					
1-1612256-4	21.8 (6)	1.0 ±0.1	2.5	33.9	31.4	38.6	19.5	14	2-1612257-4
1-1612256-4		2.0 ±0.1		33.9	31.4	38.6	19.5	14	1-1612257-4
1-1612256-2				30.9	28.4	35.6	16.5	12	1-1612257-2
1-1612256-0				27.9	25.4	32.6	13.5	10	1-1612257-0
1612256-7				23.4	20.9	28.1	9.0	7	1612257-7

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:
0 PLC ±
1 PLC ±
2 PLC ±
3 PLC ±
4 PLC ±
ANGLES ±
(7)

MATERIAL (2)

FINISH (3)

DWN	H.HOSHINO	05AUG02
CHK	T.KUSUHARA	05AUG02
APVD	I.ENOMOTO	05AUG02
PRODUCT SPEC	108-5836	
APPLICATION SPEC		
WEIGHT		

CUSTOMER DRAWING

TE Connectivity

NAME
RECEPTACLE ASSEMBLY
MINI CT DC DRAWER SNAP-FIT
SINGLE ROW

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1612257	—

SCALE	SHEET	REV
2:1	1 OF 2	E

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION , .
© COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.


LOC	DIST
ES	00

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	—	SEE SHEET 1	–	—	—

AS SHOWN : 1612257–7

SEQUENTIAL



SIGNAL

EFFECTIVE MATING LENGTH

CROSS SECTION

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS: MM

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC	±
1 PLC	±
2 PLC	±
3 PLC	±
4 PLC	±
ANGLES	±

MATERIAL

FINISH

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

TE Connectivity

NAME
RECEPTACLE ASSEMBLY
MINI CT DC DRAWER SNAP–FIT
SINGLE ROW

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-1612257	—

SCALE	SHEET	REV
4:1	2 OF 2	E


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.