

EIA -Based VectorPak™ Subrack Systems




EIA Non-Metric Subracks for 19" Systems

EIA VectorPak™ subracks for non-metric packaging designed for mounting in 19.0" racks are equally appropriate for workbench. Available factory-assembled or easy assembly kits. All VectorPak™ non-metric subracks constructed of brushed aluminum with clear irridite finish and extruded aluminum rails.

Three standard card mounting methods:

- FIXED** Zinc, aluminum or plastic guides attached to rails with screws, usually on 0.750" centers but completely adjustable (horizontally)
- VARIABLE** Snap-in card guides mounted into holes positioned on 0.250" centers and adjustable.
- CONTINUOUS** Aluminum guide plates with guide slots on 0.150" centers



Part No.	Description
SW52P89/90	Side Panel, 3U X 9.0"
TS169	Rear Strut, 17"; accepts Backplane or connector
TSW169/90	Front T-strut, 1.75" wide, drilled & tapped for module positions
R644-3	Connector, other sizes and backplanes accepted
BR19-6-1#	Module Guide for EFP module, fixed spacing; retainers (adjustable) available
BR34-20#	Spacer
SP09-2	Spacer for EFP thumbscrew; used to build 1: wide strut (TS169 type shown) to 1.75"
TS169	Front strut, 1.00" (narrow) used for mixing P.C. cards & modules
EFP204A66	EFP module
HA11/2	Handle, thumb for EFP modules
SC10-3A	Thumbscrew, pack of 12, sold separately
3662	P.C. board, 4.5" X 6.5"; other types available
HA12	Handle

EIA
Subracks





EIA -Based VectorPak™ Subrack Systems

Introduction

Designed in accordance with EIA standard RS-310, Vector subracks and modules offer versatility within a 19" rackmount format. All racks are adjustable in both height and depth, offering standard product solutions for standard and custom requirements.

All Subrack sizes are compatible with Vector prototyping boards (see Vectorbord® Plugbord™ section), and can accommodate other sizes as well. Several card guide types (metal or plastic, snap-in or screw-down) are available.

Cages

VectorPak® Subrack and Module Subrack Types by Part Number Stem:

CCK - Card Cage frame kit. Kits with no card guides use 'F' in number (e.g., CCK13F/90). Other kits have 21 pair of guides included: 'S'= plastic snap-in type e.g., CCK13S/90; 'M' or 'P'= metal or plastic, fastened with hardware. Guide spacing is .25".

CCA - Same as CCK version, but all are **assembled with guides**.

CMA - Assembled **Module Subrack** for EFP modules. Modules available separately.

CCM - Assembled rack for **Card Mount Modules** (CM type). Modules available separately.

For Rack Accessories see page 41A

For Desktop outer enclosure, see page 42


New Item: CCK19F/90 (For max 11.5" x 13.5" cards)



Subrack Kits (CCK)



Assembled Module Subracks (CMA)



Continuous Guide Plate Subrack



Assembled Card Mount Subracks (CCM)



Specification subject to change without notice
Specification subject to change without notice

www.vectorelect.com

800-423-5659



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.