

THIS DRAWING IS UNPUBLISHED.






RELEASED FOR PUBLICATION

2010






© COPYRIGHT 2010 BY -

ALL RIGHTS RESERVED.






COVERPART "A"
P/N 293730-1
(PART NOT SALEABLE)



COVERPART "B"
P/N 293731-1
(PART NOT SALEABLE)




8 POS. PLUG HOUSING
P/N 794617-8



THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm



TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.5
1 PLC ±0.3
2 PLC ±0.2
3 PLC ±
4 PLC ±
ANGLES ±1°

MATERIAL
NYLON, UL94-V0
BLACK

FINISH

-

-

DWN 23JUN2010
D. CHIARELLI
CHK 23JUN2010
D. CHIARELLI
APVD 23JUN2010
G. TURCO

PRODUCT SPEC
108-20314

APPLICATION SPEC
114-20157






WEIGHT
-

Customer Drawing






REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
2		REVISED:GEOMETRY IMPROVEMENTS	02SEP2010	DC	GT
3		REVISED:ADDED PARTS WITH POLARIZATIONS	08NOV2010	DC	GT
A		RELEASE FOR PRODUCTION OF P/N 293736-1	26NOV2010	DC	GT
AI		REVISED PER ECR-14-006523	12MAY2014	RS	DD

COVERPART "A"
P/N 293730-2
(PART NOT SALEABLE)



COVERPART "B"
P/N 293731-2
(PART NOT SALEABLE)



TE Connectivity

NAME
8 POS. COVERPART FOR
8 POS. MICRO MATE-N-LOK
PLUG HOUSING P/N 794617-8

SIZE	CAGE CODE	DRAWING NO	RESTRICTED TO
A3	00779	C-293736	-

SCALE	SHEET	OF	REV
2:1	1	2	AI


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

PANEL CUTOUT FOR P/N 293736-2

CONNECTOR P/N 293736-2
MATING DIRECTION


TOLERANCES ± 0.10 FOR ALL
THE DIMENSIONS OF THE PANEL



PANEL CUTOUT FOR P/N 293736-3


CONNECTOR P/N 293736-3
MATING DIRECTION

TOLERANCES ± 0.10 FOR ALL
THE DIMENSIONS OF THE PANEL



THE PRESENTED PRODUCT / DESIGN WILL BE
RELEASED FOR THE MANUFACTURING OF
THE NECESSARY PRODUCTION TOOLS HEREBY.
FURTHER CHANGES HAS TO BE PAID BY CUSTOMER.

DATE, SIGN OF THE CUSTOMER



8 POS. COVERPART
P/N 293736-...

- PACKAGING: CARTON BOX CONTAINING:
 - N°500 PIECES OF COVERPART "A" P/N 293730-...
 - N°500 PIECES OF COVERPART "B" P/N 293731-...
 - N°500 PLUG HOUSINGS P/N 794617-8
- ADMITTED CABLES MUST HAVE EXTERNAL DIAMETER OF $5,6 \pm 0,2$ mm AND MUST BE OF THE FOLLOWING TYPE:
 - LiYY 8x0.25mm² (MAX. N°8 CONTACTS P/N 794606-1 MUST BE CRIMPED ON THIS CABLE).
 - HELUKABEL DATAFLAMM 10x0.14mm² / 52307 350V HALOGEN FREE (MAX. N°8 CONTACTS P/N 794607-1 MUST BE CRIMPED ON THIS CABLE).


ON THIS SIDE OF THE PANEL THERE IS THE COUNTERPART CONNECTOR,
TYCO ELECTRONICS P/N 794639-8

NOT RELEASED FOR PRODUCTION

-	293731-1	293730-1	293736-4
794617-8	293731-2	293730-1	293736-3 (POLARIZED VERSION 2)
794617-8	293731-1	293730-2	293736-2 (POLARIZED VERSION 1)
794617-8	293731-1	293730-1	293736-1 (STANDARD VERSION)
8 POS. PLUG HOUSING	COVERPART "B"	COVERPART "A"	PART NUMBER
COMPONENTS			

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:
mm



MATERIAL

TOLERANCES UNLESS
OTHERWISE SPECIFIED:

0 PLC ± 0.5
1 PLC ± 0.3
2 PLC ± 0.2
3 PLC $\pm$
4 PLC $\pm$
ANGLES $\pm 1^\circ$

FINISH

-

-

DWN 23JUN2010

D. CHIARELLI

CHK 23JUN2010

D. CHIARELLI

APVD 23JUN2010

G. TURCO

PRODUCT SPEC

108-20314

APPLICATION SPEC

114-20157

WEIGHT

-

Customer Drawing



TE Connectivity

NAME
8 POS. COVERPART FOR
8 POS. MICRO MATE-N-LOK
PLUG HOUSING P/N 794617-8

SIZE
A300779

CAGE CODE
C-293736

DRAWING NO

RESTRICTED TO

SCALE 2:1

SHEET 2 OF 2

REV A1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.