

Series: Internal PCB

TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER:W3525BXXX



Features:

- 2400-2500 MHz
- Size: 10.7 x 47.7 x 0.8 mm
- · Gain 1.5dBi
- Radiation pattern Omni
- Cable length, see page 2
- Connector U.FL compatible
- RoHS Compliant

Applications:

- 2.4GHz ISM band radios
- · WiFi, Bluetooth, BLE, ZigBee
- Devices requiring internal antenna
- Security, IoT, Monitoring, Industrial applications

All dimensions are in mm / inches

Issue: 2003

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Series: Internal PCB

TECHNICAL DATA SHEET

Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

This document covers all product variants of the following product family

Part Number	Cable Length	Adhesive Tape	Adhesive Tape Cable type		Frequency	Max Gain
W3525B039	3.9" / 100 mm	N.A.		I-PEX MHF or euivalent, Compatible with U.FL	2.4 GHz	2 dBi
W3525B052	5.2" / 132.1 mm	N.A.	d4 42 C C-bl-			
W3525B100	10" / 254 mm	N.A.	Ø1.13mm Coax Cable,			
W3525B039T	3.9" / 100 mm	3M 467 (T=0.05mm)	Gray color			
W3525B0150T	150 mm	3M 467 (T=0.05mm)				
W3525B0250	250 mm	N.A.				

Issue: 2003

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:



Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

Series: Internal PCB

ELECTRICAL SPECIFICATIONS

Antenna Type	Dipole PCB+Cable		
Frequency	2400-2500MHz		
Nominal Impedance	50 Ω		
VSWR	2.5:1		
Radiation Pattern	Omni		
Gain	1.5dBi		
Efficiency	55%		
Polarization	Vertical		
Power Withstanding	1W		

MECHANICAL SPECIFICATIONS

Overall Length

Antenna Material

Connector type

Cable type

10.7x47.7x0.8mm

PCB

I-PEX or equivalent

MI-113 Gray

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -40° C~+85 $^{\circ}$ C Storage Temperature -40° C~+85 $^{\circ}$ C RoHS Compliant Yes

OTHER SPECIFICATIONS




Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

Series: Internal PCB

MECHANICAL DRAWING



Part Number	Frequency(GHz)	Max Gain(dBi)	Impedance(ohm)	PWB Length(in/mm)	Cable Length(in/mm)	Adhesive Tape
W3525B039	2.4	2	50	1.87/47.7	3.9/100	N/A
W3525B052	2.4	2	50	1.87/47.7	5.2/132.1	N/A
W3525B100	2.4	2	50	1.87/47.7	10/254	N/A
W3525B039T	2.4	2	50	1.87/47.7	3.9/100	Required

Dimension unit: mm/inch

Issue: 2003

ROHS




Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

Series: Internal PCB

TEST SETUP





Description: 2.4-2.5GHz PCB Antenna with


coax feed

PART NUMBER: W3525BXXX

Series: Internal PCB

CHARTS

VSWR





Description: 2.4-2.5GHz PCB Antenna with


coax feed

PART NUMBER: W3525BXXX

Series: Internal PCB

CHARTS

Efficiency



Issue: 2003



Description: 2.4-2.5GHz PCB Antenna with


coax feed

PART NUMBER: W3525BXXX

Series: Internal PCB

CHARTS

Gain







Description: 2.4-2.5GHz PCB Antenna with


coax feed

PART NUMBER: W3525BXXX

Series: Internal PCB

CHARTS

Free Space Radiation Pattern







Description: 2.4-2.5GHz PCB Antenna with

coax feed


PART NUMBER: W3525BXXX

Series: Internal PCB

CHARTS

Free Space Radiation Pattern

XZ Plane









Description: 2.4-2.5GHz PCB Antenna with

coax feed


PART NUMBER: W3525BXXX

Series: Internal PCB

CHARTS

Free Space Radiation Pattern

YZ Plane







Description: 2.4-2.5GHz PCB Antenna with

coax feed

PART NUMBER: W3525BXXX

Series: Internal PCB

PACKAGING

For W3525B039 and W3525B039T and W3525B052
10pcs antennas packing packed in 1 sealed bag
10pcs sealed bags (total 100pcs antennas) packed in 1 foam bag
12pcs foam bags (total 1200pcs antennas) packed in 1 carton
460x235x140mm

For W3525B100

5pcs antennas packing packed in 1 sealed bag 20pcs sealed bags (total 100pcs antennas) packed in 1 foam bag 12pcs foam bags (total 1200pcs antennas) packed in 1 carton 460x235x140mm



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001:
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина,

дом 2, корпус 4, литера А.