

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	REVISED PER ECR-17-014561	10OCT2017	RK	JL
	A1	REVISED PER ECR-17-015644	25OCT2017	RK	JL

NOTES:

-
1. PARTS COMPLY TO TE SOLDERABILITY SPEC 109-11-3.



2. MATERIALS:

- HOUSING:GF-LCP

COLOR:SEE TABLE

- CONTACT:PHOSPHOR BRONZE

PLATING:TIN
-



BLACK	15 POS UMNL HEADER HOUSING POLARIZED	1-2213755-4
BLACK	12 POS UMNL HEADER HOUSING POLARIZED	1-2213755-3
BLACK	9 POS UMNL HEADER HOUSING POLARIZED	1-2213755-2
BLACK	6 POS UMNL HEADER HOUSING POLARIZED	1-2213755-1
NATURAL	15 POS UMNL HEADER HOUSING POLARIZED	2213755-4
NATURAL	12 POS UMNL HEADER HOUSING POLARIZED	2213755-3
NATURAL	9 POS UMNL HEADER HOUSING POLARIZED	2213755-2
NATURAL	6 POS UMNL HEADER HOUSING POLARIZED	2213755-1
COLOR	POSITION	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±0.5

2 PLC ±0.13

3 PLC ±

4 PLC ±

ANGLES ±

FINISH -

DWN

CHK

APVD

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

CUSTOMER DRAWING

02NOV2015

02NOV2015

02NOV2015

108-1053

114-133083

-

TE Connectivity

3 ROW PIN HEADER ASSEMBLY,UMNL,HIGH TEMPERATURE

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

A2

-

2213755

-

SCALE

SHEET

OF

REV

2:1

1

4

A1

D

D

C





C

B

B


A

A



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

2213755-2, 1-2213755-2
SHOWN



SCALE 4:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015 CHK M. MOSTOLLER 02NOV2015 APVD M. MOSTOLLER 02NOV2015		TE Connectivity	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ±0.5 2 PLC ±0.13 3 PLC ± 4 PLC ± ANGLES ± FINISH ±			
MATERIAL -		CUSTOMER DRAWING		NAME 3 ROW PIN HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE	
		SCALE 2:1		SHEET 2 OF 4	
		REV A1		RESTRICTED TO -	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

D

C

B




A

D


C

B

A




SCALE 4:1



RECOMMENDED MOUNTING HOLE PATTERN
FOR 1.57 THICK PC BOARD
SCALE 4:1

2213755-3, 1-2213755-3
SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. SHAFFER 02NOV2015	TE Connectivity			
DIMENSIONS:		CHK M. MOSTOLLER 02NOV2015				
mm		APVD M. MOSTOLLER 02NOV2015	NAME 3 ROW PIN HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE			
		PRODUCT SPEC	SIZE		CAGE CODE	DRAWING NO
		108-1053	A2		-	C-2213755
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APPLICATION SPEC	RESTRICTED TO		-	
0 PLC ±-		114-133083	SCALE		2:1	SHEET 3 OF 4
1 PLC ±0.5		WEIGHT	REV		A1	
2 PLC ±0.13		CUSTOMER DRAWING				
3 PLC ±-						
4 PLC ±-						
ANGLES ±-						
FINISH ±-						
-						
-						



THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN
J. SHAFFER
02NOV2015

CHK
M. MOSTOLLER
02NOV2015

APVD
M. MOSTOLLER
02NOV2015

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±

1 PLC ±0.5

2 PLC ±0.13

3 PLC ±

4 PLC ±

ANGLES ±

FINISH

PRODUCT SPEC
108-1053

APPLICATION SPEC
114-133083

WEIGHT
-

CUSTOMER DRAWING

TE Connectivity

NAME
3 ROW PIN HEADER ASSEMBLY, UMNL, HIGH TEMPERATURE

SIZE
A2

CAGE CODE
-

DRAWING NO
C-2213755

RESTRICTED TO
-

SCALE 2:1 SHEET 4 OF 4 REV A1



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.