



Quality Products. Service Excellence.

Knockdown 2-Post Aluminum Rack *RB-2PA Series*

1,500 lbs|680 kg Weight Capacity



Features:

- Constructed of 5052H32 aluminum rails.
- EIA compliant 12-24 double-tapped rails.
- Numbered rail markings.
- Side ganging and accessory mounting hole provisions.
- Knockdown self-squaring design ships unassembled for easy handling and shipping protection.
- Includes a 30-pack of 12-24 mounting hardware.
- Available in either anodized natural satin or black finish.
- Load rated to 1,500 lbs (680 kg) of equipment load capacity.
- RoHS Compliant.



Part of the Rack Basics® line of economy rack solutions



Gallery



Accessories

- High-Density Vertical Finger Manager with Slam-Latching Door
- Vertical Finger Cable Manager with Door
- Top Wire Management
- Horizontal Finger Cable Manager
- Universal Rack Shelf
- Two Post Mounting Deep Channel Shelf
- Two Post Mounting Keyboard & Equipment Shelf
- 2-Post Rack Low Profile Dolly
- Rack Isolation Kit
- 12-24 Mounting Hardware
- Vertical Rack Cable Manager with Door
- Vertical Cable Manager Extensions
- Horizontal Ring Cable Manager
- Rack Panels
- Two Post Mounting Adjustable Shelf
- Two Post Centered Shelf
- Two-Post Extension Support Bracket
- Rack and Cabinet Joining Kit
- Grounding & Bonding
- Outlet Strips

| Part No. | Part No. | Overall Dimensions | | | Rack Units | Mounting Dimensions | |
|--------------|----------------|--------------------|-------|-------|------------|---------------------|-------|
| | | Height | Width | Depth | | Height | Width |
| Black | Natural Finish | | | | | | |
| RB-2PA1945BK | RB-2PA1945NF | 83.90 | 20.25 | 15.00 | 45U | 78.75 | 19.00 |

| Part No. | Part No. | Overall Dimensions | | | Rack Units | Mounting Dimensions | |
|--------------|----------------|--------------------|-------|-------|---------------|---------------------|-------|
| | | Height | Width | Depth | | Height | Width |
| Black | Natural Finish | | | | | | |
| RB-2PA2345BK | RB-2PA2345NF | 83.90 | 24.25 | 15.00 | 45U | 78.75 | 23.00 |

Tags: **Relay Rack, H-Frame, Server Rack, Equipment Rack, Network Rack, Skeleton Rack, Telco Rack,** *Data subject to change without notice*
Two-Post Rack, knock-down, knock down, rb2pa

© 2020. Hammond Manufacturing Ltd. All rights reserved.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.