

# UNIVERSAL REEL HOLDER

## TECHNICAL DATASHEET

TTDS-259 issue 4, May 2015

**The Universal reel holder is a free standing bench top, or wall mounted reel holder.** Designed to dispense all TE Connectivity (TE) identification marker sleeves, cable markers, and labels. This robust metal, low cost reel holder replaces all other TE Printer reel holders.

### Features

- Compatible with the full range of TE printers
- Dispenses the full range of TE Cable markers and Labels
- Free standing bench top
- Wall mountable for space saving
- Robust, all metal stand

### Applications

- Light Industrial environment
- Industrial environment

PAGE 1

**ORDERING INFORMATION**


DESCRIPTION	PRINTER-UNIVERSAL-REEL-HOLDER
PART NUMBER	EC9926-000

**REEL HOLDER STAND PROPERTIES**

<b>MARKER/LABEL ROLL CAPACITY</b> Maximum outside roll diameter:	<b>(Outside diameter)</b> 400mm (15.7 inches)
<b>PHYSICAL CHARACTERISTICS</b> Depth: Height: Width: Weight:	300mm (11.8 inches) 232mm (9.1 inches) 200mm (7.9 inches) 2.23kg (4.9lb)
<b>PRODUCT SPINDLE</b> Length: Diameter: Weight:	260mm (10.2 inches) 25.5mm (1 inch) 0.31kg (0.68lb)
<b>MARKER/LABEL ROLL INSIDE DIAMETER</b> Maximum: Minimum:	100mm (4 inches) 26mm (1.02 inch)

**REEL HOLDER ACCESSORIES**

**ADAPTORS ORDERING INFORMATION**




Description PRINTER-UNIVERSAL-REEL-HOLDER-ADAPTORS Part number EC9927-000
For use with large inside diameter reels of product when a central position is required. Internal diameter of external rolls range from 30mm to 100mm

**Environmental**

- Further information and a downloadable declaration covering RoHS and REACH compliance can be found at the 'TE Product Compliance Support Centre':  
<http://www.te.com/en/resources/product-compliance.html>

## UNIVERSAL REEL HOLDER



Bench top use



Wall mounted

### te.com

TE Connectivity, TE Connectivity (logo) and Every Connection Counts are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2015 TE Connectivity Ltd. family of companies All Rights Reserved.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.