



INTERCONNECTING YOUR WORLD

0 ITEM(S) IN YOUR BAG / TOTAL: \$0.00


- Home
- About Us
- What's New
- Contact Us

 SEARCH

- Our Products
- Custom Products
- Distributors
- Informational Websites
- ISO Certifications
- Request Catalog/Samples
- Downloadable Catalogs

Home > Our Products > RT360 > RT Series > Accessories

Accessories






















Mailing List  
Subscribe to our Newsletter  
 GO




















- Subscribe
- Unsubscribe


















CROSS REFERENCE


Amphenol crosses to SOURIAU & Cannon ITT Industries

CORD GRIPS - STRAIGHT		
<p><b>RTOL-10CG-S1</b></p>		Cord Grip, Straight, Shell Size 10, Cable Range 3-6.5mm
<p><b>RTOL-10CG-S2</b></p>		Cord Grip, Straight, Shell Size 10, Cable Range 5-8.5mm
<p><b>RTOL-12CG-S1</b></p>		Cord Grip, Straight, Shell Size 12, Cable Range 6-10.5mm
<p><b>RTOL-12CG-S2</b></p>		Cord Grip, Straight, Shell Size 12, Cable Range 8-12.5mm
<p><b>RTOL-14CG-S1</b></p>		Cord Grip, Straight, Shell Size 14, Cable Range 6-10.5mm

		
<p><b>RTOL-14CG-S2</b></p> 		<p>Cord Grip, Straight, Shell Size 14, Cable Range 8-12.5mm</p>
<p><b>RTOL-16CG-S1</b></p> 		<p>Cord Grip, Straight, Shell Size 16, Cable Range 9.5-14.5mm</p>
<p><b>RTOL-16CG-S2</b></p> 		<p>Cord Grip, Straight, Shell Size 16, Cable Range 13.5-18mm</p>
<p><b>RTOL-18CG-S1</b></p> 		<p>Cord Grip, Straight, Shell Size 18, Cable Range 9.5-14.5mm</p>
<p><b>RTOL-18CG-S2</b></p> 		<p>Cord Grip, Straight, Shell Size 18 , Cable Range 13.5-18mm</p>
<p><b>CORD GRIPS - 90 DEGREES</b></p>		
<p><b>RTOB-10CG-S1</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 10, Cable Range 3-6.5mm</p>
<p><b>RTOB-10CG-S2</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 10, Cable Range 5-8.5mm</p>
<p><b>RTOB-12CG-S1</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 12, Cable Range 6-10.5mm</p>
<p><b>RTOB-12CG-S2</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 12, Cable Range 8-12.5mm</p>

<p><b>RTOB-14CG-S1</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 14, Cable Range 6-10.5mm</p>
<p><b>RTOB-14CG-S2</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 14, Cable Range 8-12.5mm</p>
<p><b>RTOB-16CG-S1</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 16, Cable Range 9.5-14.5mm</p>
<p><b>RTOB-16CG-S2</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 16, Cable Range 13.5-17mm</p>
<p><b>RTOB-18CG-S1</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 18, Cable Range 9.5-14.5mm</p>
<p><b>RTOB-18CG-S2</b></p> 		<p>Cord Grip, 90 Degree, Shell Size 18 , Cable Range 13.5-17mm</p>
<p><b>GASKETS</b></p>		
<p><b>RTFD10B</b></p> 		<p>Gasket, Shell Size 10</p>
<p><b>RTFD12B</b></p> 		<p>Gasket, Shell Size 12</p>
<p><b>RTFD14B</b></p> 		<p>Gasket, Shell Size 14</p>
<p><b>RTFD16B</b></p>		<p>Gasket, Shell Size 16</p>

		
<p><b>RTFD18B</b></p> 		<p>Gasket, Shell Size 18</p>
<p><b>RECEPTACLE CAPS</b></p>		
<p><b>RT010DCG</b></p> 		<p>Receptacle Cap, Shell Size 18</p>
<p><b>RT012DCG</b></p> 		<p>Receptacle Cap, Shell Size 18</p>
<p><b>RT014DCG</b></p> 		<p>Receptacle Cap, Shell Size 18</p>
<p><b>RT016DCG</b></p> 		<p>Receptacle Cap, Shell Size 18</p>
<p><b>RT018DCG</b></p> 		<p>Receptacle Cap, Shell Size 18</p>
<p><b>SEALING PLUGS</b></p>		
<p><b>CA-4020-59</b></p> 		<p>Sealing Plug, 20Awg</p>
<p><b>CA-4016-59</b></p> 		<p>Sealing Plug, 16Awg</p>
<p><b>CA-4012-59</b></p>		



[Click here to view product catalog](#)



To discuss how we can support your upcoming project needs, please contact:

**John Blood, Program Manager**

Direct: 586-913-8641

Toll Free: 1-800-394-7732

Email: [blood@sineco.com](mailto:blood@sineco.com)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.