



LOC	DIST	REVISIONS						
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
GP	00		A2	REVISED PER ECO-11-004835	11MAR2011	RK	HMR	
			B	REVISED PER ECO-12-014113	02AUG2012	JY	AC	
			C	REVISED PER ECO-12-019905	04DEC2012	CJV	DLG	




1888321-1
SCALE 5:1



PORT #1

PORT #2

2-1888321-2
NO GASKET
SCALE 5:1




PORT #1

PORT #2

PORT #3


1888321-3
SCALE 5:1



PORT #1

PORT #2

1888321-2
SCALE 5:1




PORT #1

PORT #2



PORT #3

PORT #4



1888321-4
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009		DWN J. POLIGNONE	01AUG07	 TE Connectivity	
		CHK D. GORENC	01AUG07		
DIMENSIONS: mm		APVD D. GORENC	01AUG07	NAME EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY	
		PRODUCT SPEC		SIZE A1	
		APPLICATION SPEC		CAGE CODE 100779	
MATERIAL SEE NOTES		WEIGHT -		DRAWING NO 1888321	
		Customer Drawing		SCALE 5:1	SHEET 1 OF 4
				REV C	


LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-



RECOMMENDED SINGLE PORT LAYOUT
SAME AS 1888321-1 EXCEPT AS SHOWN
SCALE 5:1




RECOMMENDED MULTI-PORT LAYOUT,
SAME AS 1888321-1, EXCEPT AS SHOWN
SCALE 5:1




SECTION A-A
SCALE 10:1

THIS DRAWING IS A CONTROLLED DOCUMENT. DIMENSIONING AND TOLERANCING PER ASME Y14.5M-2009.				DWN J. POLIGNONE 01AUG07	TE Connectivity			
DIMENSIONS: mm				CHK D. GORENC 01AUG07				
TOLERANCES UNLESS OTHERWISE SPECIFIED:				APVD D. GORENC 01AUG07	NAME			
0 PLC ±				PRODUCT SPEC	EVERCLEAR Mini-SAS EXTERNAL RECEPTACLE SHELL ASSEMBLY			
1 PLC ±				APPLICATION SPEC				
2 PLC ±				WEIGHT	SIZE CAGE CODE DRAWING NO			
3 PLC ±				Customer Drawing	A100779C=1888321			
4 PLC ±					RESTRICTED TO			
ANGLES FINISH					SCALE 5:1 SHEET 2 OF 4 REV C			



LOC		DIST		REVISIONS					
GP		00		P	LTR	DESCRIPTION	DATE	DWN	APVD
				-	-	SEE SHEET 1	-	-	-

LOC	DIST	REVISIONS					
GP	00	P	LTR	DESCRIPTION	DATE	DWN	APVD
		-		SEE SHEET 1	-	-	-



POSSIBLE KEYING POSITION LOCATIONS
SCALE 10:1

- 1

LOCATIONS OF DATUMS TO BE DETERMINED BY THE CUSTOMER.
- 2

ZINC DIE CAST PER ASTM B 86.
- 3

PASSIVATE PER ASTM B 102 OVER
2.54µm MINIMUM NICKEL PLATE PER QQ-N-290 OVER
5.08µm MINIMUM COPPER PLATE PER AMS 2418
- 4

OMNI DIRECTIONAL CONDUCTIVE FOAM
- 5

SHELLS AFFIXED TO PCB VIA CUSTOMER SUPPLIED
M2 x 0.4mm THREADED SCREWS.
- 6

PRODUCT USED IN CONJUNCTION WITH SURFACE
MOUNT CONNECTOR 1761987-1.
- 7

RAISED SOLDER MASK KEEP OUT AREA,
APPLIES TO AREA INSIDE BOX.
- 8

PRELIMINARY NOT RELEASED FOR PRODUCTION.
- 9

DATE CODE APPLIED IN GENERAL AREA AS INDICATED.

	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	4	4	-	-	2	2-1888321-2
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2-4	2-4	-	-	2	1-1888321-3
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	35.25	4-6	2-4	-	-	2	1-1888321-2
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2	6	-	-	2	1-1888321-1
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	2	2	-	-	2	1-1888321-0
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	4-6	-	-	-	1	1888321-9
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	2-4	-	-	-	1	1888321-8
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	6	-	-	-	1	1888321-7
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	2	-	-	-	1	1888321-6
OBSOLETE	3	76.75	8	3	3	73.125	72.625	80	77.25	76.25	76.25	4	4	4	4	4	8 1888321-4
OBSOLETE	2	57.75	6	2	2	54.125	53.625	61	58.25	57.25	57.25	4	4	4		3	8 1888321-3
	I	38.75	4	I	I	35.125	34.625	42	39.25	38.25	38.25	4	4	-	-	2	1888321-2
	N/A	19.75	2	N/A	N/A	16.125	15.625	23	20.25	19.25	19.25	4	-	-	-	1	1888321-1
	L	K	J	H	G	F	E	D	C	B	A	PORT 1 (SINGLE PORT)	PORT 2	PORT 3	PORT 4	# OF PORTS	PART NUMBER
												KEYING POSITION					

THIS DRAWING IS A CONTROLLED DOCUMENT.
DIMENSIONING AND TOLERANCING
PER ASME Y14.5M-2009

DIMENSIONS:

mm

0 PLC

1 PLC

2 PLC

3 PLC

4 PLC

ANGLES

FINISH

±

±

±

±

±

±

SEE
NOTES

DWN

CHK

APVD

J. POLIGNONE

D. GORENC

D. GORENC

01AUG07

01AUG07

01AUG07

PRODUCT SPEC

APPLICATION SPEC

WEIGHT

Customer Drawing

NAME

SIZE

CAGE CODE

DRAWING NO

RESTRICTED TO

TE Connectivity

EVERCLEAR Mini-SAS EXTERNAL
RECEPTACLE SHELL ASSEMBLY

A100779

1888321

3:1

4

4

REV C

4805 (3/11)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.