

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20

C


COPYRIGHT 20

BY -





ALL RIGHTS RESERVED.

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	A	RPRODUCTION RELEASE	13JUN2019	JW	SH



2343987-1 AS SHOWN

DETAIL A
SCALE 8:1


- 1 CAGE ASSEMBLY: STAINLESS STEEL.
HEAT SINK: ALUMINUM/NICKEL PLATE.
HEAT SINK CLIP: STAINLESS STEEL.
EMI SPRING: COPPER ALLOY/NICKEL PLATE.
- 2 REFERENCE APPLICATION SPECIFICATION 114-32023 FOR
RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS.
BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER.
- 4 DATE CODE (YYWWD) MARKED APPROXIMATELY
AS SHOWN.
5. MATES WITH QSFP DD MSA COMPATIBLE TRANSCEIVER.
6. MINIMUM PC BOARD THICKNESS: SINGLE SIDED: 1.45 MIN
DOUBLE SIDED: 2.20 MIN
- 7 ONLY FOR VERSION WITH REAR EONS
- 8 PROPOSAL ONLY

8	W/O REAR EONS	23	NET	1-2343987-3
8	W/O REAR EONS	16	SAN	1-2343987-2
8	W/O REAR EONS	13.7	PCI	1-2343987-1
	W/ REAR EONS	23	NET	2334987-3
	W/ REAR EONS	16	SAN	2343987-2
	W/ REAR EONS	13.7	PCI	2343987-1
	REMARK	DIM A	HEATSINK	PART NUMBER



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 13SEP2018	TE Connectivity	
DIMENSIONS:		CHK S. HAN 13SEP2018		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S. HAN 13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD	
mm		PRODUCT SPEC	-	
0 PLC ±0.25		APPLICATION SPEC	-	
1 PLC ±0.25		WEIGHT	-	
2 PLC ±0.25		CUSTOMER DRAWING	SCALE 1:1	
3 PLC ±			SHEET 1 OF 6	
4 PLC ±			REV A	
ANGLES ±				
FINISH				

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D




2343987-2
UNMARKED DIMENSIONS SAME AS 2343987-1
SCALE 3:2





SCALE 1:1


C





2343987-3
UNMARKED DIMENSIONS SAME AS 2343987-1
SCALE 3:2




B





1-2343987-1 W/O REAR EONS
DIMENSIONS SAME AS 2343987-1
SCALE 3:2




A




1-2343987-2 W/O REAR EONS
DIMENSIONS SAME AS 2343987-2
SCALE 3:2




1-2343987-3 W/O REAR EONS
DIMENSIONS SAME AS 2343987-3
SCALE 3:2

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	13SEP2018	TE Connectivity									
		CHK S. HAN	13SEP2018										
		APVD S. HAN	13SEP2018										
DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		NAME									
mm				CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD									
		0 PLC ±0.25		PRODUCT SPEC		-							
		1 PLC ±0.25		-		-							
		2 PLC ±0.25		APPLICATION SPEC		-							
		3 PLC ±		-		-							
		4 PLC ±		-		-							
ANGLES		±		SIZE		CAGE CODE		DRAWING NO		RESTRICTED TO			
MATERIAL		FINISH		WEIGHT		A2		-		C=2346987		-	
-		-		-		-		-		-		-	
-		-		CUSTOMER DRAWING		SCALE		1:1		SHEET		2 OF 6	
												REV A	

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-





SINGLE SIDE MOUNTING



BELLY TO BELLY MOUNTING

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG	13SEP2018		 TE Connectivity	
		CHK S. HAN	13SEP2018			
		APVD S. HAN	13SEP2018		NAME	
DIMENSIONS: mm		TOLERANCES UNLESS OTHERWISE SPECIFIED:		CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSPFDD		
		PRODUCT SPEC		-		
		APPLICATION SPEC				
MATERIAL		WEIGHT		SIZE	CAGE CODE	DRAWING NO
-		-		A2	-	C-2346987
-		CUSTOMER DRAWING		SCALE	SHEET	REV
-				1:1	3 of 6	A





THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 13SEP2018	TE Connectivity		
DIMENSIONS:		CHK S. HAN 13SEP2018			
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD S. HAN 13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD		
	0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC $\pm$ 4 PLC $\pm$ ANGLES $\pm$ FINISH	PRODUCT SPEC - APPLICATION SPEC - WEIGHT -	SIZE A2	CAGE CODE -	DRAWING NO C-2346987
MATERIAL -	-	CUSTOMER DRAWING	SCALE 2:1	SHEET 5 OF 6	REV A


REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

D


C

B


A



DETAIL B
SCALE 5:1



DETAIL C
SCALE 5:1



DETAIL D
SCALE 5:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN J. WANG 13SEP2018	TE Connectivity		
DIMENSIONS:		CHK S. HAN 13SEP2018			
mm		APVD S. HAN 13SEP2018	NAME CAGE ASSEMBLY WITH HEATSINK THRU BEZEL, 1X5, QSFPDD		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC	SIZE A2		
0 PLC ±0.25		APPLICATION SPEC	CAGE CODE -		
1 PLC ±0.25		WEIGHT	DRAWING NO C-2346987		
2 PLC ±0.25		CUSTOMER DRAWING	RESTRICTED TO -		
3 PLC ±		SCALE 2:1	SHEET 6 OF 6		
4 PLC ±		REV A			
ANGLES ±					
FINISH ±					
MATERIAL					
-					
-					



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.