




ARE 4 PLACE

CL OF (20.70)

(10.35)

2X 4.75±0.20

(0.64) TYP

2X 25°

4.25±0.10

(11.15) TYP

HOUSING QTY: 1

MATING AREA TYP


CONTACT QTY: 20

2X (4.15)

(0.64) TYP

Mechanical drawing of a component with dimensions in inches and millimeters. The drawing shows a top view of a rectangular component with a central rectangular area and two side flaps. Dimensions are provided in inches (in parentheses) and millimeters (in brackets).







- Overall width: 43.61 (+2.00, -0.50) mm
- Overall height: 26.09 mm
- Central width: 31.34 mm
- Left side flap width: 13.50 mm
- Right side flap width: 13.50 mm
- Central height: 10.50 mm (2X)
- Bottom flange width: 2.54 mm (TYP)
- Bottom flange height: 0.64 mm (TYP)
- Bottom flange thickness: 0.64 mm (TYP)
- Bottom flange width: 1.55 mm (2X)
- Bottom flange height: 3.25 mm (SOLDER TAIL TYP)



KEYING CODE "F"			1438988-6
KEYING CODE "E"			1438988-5
KEYING CODE "D"			1438988-4
KEYING CODE "C"			1438988-3
KEYING CODE "B"			1438988-2
KEYING CODE "A"			1438988-1
KEYING CODE	PART NUMBER		

THIS DRAWING IS THE PROPERTY OF PERFORMALARY, INC. AND IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM PERFORMALARY, INC. SHOULD BE CONTACTED FOR THE LATEST VERSION.		DWN 14FEB2005 C MOLL D FRY 15MAR2005 APP 15MAR2005		Tyco Electronics Tyco Electronics Hertsburg, PA 17105-3606	
DIMENSIONS: mm		TOLERANCES, UNLESS OTHERWISE SPECIFIED: 0 PLC ± 2 PLC ± 2 PLC ± 2 PLC ± 2 PLC ± ANGLES ±		NAME PERFORMALARY HEADER ASSY, 2x10, UNSEALED VERTICAL, THRU-HOLE, USCAR	
		PRODUCT SPEC - APPLICATION SPEC -		SIZE CAGE CODE DRAWING NO A 00779 C = 1438988	
MATERIAL 		FINISH -		RESTRICTED TO WEIGHT - CUSTOMER DRAWING SCALE 3:1 SHEET 1 OF 2 REV A	

LOC		DIST		REVISIONS			
P	LYR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	



DIMENSIONS:		TOLERANCES UNLESS OTHERWISE SPECIFIED:		DWN		Tyco Electronics	
mm		9 PLC ±		H. MOLL 14FEB2005		Tyco Electronics Harrisburg, PA 17105-3608	
		2 PLC ±		CHK D. FRY 15MAR2005			
		3 PLC ±		APVD D. FRY 15MAR2005		NAME	
		4 PLC ±				HEADER ASSY, 2x10, UNSEALED, VERTICAL, THRU-HOLE, USCAR	
		ANGLES ±				SIZE	
		FINISH				A100779C=1438988	
MATERIAL				WEIGHT		RESTRICTED TO	
				CUSTOMER DRAWING		SCALE 3:1 SHEET 2 OF 2 REV A1	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.