



spec ref *				dr Terran Huang 2010/07/08		projection		mm		size A4		scale 11:10	
tolerance std TOLERANCES UNLESS OTHERWISE SPECIFIED				eng Terran Huang 2011/10/09						ecn no ELX-DG-006740-1			
				chr Tao Huang 2011/10/18									
				appr Pei-Ming Zheng 2011/10/18						product family METRAL rel level Released			
surface 3.200 linear 		0.X ±0.3				title METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT				dwg no 70430		rev AW	
		0.XX ±0.13											
		0.XXX ±0.051											
		angular 0° ±2°		www.fci.com		cat. no.		Product - Customer Drw				sheet 1 of 6	



Copyright FCI.



KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
P01	6.50	4.30
P02	7.25	4.30
P03	8.00	4.30
P04	6.50	13.60
P05	7.25	13.60
P06	8.00	13.60
P07	6.5	17.00
P08	7.25	17.00
P11	7.25	12.20
P12	8.00	12.20
P16	5.00	4.30
P17	5.75	4.30
P29	7.25	11.80

REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

spec ref		*		dr	Terran Huang	2010/07/08	projection	mm	size	A4	scale	21:10							
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Terran Huang	2011/10/09			ecn no	ELX-DG-006740-1									
				chr	Tao Huang	2011/10/18													
				appr	Pei-Ming Zheng	2011/10/18							product family	METRAL		rel level	Released		
surface	3.200 linear	0.X	±0.3		title	METRAL POWER HEADER		dwg no	70430		rev	AV							
		0.XX	±0.13																
		0.XXX	±0.051																
	angular	0°	±2°											www.fci.com		cat. no.	-	Product - Customer Drw	



Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X01 SEE NOTE 4 FOR LEAD-FREE CODE	E	-	-
	D	P03	P03
	C	P02	P02
	B	P01	P01
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X05 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P03	P01
	C	P03	P01
	B	P03	P01
	A	P03	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X09 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P02	P01
	C	P02	P01
	B	P02	P01
	A	P02	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X13 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P01	P02
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X17 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P03
	D	P03	P03
	C	-	-
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X02 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P02	P02
	C	P03	P03
	B	-	-
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X06 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P03
	D	P02	P02
	C	P01	P01
	B	-	-
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X10 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P01	P01
	C	P02	P02
	B	P03	P03
	A	-	-

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X14 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P01	P01
	C	-	-
	B	P03	P03
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X18 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P01	P02
	C	P01	P02
	B	P01	P02
	A	P01	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X03 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	-	-
	C	P01	P01
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X07 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	-	-
	C	-	-
	B	-	-
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X11 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P03
	D	P02	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X15 SEE NOTE 4 FOR LEAD-FREE CODE	E	P06	P05
	D	P06	P05
	C	P06	P05
	B	P06	P05
	A	P06	P05

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X19 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P02
	D	P01	P02
	C	P01	P02
	B	P01	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X04 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P03	P03
	C	-	-
	B	P01	P01
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X08 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P02
	D	-	-
	C	P03	P02
	B	-	-
	A	P03	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X12 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P03
	D	P02	P03
	C	P02	P03
	B	P02	P03
	A	P02	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X16 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P02
	D	P03	P02
	C	P03	P02
	B	P03	P02
	A	P03	P02


METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X20 SEE NOTE 4 FOR LEAD-FREE CODE	E	P05	P05
	D	P05	P05
	C	P05	P05
	B	P05	P05
	A	P06	P06

spec ref *				dr		Terran Huang	2010/07/08	projection 	mm 	size	A4	scale	11:10	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng		Terran Huang	2011/10/09			ecn no	ELX-DG-006740-1			
				chr		Tao Huang	2011/10/18							
				appr		Pei-Ming Zheng	2011/10/18							product family
surface	3.200 linear	0.X	±0.3		title	METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT				dwg no	70430		rev	AV
		0.XX	±0.13											
		0.XXX	±0.051											
		angular	0°	±2°	www.fci.com		cat. no.		-		Product - Customer Drw		sheet 3 of 6	



Copyright FCI.

1				2				3				4							
METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I	
			I	2				I	2				I	2				I	2
70430-X21 SEE NOTE 4 FOR LEAD-FREE CODE		E	P02	P02	70430-X25 SEE NOTE 4 FOR LEAD-FREE CODE		E	P04	P06	70430-X29 SEE NOTE 4 FOR LEAD-FREE CODE		E	P04	P05	70430-X33 SEE NOTE 4 FOR LEAD-FREE CODE		E	P02	-
		D	P02	P02			D	P04	P06			D	P05	P05			D	P02	-
		C	P02	P02			C	P04	P06			C	P05	P05			C	P02	-
		B	P02	P02			B	P04	P06			B	P05	P05			B	P02	-
		A	P03	P03			A	P04	P06			A	P05	P05			A	P02	-
METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I	
			I	2				I	2				I	2				I	2
70430-X22 SEE NOTE 4 FOR LEAD-FREE CODE		E	P06	P06	70430-X26 SEE NOTE 4 FOR LEAD-FREE CODE		E	P03	P03	70430-X30 SEE NOTE 4 FOR LEAD-FREE CODE		E	P01	P02	70430-X34 SEE NOTE 4 FOR LEAD-FREE CODE		E	P02	-
		D	P06	P06			D	P02	P02			D	-	P01			D	-	P01
		C	P06	P05			C	P01	P01			C	P02	P02			C	P02	-
		B	P06	P05			B	-	-			B	P02	P02			B	-	P01
		A	P06	P06			A	P03	-			A	P02	P02			A	P02	-
METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I	
			I	2				I	2				I	2				I	2
70430-X23 SEE NOTE 4 FOR LEAD-FREE CODE		E	P03	P03	70430-X27 SEE NOTE 4 FOR LEAD-FREE CODE		E	P06	P04	70430-X31 SEE NOTE 4 FOR LEAD-FREE CODE		E	P01	P01	70430-X35 SEE NOTE 4 FOR LEAD-FREE CODE		E	P01	P02
		D	P03	P03			D	P06	P06			D	P01	P01			D	P02	P01
		C	P03	P02			C	P06	P06			C	P01	P01			C	P01	P02
		B	P03	P02			B	P06	P06			B	P03	P01			B	P01	P01
		A	P03	P03			A	P06	P06			A	P03	P01			A	P02	P01
METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I	
			I	2				I	2				I	2				I	2
70430-X24 SEE NOTE 4 FOR LEAD-FREE CODE		E	P01	P03	70430-X28 SEE NOTE 4 FOR LEAD-FREE CODE		E	P03	P01	70430-X32 SEE NOTE 4 FOR LEAD-FREE CODE		E	P05	P06	70430-X36 SEE NOTE 4 FOR LEAD-FREE CODE		E	P01	P02
		D	P01	P03			D	P03	P03			D	P05	P06			D	P02	P01
		C	P01	P03			C	P03	P03			C	P05	P06			C	P01	P02
		B	P01	P03			B	P03	P03			B	P05	P06			B	P01	P01
		A	P01	P03			A	P03	P03			A	P05	P06			A	P02	P02
METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I		METRAL P/N		ROW	CONTACT CODE MOD. I	
			I	2				I	2				I	2				I	2
70430-X25 SEE NOTE 4 FOR LEAD-FREE CODE		E	P01	P01	70430-X37 SEE NOTE 4 FOR LEAD-FREE CODE		E	P01	P01	70430-X40 SEE NOTE 4 FOR LEAD-FREE CODE		E	P03	P01					
		D	P01	P01			D	P03	P03			D	P03	P03					
		C	P01	P01			C	P03	P03			C	P03	P03					
		B	P01	P01			B	P03	P03			B	P03	P03					
		A	P01	P01			A	P03	P03			A	P03	P03					

spec ref *				dr Terran Huang 2010/07/08		projection 	mm 	size A4		scale 11:10	
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Terran Huang 2011/10/09				ecn no ELX-DG-006740-1			
				chr Tao Huang 2011/10/18				rel level Released			
				appr Pei-Ming Zheng 2011/10/18				product family METRAL			
surface 3.200 linear	0.X ±0.3			title METRAL POWER HEADER I MOD, 5 ROW PRESS-FIT				dwg no 70430	rev AV		
	0.XX ±0.13										
	0.XXX ±0.051										
	angular 0° ±2°			www.fci.com		cat. no. -				Product - Customer Drw	

D

Copyright FCI.

Pro/E File - REV C - 2009-06-09




Copyright FCI.

METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2			1	2
70430-X61 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01	70430-X65 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P01	P01		D	P02	P02
	C	P01	P01		C	P02	P02
	B	P01	P01		B	P02	P02
	A	-	-		A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2			1	2
70430-X62 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01	70430-X66 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P01	P01		D	P03	P01
	C	P01	P03		C	P03	P03
	B	P01	P01		B	P03	P03
	A	P01	P01		A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2			1	2
70430-X63 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P02	70430-X67 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P03	P02		D	P03	P03
	C	P03	P03		C	P02	P02
	B	P03	P03		B	P02	P02
	A	P03	P03		A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I		METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2			1	2
70430-X64 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01	70430-X68 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P03
	D	P03	P03		D	P03	P03
	C	P03	P02		C	P02	P03
	B	P03	P02		B	P02	P03
	A	P03	P02		A	P02	P03

spec ref *				dr Terran Huang 2010/07/08		projection 	mm 	size A4	scale 11:10
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng Terran Huang 2011/10/09				ecn no ELX-DG-006740-1	
				chr Tao Huang 2011/10/18				rel level Released	
				appr Pei-Ming Zheng 2011/10/18					
						product family METRAL			
surface 3.200 linear	0.X	±0.3			title METRAL POWER HEADER 1 MOD, 5 ROW PRESS-FIT	dwg no 70430	rev AV		
		0.XX ±0.13							
		0.XXX ±0.051							
	angular	0° ±2°							
www.fci.com				cat. no. -		Product - Customer Drw		sheet 6 of 6	



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.