


PRODUCT NUMBER
70430-XYY
70430-XYYLF







PLATING IN CONTACT AREA	
DASH NUMBER	PERFORMANCE LEVEL
-1YY	TELCORDIA CO & IEC CLASS 1
-2YY	TELECOM CLASS
-3YY	TELCORDIA CO & IEC CLASS 1
-5YY	TELCORDIA UE
-1YYLF	TELCORDIA CO & IEC CLASS 1
-2YYLF	TELECOM CLASS
-5YYLF	TELCORDIA UE

NOTES:
1. FOR DIM A, AND B SEE SHEET 2 AND UP.
2. BODY MATERIAL: LIQUID CRYSTAL
   POLYMER 30 % GLASS.
   FLAME RETARDANT ACC. UL 94-V0.
3. PIN MATERIAL
   PHOSPHOR BRONZE:
4. PLATING ON PRESS-FIT TAIL:
   70430-XYY IS SnPb
   70430-XYYLF IS Sn (LEAD FREE)
   PLATING ON CONTACT AREA CONFORMS TO PERFORMANCE LEVEL SHOWN IN TABLE BELOW.
5. PRODUCT MARKING:
   PART NUMBER DESIGNATION)& BATCH I.D.
6. ALL PRODUCTS WITH PART NUMBERS SHOWN IN SUBSEQUENT TABLES WILL BE PACKAGED IN TUBES. IF TRAY PACKAGING IS REQUIRED, SUFFIX "P" WILL BE ADDED TO THE END OF THE PART NUMBER. EXAMPLE: XXXXX-XXXP
7. PRODUCT SPECIFICATIION: GS-12-180
   APPLICATION SPECIFICATION: BUS-20-075
8. THE PRODUCTS WHERE THE PART NUMBER ENDS IN 'LF' MEETS THE EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008.
9. ALL PRODUCTS WILL WITHSTAND EXPOSURE TO 260°C FOR 60 SECONDS IN A CONVECTION, INFRA-RED OR VAPOR PHASE REFLOW OVEN.

rev	ecn no	dr	date
AW	DG-006740-1	TER	2011-10-08
AR	V06-0948	DCH	2006-09-12
AS	DG09-0256	TER	2009-08-19
AT	DG09-0366	TER	2009-11-24
AU	DG10-0002	TER	2010-01-05
AV	DG-003807-1	TER	2011-05-11

spec ref	*			dr	Terran Huang	2010/07/08	projection
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Terran Huang	2011/10/09	mm
				chr	Tao Huang	2011/10/18	size A4 / scale 1:1
				appr	Pei-Ming Zheng	2011/10/18	ecn no ELX-DG-006740-1
surface 3.2	linear	0.X	±0.3				product family METRAL / rel level Released
		0.XX	±0.13				
		0.XXX	±0.051				
	angular	0°	±2°				

www.fci.com

title: METRAL POWER HEADER
1 MOD, 5 ROW PRESS-FIT

dwg no 70430


rev AW

cat. no. - Product - Customer Drw

sheet 1 of 6

Copyright FCI.

Pro/E File - REV C - 2009-06-09



REQUIRED PC BOARD LAYOUT
COMPONENT SIDE
SEE PRINT 58351 FOR
ADDITIONAL PCB INFORMATION

KEY		
CODE	DIMENSIONS	
	DIM "A" MATE	DIM "B" TAIL
P01	6.50	4.30
P02	7.25	4.30
P03	8.00	4.30
P04	6.50	13.60
P05	7.25	13.60
P06	8.00	13.60
P07	6.5	17.00
P08	7.25	17.00
P11	7.25	12.20
P12	8.00	12.20
P16	5.00	4.30
P17	5.75	4.30
P29	7.25	11.80

spec ref	*			dr	Terran Huang	2010/07/08	projection
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED			eng	Terran Huang	2011/10/09	mm
				chr	Tao Huang	2011/10/18	size A4 / scale 21:10
				appr	Pei-Ming Zheng	2011/10/18	ecn no ELX-DG-006740-1
surface 3.200	linear	0.X	±0.3	product family	METRAL		rel level Released
		0.XX	±0.13				
		0.XXX	±0.051				
	angular	0°	±2°				

FCI www.fci.com

title: METRAL POWER HEADER
1 MOD, 5 ROW PRESS-FIT

dwg no 70430 rev AW

cat. no. - Product - Customer Drw

sheet 2 of 6

Copyright FCI.

Pro/E File - REV C - 2009-06-09

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X01 SEE NOTE 4 FOR LEAD-FREE CODE	E	-	-
	D	P03	P03
	C	P02	P02
	B	P01	P01
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X05 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P03	P01
	C	P03	P01
	B	P03	P01
	A	P03	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X09 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P02	P01
	C	P02	P01
	B	P02	P01
	A	P02	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X13 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P01	P02
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X17 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P03
	D	P03	P03
	C	-	-
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X02 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P02	P02
	C	P03	P03
	B	-	-
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X06 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P03
	D	P02	P02
	C	P01	P01
	B	-	-
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X10 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P01	P01
	C	P02	P02
	B	P03	P03
	A	-	-

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X14 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P01	P01
	C	-	-
	B	P03	P03
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X18 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P01	P02
	C	P01	P02
	B	P01	P02
	A	P01	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X03 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	-	-
	C	P01	P01
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X07 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	-	-
	C	-	-
	B	-	-
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X11 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P03
	D	P02	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X15 SEE NOTE 4 FOR LEAD-FREE CODE	E	P06	P05
	D	P06	P05
	C	P06	P05
	B	P06	P05
	A	P06	P05

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X19 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P02
	D	P01	P02
	C	P01	P02
	B	P01	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X04 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P03	P03
	C	-	-
	B	P01	P01
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X08 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P02
	D	-	-
	C	P03	P02
	B	-	-
	A	P03	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X12 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P03
	D	P02	P03
	C	P02	P03
	B	P02	P03
	A	P02	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X16 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P02
	D	P03	P02
	C	P03	P02
	B	P03	P02
	A	P03	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X20 SEE NOTE 4 FOR LEAD-FREE CODE	E	P05	P05
	D	P05	P05
	C	P05	P05
	B	P05	P05
	A	P06	P06

Copyright FCI.

spec ref	*		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED		
surface	3.200		
linear	0.X	±0.3	
	0.XX	±0.13	
	0.XXX	±0.051	
angular	0°	±2°	

dr	Terran Huang	2010/07/08
eng	Terran Huang	2011/10/09
chr	Tao Huang	2011/10/18
appr	Pei-Ming Zheng	2011/10/18

projection | mm | size A4 | scale 11:10

ecn no ELX-DG-006740-1

product family METRAL | rel level **Released**

www.fci.com

title: METRAL POWER HEADER
1 MOD, 5 ROW PRESS-FIT

dwg no 70430 | rev **AW**

cat. no. - | Product - Customer Drw | sheet 3 of 6

Pro/E File - REV C - 2009-06-09

PDS: Rev :AW STATUS:Released Printed: Oct 18, 2011

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X21 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P02
	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X25 SEE NOTE 4 FOR LEAD-FREE CODE	E	P04	P06
	D	P04	P06
	C	P04	P06
	B	P04	P06
	A	P04	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X29 SEE NOTE 4 FOR LEAD-FREE CODE	E	P04	P05
	D	P05	P05
	C	P05	P05
	B	P05	P05
	A	P05	P05

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X33 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	-
	D	P02	-
	C	P02	-
	B	P02	-
	A	P02	-

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X37 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P01	P01
	C	P02	P02
	B	P01	P01
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X22 SEE NOTE 4 FOR LEAD-FREE CODE	E	P06	P06
	D	P06	P06
	C	P06	P05
	B	P06	P05
	A	P06	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X26 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P03
	D	P02	P02
	C	P01	P01
	B	-	-
	A	P03	-

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X30 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X34 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	-
	D	-	P01
	C	P02	-
	B	-	P01
	A	P02	-

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X38 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P02
	D	P01	P01
	C	P02	P01
	B	P01	P02
	A	P02	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X23 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P03
	D	P03	P03
	C	P03	P02
	B	P03	P02
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X27 SEE NOTE 4 FOR LEAD-FREE CODE	E	P06	P04
	D	P06	P06
	C	P06	P06
	B	P06	P06
	A	P06	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X31 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P01	P01
	C	P01	P01
	B	P03	P01
	A	P03	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X35 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P02	P01
	C	P01	P02
	B	P01	P01
	A	P02	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X39 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P17
	D	P01	P17
	C	P01	P17
	B	P01	P17
	A	P01	P17

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X24 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P03
	D	P01	P03
	C	P01	P03
	B	P01	P03
	A	P01	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X28 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X32 SEE NOTE 4 FOR LEAD-FREE CODE	E	P05	P06
	D	P05	P06
	C	P05	P06
	B	P05	P06
	A	P05	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X36 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P02	P01
	C	P01	P02
	B	P01	P01
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X40 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P03	P03
	C	P03	P03
	B	P03	P03
	A	P03	P03

Copyright FCI.

spec ref	*		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED		
surface	3.200		
	linear	0.X	±0.3
		0.XX	±0.13
		0.XXX	±0.051
	angular	0°	±2°

dr	Terran Huang	2010/07/08
eng	Terran Huang	2011/10/09
chr	Tao Huang	2011/10/18
appr	Pei-Ming Zheng	2011/10/18

projection | mm | size A4 | scale 11:10

ecn no ELX-DG-006740-1

product family METRAL | rel level **Released**

www.fci.com

title: METRAL POWER HEADER
1 MOD, 5 ROW PRESS-FIT

dwg no 70430 | rev **AW**

cat. no. - | Product - Customer Drw | sheet 4 of 6

Pro/E File - REV C - 2009-06-09

PDS: Rev :AW STATUS:Released Printed: Oct 18, 2011

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X41 SEE NOTE 4 FOR LEAD-FREE CODE	E	P06	P04
	D	P06	P06
	C	P06	P06
	B	P06	P06
	A	P06	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X45 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P03	P03
	C	-	-
	B	P03	P03
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X49 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P02	P01
	C	P02	P01
	B	P02	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X53 SEE NOTE 4 FOR LEAD-FREE CODE	E	P05	P06
	D	P12	P06
	C	P12	P06
	B	P12	P06
	A	P12	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X57 SEE NOTE 4 FOR LEAD-FREE CODE	E	P016	P01
	D	P016	P01
	C	P016	P01
	B	P016	P01
	A	P016	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X42 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P02	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X46 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P01	P03
	C	P03	P01
	B	P01	P03
	A	P03	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X50 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P02
	D	P02	P02
	C	P01	P02
	B	P01	P02
	A	P01	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X54 SEE NOTE 4 FOR LEAD-FREE CODE	E	P05	P06
	D	P11	P06
	C	P11	P06
	B	P11	P06
	A	P11	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X58 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P02
	D	P01	P02
	C	P01	P02
	B	P01	P16
	A	P01	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X43 SEE NOTE 4 FOR LEAD-FREE CODE	E	P04	P05
	D	P05	P05
	C	P05	P05
	B	P05	P05
	A	P05	P05

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X47 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P03
	D	P03	P01
	C	P01	P03
	B	P03	P01
	A	P01	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X51 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P03	P03
	C	-	-
	B	P01	P01
	A	P03	P03

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X55 SEE NOTE 4 FOR LEAD-FREE CODE	E	P05	P06
	D	P29	P06
	C	P29	P06
	B	P29	P06
	A	P29	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X59 SEE NOTE 4 FOR LEAD-FREE CODE	E	P17	P17
	D	P17	P17
	C	P17	P17
	B	P17	P01
	A	P17	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X44 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P03
	D	P02	P02
	C	P16	P16
	B	-	-
	A	P03	-

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X48 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P03
	D	P03	P02
	C	P01	P03
	B	P01	P02
	A	P01	P02

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X52 SEE NOTE 4 FOR LEAD-FREE CODE	E	P11	P06
	D	P11	P06
	C	P11	P06
	B	P11	P06
	A	P11	P06

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X56 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P01	P01
	C	P01	P05
	B	P09	P09
	A	P09	P09

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X60 SEE NOTE 4 FOR LEAD-FREE CODE	E	P07	P08
	D	P07	P08
	C	P07	P08
	B	P07	P08
	A	P07	P08

Copyright FCI.

spec ref	*		
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED		
surface	3.2		
	linear	0.X	±0.3
		0.XX	±0.13
		0.XXX	±0.051
	angular	0°	±2°

dr	Terran Huang	2010/07/08
eng	Terran Huang	2011/10/09
chr	Tao Huang	2011/10/18
appr	Pei-Ming Zheng	2011/10/18

projection	
mm	
product family	METRAL
size	A4
scale	1:1.0
ecn no	ELX-DG-006740-1
rel level	Released

www.fci.com

title: METRAL POWER HEADER
1 MOD, 5 ROW PRESS-FIT

dwg no	70430	rev	AW
cat. no.	-	Product - Customer Drw	sheet 5 of 6

Pro/E File - REV C - 2009-06-09

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X61 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P01	P01
	C	P01	P01
	B	P01	P01
	A	-	-

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X65 SEE NOTE 4 FOR LEAD-FREE CODE	E	P02	P01
	D	P02	P02
	C	P02	P02
	B	P02	P02
	A	P02	P02

AW

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X62 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P01
	D	P01	P01
	C	P01	P03
	B	P01	P01
	A	P01	P01

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X66 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P03	P01
	C	P03	P03
	B	P03	P03
	A	P03	P03

AW

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X63 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P02
	D	P03	P02
	C	P03	P03
	B	P03	P03
	A	P03	P03

AW

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X67 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P03	P03
	C	P02	P02
	B	P02	P02
	A	P02	P02

AW

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X64 SEE NOTE 4 FOR LEAD-FREE CODE	E	P03	P01
	D	P03	P03
	C	P03	P02
	B	P03	P02
	A	P03	P02

AW

METRAL P/N	ROW	CONTACT CODE MOD. I	
		1	2
70430-X68 SEE NOTE 4 FOR LEAD-FREE CODE	E	P01	P03
	D	P03	P03
	C	P02	P03
	B	P02	P03
	A	P02	P03

AW

Copyright FCI.

spec ref	*	dr	Terran Huang	2010/07/08	projection
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Terran Huang	2011/10/09	mm
		chr	Tao Huang	2011/10/18	size A4 / scale 1:1
		appr	Pei-Ming Zheng	2011/10/18	ecn no ELX-DG-006740-1
					product family METRAL / rel level Released
surface 3.2	linear 0.X ±0.3				
	linear 0.XX ±0.13				
	linear 0.XXX ±0.051				
	angular 0° ±2°				

www.fci.com

title: METRAL POWER HEADER
1 MOD, 5 ROW PRESS-FIT

dwg no 70430

rev AW

cat. no. -

Product - Customer Drw

sheet 6 of 6

Pro/E File - REV C - 2009-06-09


Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits,General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)
Факс: 8 (812) 320-02-42
Электронная почта: org@eplast1.ru
Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.