




LOC	DIST	REVISIONS							
		P	LTR	DESCRIPTION	DATE	DWN	APVD		
			C	REVISED ECO-16-010873	15DEC15	JL	IY		
			C1	REVISED ECO-16-011243	15AUG16	JL	IY		
			C2	REVISED ECO-17-016624	06DEC17	DD	EJ		
			C3	REVISED ECO-18-016296	15DEC2018	DD	EJ		



SCALE 3:2

NOTES

1. FINAL TEST: VISUAL INSPECTION FOR COMPLETENESS

2. LAYER PACKING WITH CORRUGATED

3. MUST MEET TOUCH SAFE REQUIREMENT PER IEC 60529


4. RECOMMENDED TIGHTENING TORQUE OF THE SCREW: M8=10±1NM.

5. USABLE 2P MOS SOCKET HOUSING P/N:1-1718333-1


6. CODING AREA

7. MIN SEALING AREA AROUND, NO BURR, TOOLING PARTING, SHRINKAGE PERMITTED, SURFACE QUALITY: Ra<=0.8um



8. V0 MAIRKING ONLY FOR V0 PART,P/N:3-2137740-*



C - C









A - A



(0-)*-1
3-* -1 AS SHOWN.










THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG		08NOV11		 TE Connectivity			
				CHK	N. ZHOU		08NOV11					
DIMENSIONS:				APVD	K. QDA		08NOV11		NAME	HVP1100 1POS HEADER ASSY		
mm				TOLERANCES UNLESS OTHERWISE SPECIFIED:				PRODUCT SPEC				
				±0.3				108-101010				
				0-PLC ±0.5				APPLICATION SPEC				
				1-PLC ±0.1				114-101010				
				2-PLC ±0.1				WEIGHT				
				3-PLC ±0.1				CUSTOMER DRAWING				
4-PLC ±0.0001						SIZE		CAGE CODE	DRAWING NO	RESTRICTED TO		
ANGLES ±1°						A1		00779C	2137740			
MATERIAL								SCALE		SHEET	OF	REV
								2:1		1	5	C3




LOC		DIST		REVISIONS			
P	LTR	DESCRIPTION		DATE	DWN	APVD	
-	-	SEE SHEET 1		-	-	-	
-	-			-	-	-	

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	E. WANG	08NOV11	 TE Connectivity					
		CHK	N. ZHOU	08NOV11						
DIMENSIONS:		APVD	K. QDA	08NOV11	NAME	HVP1100 1POS HEADER ASSY				
mm		PRODUCT SPEC								
		108-101010								
		APPLICATION SPEC								
		114-101010								
		WEIGHT								
		CUSTOMER DRAWING								
TOLERANCES UNLESS OTHERWISE SPECIFIED:				SIZE				CAGE CODE	DRAWING NO	RESTRICTED TO
0-PLC ±0.3				A100779C=2137740						
1-PLC ±0.5										
2-PLC ±0.3										
3-PLC ±0.013										
4-PLC ±0.0001										
ANGLES ±1°										
FINISH										
MATERIAL										



LOC		DIST		REVISIONS				
		P	LTR	DESCRIPTION	DATE	DWN	APVD	
		-	SEE SHEET 1			-	-	-



2-* -1 AS SHOWN.

THIS DRAWING IS A CONTROLLED DOCUMENT.				DWN	E. WANG	08NOV11	 TE Connectivity							
				CHK	N. ZHOU	08NOV11								
				APVD	K. ODA	08NOV11	NAME HVP1100 1POS HEADER ASSY							
				PRODUCT SPEC										
				APPLICATION SPEC										
				WEIGHT										
				CUSTOMER DRAWING										
DIMENSIONS:				TOLERANCES UNLESS OTHERWISE SPECIFIED:			SIZE				CAGE CODE	DRAWING NO	RESTRICTED TO	
mm														
				0-PLC ±0.3										
				1-PLC ±0.5										
				2-PLC ±0.13										
				3-PLC ±0.075										
				4-PLC ±0.004										
				ANGLES ±1°										
FINISH														
MATERIAL														

LOC		DIST		REVISIONS				
P	LTR	DESCRIPTION			DATE	DWN	APVD	
-		SEE SHEET 1			-	-	-	



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN E. WANG	08NOV11	 TE Connectivity	
DIMENSIONS:		CHK N. ZHOU	08NOV11		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED: ±0.3	APVD K. ODA	08NOV11	NAME	HVP1100 1POS HEADER ASSY
	Ø-PLC	PRODUCT SPEC		SIZE	CAGE CODE
	1 PLC	108-101010		DRAWING NO	RESTRICTED TO
	2 PLC	APPLICATION SPEC			
	3 PLC	114-101010			
MATERIAL		WEIGHT	A100779C=2137740		
FINISH		CUSTOMER DRAWING			
		SCALE	2:1	SHEET	4 OF 5
		REV	C3		



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.