



# Intel® Core™ i7-8700 Processor

12M Cache, up to 4.60 GHz

Spec Code

SR3QS

Ordering Code

CM8068403358316

## Intel® Core™ i7-8700 Processor (12M Cache, up to 4.60 GHz)

Code Name	Coffee Lake
<b>Essentials</b>	
Vertical Segment	Desktop
Processor Number	i7-8700
Status	Launched
Launch Date	Q4'17
Lithography	14 nm
Recommended Customer Price	\$303.00 - \$312.00
<b>Performance</b>	
# of Cores	6
# of Threads	12
Processor Base Frequency	3.20 GHz
Max Turbo Frequency	4.60 GHz
Cache	12 MB SmartCache
Bus Speed	8 GT/s DMI3
TDP	65 W
<b>Supplemental Information</b>	
Embedded Options Available	Yes
Datasheet	<a href="#">Link</a>
<b>Memory Specifications</b>	
Max Memory Size (dependent on memory type)	64 GB
Memory Types	DDR4-2666
Max # of Memory Channels	2
Max Memory Bandwidth	41.6 GB/s
ECC Memory Supported ‡	No
<b>Processor Graphics</b>	
Processor Graphics <sup><small>‡</small></sup>	Intel® UHD Graphics 630
Graphics Base Frequency	350 MHz

Graphics Max Dynamic Frequency	1.20 GHz
Graphics Video Max Memory	64 GB
4K Support	Yes, at 60Hz
Max Resolution (HDMI 1.4)‡	4096x2304@24Hz
Max Resolution (DP)‡	4096x2304@60Hz
Max Resolution (eDP - Integrated Flat Panel)‡	4096x2304@60Hz
DirectX* Support	12
OpenGL* Support	4.5
Intel® Quick Sync Video	Yes
Intel® InTru™ 3D Technology	Yes
Intel® Clear Video HD Technology	Yes
Intel® Clear Video Technology	Yes
# of Displays Supported ‡	3
Device ID	0x3E92
<b><u>Expansion Options</u></b>	
Scalability	1S Only
PCI Express Revision	3
PCI Express Configurations ‡	Up to 1x16, 2x8, 1x8+2x4
Max # of PCI Express Lanes	16
<b><u>Package Specifications</u></b>	
Sockets Supported	FCLGA1151
Max CPU Configuration	1
Thermal Solution Specification	PCG 2015C (65W)
T<sub>JUNCTION</sub>	100°C
Package Size	37.5mm x 37.5mm
Low Halogen Options Available	See MDDS
<b><u>Advanced Technologies</u></b>	
Intel® Optane™ Memory Supported ‡	Yes
Intel® Turbo Boost Technology	2
Intel® vPro™ Technology ‡	Yes
Intel® Hyper-Threading Technology ‡	Yes
Intel® Virtualization Technology (VT-x) ‡	Yes
Intel® Virtualization Technology for Directed I/O (VT-d) ‡	Yes
Intel® VT-x with Extended Page Tables (EPT) ‡	Yes
Intel® TSX-NI	Yes
Intel® 64 ‡	Yes
Instruction Set	64-bit
Instruction Set Extensions	Intel® SSE4.1, Intel® SSE4.2, Intel® AVX2
Idle States	Yes
Enhanced Intel SpeedStep® Technology	Yes
Thermal Monitoring Technologies	Yes

Intel® Identity Protection Technology ‡	Yes
Intel® Stable Image Platform Program (SIPP)	Yes
<b><u>Security &amp; Reliability</u></b>	
Intel® AES New Instructions	Yes
Secure Key	Yes
Intel® Software Guard Extensions (Intel® SGX)	Yes
Intel® Memory Protection Extensions (Intel® MPX)	Yes
Intel® OS Guard	Yes
Intel® Trusted Execution Technology ‡	Yes
Execute Disable Bit ‡	Yes
Intel® Boot Guard	Yes
Execute Disable Bit ‡	Yes
Intel® Boot Guard	Yes



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



#### Как с нами связаться

**Телефон:** 8 (812) 309 58 32 (многоканальный)

**Факс:** 8 (812) 320-02-42

**Электронная почта:** [org@eplast1.ru](mailto:org@eplast1.ru)

**Адрес:** 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.