

LID NOT SHOWN FOR REFERENCE ONLY

4

8

10

4

11

3

5

LID NOT SHOWN FOR REFERENCE ONLY

7

6

2

1

1

9

5

9

3

4

7

8

NORTH-SOUTH VERSIONS

2306317-1

1-2306317-1

2-2306317-1

3-2306317-1

SHOWN

LID NOT SHOWN FOR REFERENCE ONLY

4

11

3

5

EAST-WEST VERSIONS

4-2306317-1

5-2306317-1

6-2306317-1

7-2306317-1

SAME AS N-S VERSIONS

EXCEPT AS SHOWN

LID NOT SHOWN FOR REFERENCE ONLY

3

4

8

4

10

LID NOT SHOWN FOR REFERENCE ONLY

9

7

6

2

1

1

5

NORTH-SOUTH VERSIONS

2306317-2

1-2306317-2

2-2306317-2

3-2306317-2

SHOWN

LID NOT SHOWN FOR REFERENCE ONLY

4

11

3

5

EAST-WEST VERSIONS

4-2306317-2

5-2306317-2

6-2306317-2

7-2306317-2

SAME AS N-S VERSIONS

EXCEPT AS SHOWN

1471-9 (3/13)

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN

RAVL.S

13AUG2016

CHK

GINGRICH CHUCK

13AUG2016

APVD

GINGRICH CHUCK

13AUG2016

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.50

1 PLC ±0.25

2 PLC ±0.13

3 PLC ±

4 PLC ±

ANGLES ±

FINISH -

MATERIAL

PRODUCT SPEC

108-32122

APPLICATION SPEC

114-32157

WEIGHT

-

CUSTOMER DRAWING

SCALE

5:1

SHEET

2

OF

4

REV

A

TE

TE Connectivity

NAME

PV EDGE ASSEMBLY, WITHOUT FLAP, OMEGA CLIP

SIZE

A2

CAGE CODE

DRAWING NO


C-2306317

RESTRICTED TO




-

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

LID NOT SHOWN FOR REFERENCE ONLY



LID NOT SHOWN FOR REFERENCE ONLY



EAST-WEST VERSIONS
4-2306317-5
5-2306317-5
6-2306317-5
7-2306317-5
SAME AS N-S VERSIONS
EXCEPT AS SHOWN

NORTH-SOUTH VERSIONS
2306317-5
1-2306317-5
2-2306317-5
3-2306317-5
SHOWN

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAVL.S 13AUG2016	TE Connectivity			
DIMENSIONS:		CHK GINGRICH CHUCK 13AUG2016				
mm		APVD GINGRICH CHUCK 13AUG2016	NAME PV EDGE ASSEMBLY, WITHOUT FLAP, OMEGA CLIP			
		PRODUCT SPEC	SIZE A2			
		APPLICATION SPEC	CAGE CODE C-2306317			
MATERIAL		WEIGHT	RESTRICTED TO			
		CUSTOMER DRAWING	SCALE 5:1 SHEET 3 OF 4 REV A			

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT copyright.dBye-

ALL RIGHTS RESERVED.

REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
	-	SEE SHEET 1	-	-	-

47.00

JUNCTION BOX OUTLINE

Ø15.00

15.50

25.00 MIN

0.8 MAX

TO BOTTOM SIDE OF FOIL

FROM BOTTOM SIDE OF GLASS

SEE 114-32157 FOR FOIL THICKNESS RANGE

DETAIL A

SCALE 2:1

RECOMMENDED NON EDGE MOUNT SINGLE HOLE ORIENTATION

47.00

DIM X

19.00

JUNCTION BOX OUTLINE

LATCH END OF BOX

GLASS

RECOMMENDED NON EDGE MOUNT (NORTH-SOUTH PV PANEL FOIL ORIENTATION)

47.00

DIM X

15.50

JUNCTION BOX OUTLINE

LATCH END OF BOX

GLASS

RECOMMENDED NON EDGE MOUNT (EAST-WEST PV PANEL FOIL ORIENTATION)

25.00 MIN

6.0 MAX FOIL WIDTH

25.00 MIN

SEE 114-32157 FOR FOIL THICKNESS RANGE

THIS DRAWING IS A CONTROLLED DOCUMENT.

DWN RAVI.S 13AUG2016

CHK GINGRICH CHUCK 13AUG2016

APVD GINGRICH CHUCK 13AUG2016

PRODUCT SPEC 108-32122

APPLICATION SPEC 114-32157

WEIGHT -

CUSTOMER DRAWING

DIMENSIONS:

mm

TOLERANCES UNLESS OTHERWISE SPECIFIED:

0 PLC ±0.50

1 PLC ±0.25

2 PLC ±0.13

3 PLC ±

4 PLC ±

ANGLES ±

FINISH -

NAME PV EDGE ASSEMBLY, WITHOUT FLAP, OMEGA CLIP

SIZE A2

CAGE CODE

DRAWING NO C-2306317

RESTRICTED TO -

SCALE 5:1

SHEET 4 OF 4

REV A

1471-9 (3/13)



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.