










- 1 CIRCUIT IDENTIFICATION NUMBERS LOCATED AS SHOWN.
- 2 SPACER AND CPA (OPTIONAL) ARE SHIPPED IN PRE-ASSEMBLED POSITION.
- 3 PART NUMBER, DATE CODE AND WORK CENTER LOCATION .
- 4 CAVITY ID.
- 5 MATERIAL IDENTIFICATION.
- 6 KEYING OPTION B NOT PREFERRED FOR NEW APPLICATIONS.
7. PACKAGING: CONNECTOR ASSEMBLIES BULK PACKED IN CARDBOARD BOXES.
- 8 OPTIONAL CORE SLOTS FOR MOLD CONSTRUCTION.
9. SPACER IS SHIPPED IN PRE-LOADED POSITION. SOME SPACERS MAY BECOME FULLY SEATED DURING SHIPPING. USE TE INSTRUCTION SHEET 408-10104 TO REPOSITION SPACER BACK TO IT'S PRE-LOADED POSITION.
10. REFER TO TE INSTRUCTION SHEET 408-8599 FOR PROPER CONTACT ASSEMBLY/DISASSEMBLY AND CONNECTOR MATING/ UN-MATING PROCEDURE.




SCALE 4:1

1-1456985-0											<----- ASSEMBLY PN				
I	-	I	-	I	-	I	-	I	-	CPA					
I	I	I	I	I	I	I	I	I	I	SPACER	>PBT-GF30<	RED	2		
I	I	-	-	-	-	-	-	-	-	HOUSING; KEY F	>PA66-GF35<	BLACK	I		
-	-	I	I	-	-	-	-	-	-	HOUSING; KEY E	>PA66-GF35<	BLACK	I		
-	-	-	-	I	I	-	-	-	-	HOUSING; KEY D	>PA66-GF35<	BLACK	I		
-	-	-	-	-	-	I	I	-	-	HOUSING; KEY C	>PA66-GF35<	BLACK	I		
-	-	-	-	-	-	-	-	I	I	HOUSING; KEY B	>PA66-GF35<	BLACK	I		
										DESCRIPTION	MATERIAL	COLOR	ITEM NO		
QTY REQ'D PER ASSY										REVISION OF EACH ASSY NO (WHEN BLANK, USE DWG REVISION)					
										WEIGHT OF EACH ASSY NO (g)					
PARTS LIST															

THIS DRAWING IS A CONTROLLED DOCUMENT.										DWN R. VESTAL	14DEC2006	 TE Connectivity			
DIMENSIONS:										CHK D. STRAUSSER	14DEC2006				
mm										APVD D. STRAUSSER	14DEC2006	NAME			
										TOLERANCES UNLESS OTHERWISE SPECIFIED:		PRODUCT SPEC			
										0 PLC ±		APPLICATION SPEC			
										1 PLC ±					
										2 PLC ±					
										3 PLC ±					
										4 PLC ±					
										ANGLES ±					
										FINISH ±					
MATERIAL										-		WEIGHT			
SEE TABLE										-		CUSTOMER DRAWING			
												SIZE CAGE CODE DRAWING NO			
												RESTRICTED TO			
												A100779C=1456985			
												SCALE 5:1 SHEET 1 OF 2 REV D3			

REVISIONS					
P.	LTR.	DESCRIPTION	DATE	DWN.	APVD.
-	-	SEE SHEET 1	-	-	-



KEYING OPTION
B



(SHOWN WITH CPA)

6



KEYING OPTION
B



(SHOWN WITH CPA)

SCALE 2:1



KEYING OPTION
C



(SHOWN WITH CPA)

SCALE 2:1



KEYING OPTION
D



(SHOWN WITH CPA)

SCALE 2:1



KEYING OPTION
E



(SHOWN WITH CPA)

SCALE 2:1

KEYING OPTION
F



(SHOWN WITH CPA)

SCALE 2:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN R. VESTAL 14DEC2006	 TE Connectivity	
DIMENSIONS:		CHK D. STRAUSSER 14DEC2006		
mm	TOLERANCES UNLESS OTHERWISE SPECIFIED:	APVD D. STRAUSSER 14DEC2006	NAME	
	0 PLC ±	PRODUCT SPEC	ASSEMBLY, 1X6 POSITION, GET, FEMALE, UNSEALED	
	1 PLC ±	APPLICATION SPEC		
	2 PLC ±	WEIGHT	SIZE A1	CAGE CODE 00779
	3 PLC ±	CUSTOMER DRAWING	DRAWING NO. C=1456985	RESTRICTED TO -
	4 PLC ±		SCALE 5:1	SHEET 2 OF 2
MATERIAL -	ANGLES -			REV D3
SEE TABLE	FINISH -			



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.