



TSYS02 Series Digital Temperature Sensor

Digital Temperature Sensor
±0.2°C Accuracy
16 bit Resolution
I²C/PWM/SDM Versions available
TDFN8 Package



The TSYS02 Series comprises three digital temperature sensor solutions. The sensors are located in ultra small TDFN8 packages. TSYS02 provides precisely temperature information via different output options.

Dimensions (mm)






FEATURES

- Temperature Range: -40°C ... +125°C
- Accuracy: ±0.2°C @ -5°C ... +50°C
- Output: I²C / PWM / SDM
 - I²C: TSYS02D
Digital Interface
 - PWM: TSYS02P
Pulse Width Modulation
 - SDM: TSYS02S
Pulse sequence representing analogue voltage
- Small Dimensions TDFN8 2.5 x 2.5
- Low Power Consumption

APPLICATIONS

- Replacement of Precision RTDs, Thermistors & NTCs
- Industrial Control
- Heating / Cooling Systems
- HVAC




TSYS02 Series Digital Temperature Sensor

performance specifications


Parameter	Symbol	Conditions	Min	Typ	Max	Unit
Operating Supply Voltage	V _{DD}	stabilized	1.5	3.3	3.6	V
Supply Current	I _{DD}	1 sample per second		18		μA
Standby current	I _s	No conversion, V _{DD} = 3V T = 25°C T = 85°C		0.02 0.70	0.14 1.40	μA μA
Conversion time	T _{CONV}			43		ms
Temp. Measurement Range	T _{RANG}		-40		125	°C
Accuracy 1	T _{ACC1}	-5°C < T < +50°C	-0.2		+0.2	°C
Accuracy 2	T _{ACC2}	-20°C < T < +100°C	-0.5		+0.5	°C
Accuracy 3	T _{ACC3}	-40°C < T < +125°C	-1.0		+1.0	°C
Temperature Resolution	T _{RES}				0.01	°C

accuracy




application examples

TSYS02D (I²C)



TSYS02P (PWM)



TSYS02S (SDM)



ordering information

Part Number	Part Description	Interface	Detailed Datasheet
G-NIMO-003	TSYS02D	I ² C	TSYS02D_datasheet
G-NIMO-004	TSYS02P	PWM	TSYS02P_datasheet
G-NIMO-005	TSYS02S	SDM	TSYS02S_datasheet

The information in this sheet has been carefully reviewed and is believed to be accurate; however, no responsibility is assumed for inaccuracies. Furthermore, this information does not convey to the purchaser of such devices any license under the patent rights to the manufacturer. Measurement Specialties, Inc. reserves the right to make changes without further notice to any product herein. Measurement Specialties, Inc. makes no warranty, representation or guarantee regarding the suitability of its product for any particular purpose, nor does Measurement Specialties, Inc. assume any liability arising out of the application or use of any product or circuit and specifically disclaims any and all liability, including without limitation consequential or incidental damages. Typical parameters can and do vary in different applications. All operating parameters must be validated for each customer application by customer's technical experts. Measurement Specialties, Inc. does not convey any license under its patent rights nor the rights of others.



Компания «ЭлектроПласт» предлагает заключение долгосрочных отношений при поставках импортных электронных компонентов на взаимовыгодных условиях!

Наши преимущества:

- Оперативные поставки широкого спектра электронных компонентов отечественного и импортного производства напрямую от производителей и с крупнейших мировых складов;
- Поставка более 17-ти миллионов наименований электронных компонентов;
- Поставка сложных, дефицитных, либо снятых с производства позиций;
- Оперативные сроки поставки под заказ (от 5 рабочих дней);
- Экспресс доставка в любую точку России;
- Техническая поддержка проекта, помощь в подборе аналогов, поставка прототипов;
- Система менеджмента качества сертифицирована по Международному стандарту ISO 9001;
- Лицензия ФСБ на осуществление работ с использованием сведений, составляющих государственную тайну;
- Поставка специализированных компонентов (Xilinx, Altera, Analog Devices, Intersil, Interpoint, Microsemi, Aeroflex, Peregrine, Syfer, Eurofarad, Texas Instrument, Miteq, Cobham, E2V, MA-COM, Hittite, Mini-Circuits, General Dynamics и др.);

Помимо этого, одним из направлений компании «ЭлектроПласт» является направление «Источники питания». Мы предлагаем Вам помощь Конструкторского отдела:

- Подбор оптимального решения, техническое обоснование при выборе компонента;
- Подбор аналогов;
- Консультации по применению компонента;
- Поставка образцов и прототипов;
- Техническая поддержка проекта;
- Защита от снятия компонента с производства.



Как с нами связаться

Телефон: 8 (812) 309 58 32 (многоканальный)

Факс: 8 (812) 320-02-42

Электронная почта: org@eplast1.ru

Адрес: 198099, г. Санкт-Петербург, ул. Калинина, дом 2, корпус 4, литера А.